

Iowa Community Health Snapshot Series

275 community reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



May 2024

By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

Iowa Community Health Snapshot Series

Table of contents

Opportunities 4 How to Use this Report 5 Using Ames, IA as an Example 6 Health Status 7 Poor General Health 7 Poor Physical Health 7 Poor Mental Health 8 Health Risk Behaviors 9 Current Smoking 10 Physical Inactivity 10	Health in Camanche: Overview																								3
How to Use this Report 8 Using Ames, IA as an Example 6 Health Status 7 Poor General Health 7 Poor Physical Health 7 Poor Mental Health 8 Health Risk Behaviors 9 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	0																								
Using Ames, IA as an Example 6 Health Status 7 Poor General Health 7 Poor Physical Health 7 Poor Mental Health 8 Health Risk Behaviors 9 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	• •																								
Health Status 7 Poor General Health 7 Poor Physical Health 7 Poor Mental Health 8 Health Risk Behaviors 8 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10																									
Poor General Health 7 Poor Physical Health 8 Poor Mental Health 8 Health Risk Behaviors 9 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	Using Ames, IA as an Exan	nple	е.	•	·	•	 ·	•	 ·	•	•	• •	•	•	 •	·	•	•	•	-	• •	•	• •	•	6
Poor Physical Health 8 Poor Mental Health 8 Health Risk Behaviors 9 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	Health Status																								7
Poor Mental Health 6 Health Risk Behaviors 9 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	Poor General Health																								7
Health Risk Behaviors 9 Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	Poor Physical Health																								8
Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	Poor Mental Health							-		•			•				•				-	•		-	8
Binge Drinking 9 Current Smoking 10 Physical Inactivity 10	Health Risk Behaviors																								9
Current Smoking	Binge Drinking																								9
Physical Inactivity	o																								
j	•																								
	, , , , , , , , , , , , , , , , , , ,																								
Health Outcomes 12	Health Outcomes																								12
5	•																								13
	· · · · ·																								14
																									14
- 1																									15
																									15
I · · · · · · · · · · · · · · · · · · ·	-																								-
																									16
5	•																								17
- ,																									17
- ,	•																								18
Prevention 19	Prevention																								19
																									-
0	0																								

Colorectal Cancer Screening Core preventive services for older men Core preventive services for older men Core preventive services for older women Core preventive services for older women Dental Visit Core preventive services for older women Mammography Core preventive services for older women	22 22 24 24 26
Disability	27
Hearing disability	27 28 29 29 30 30
Appendix 1: CDC PLACES Data	31
Appendix 2: Camanche PLACES Data	32
Appendix 3: Midsized Communities (2,500-9,999)	34

Health in Camanche: Overview

Dear Community Members & Stakeholders of Camanche,

We are pleased to share the Iowa Community Health Snapshot series, a set of reports designed in partnership with Iowa State University's Community Economic Development to assess the overall landscape of health and well-being across Iowa. The following pages include the health snapshot for your community. The snapshot can be used to see how Camanche ranks across various health measures compared to the rest of the state and similarly-sized communities. This comparison allows us to identify Camanche's strengths and opportunities for growth by leveraging the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your community ranks compared to all lowa communities and communities of similar size to Camanche. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your community and presents what the rate would be if your community had a standard age distribution. Crude rates can provide a general comparison between communities and age-adjusted rates can give a fairer comparison between communities.

Strengths

Take a look at the top strengths of your community! Below are unadjusted and age-adjusted health measures that represent your community's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

Cr	ude		Age-/	Adjusted	
Health Domain	Statewide Community Rank	Midsized Community Rank	Health Domain	Statewide Community Rank	Midsized Community Rank
Mammography	110th	16th	Taking BP Medication	91st	17th
Annual Checkup	234th	19th	Annual Checkup	127th	17th
Core preventive services for older women	343rd	28th	Mammography	161st	31st
Taking BP Medication	370th	36th	High Cholesterol	379th	41st
Cervical Cancer Screening	402nd	36th	Core preventive services for older women	382nd	47th

Opportunities

Below are health measures that represent potential areas for growth in your community. We recommend increasing investment in these areas to support community health and well-being.

	Crude		Age-	Adjusted	
Health Domain	Statewide Community Rank	Midsized Community Rank	Health Domain	Statewide Community Rank	Midsized Community Rank
Obesity	929th	96th	Obesity	865th	90th
Core preventive services for older men	876th	89th	Dental Visit	786th	75th
Current Smoking	860th	88th	Diabetes	782nd	78th
Current Asthma	838th	81st	Physical Health	777th	77th
Physical Health	830th	82nd	Core preventive services for older men	771st	88th

Please review the rest of the report to learn more about your community and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Camanche.

Sincerely,

Show

Shawn F. Dorius, PhD Iowa State University Public Science Collaborative



IOWA STATE UNIVERSITY Extension and Outreach Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

How to Use this Report

The purpose of the Iowa Community Health Snapshot Series is to provide an overview of health in Camanche that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Camanche, a review of risky behaviors in the community, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Camanche compares to the rest of the state and similarly-sized communities.

With a population of 4,546, Camanche's similarly sized communities are defined as midsized communities. In Iowa, midsized communities have an average population of 4,787, and there are 102 communities that are considered midsized communities. To see all of the communities in this population group, please see Appendix 3 of this report.

Group	Population Range	Number of Communities
Large	50,000+	11
Mid-Large	10,000-49,999	31
Midsized	2,500-9,999	102
Small	1,000-2,499	138
Very Small	0-999	676
Total		958

Using Ames, IA as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your community's crude and age-adjusted rate estimates alongside their averages across all lowa communities and similarly-sized communities. The images below show the distribution of the health measure across communities. The vertical lines correspond with the values in the table to show the estimate for the specific community compared to communities across the state. The solid black line in each plot represents the community rate, with the dashed lines indicating the average rate for all lowa communities and the dotted lines showing the average rate for similarly-sized communities.



The example graphic above displays the poor mental health rate in Ames, Iowa. The left plot shows the crude rate of poor mental health in the community. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Ames has a higher crude rate of poor mental health than most communities in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized communities, indicating that when accounting for Ames's unique age distribution, Ames's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

Health Status


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

Poor General Health

Camanche has a crude rate of 15.9% for fair or poor selfrated health status among adults aged >= 18 years, which ranks 752nd out of 958 lowa communities (72nd out of 102 midsized communities). The age-adjusted rate for Camanche is 14.3%, which ranks 744th out of 905 lowa communities (71st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	15.9%	14.3%	14.5%
Age-Adjusted	14.3%	12.7%	13.0%



Poor Physical Health

Camanche has a crude rate of 12.1% for physical health not good for >=14 days among adults aged >=18 years, which ranks 830th out of 958 lowa communities (82nd out of 102 midsized communities). The age-adjusted rate for Camanche is 10.8%, which ranks 777th out of 905 lowa communities (77th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	12.1%	10.8%	10.7%
Age-Adjusted	10.8%	9.7%	9.9%



Poor Mental Health

Camanche has a crude rate of 15.0% for mental health not good for >=14 days among adults aged >=18 years, which ranks 705th out of 958 lowa communities (68th out of 102 midsized communities). The age-adjusted rate for Camanche is 16.4%, which ranks 744th out of 905 lowa communities (77th out of 102 midsized communities).

Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	15.0%	14.3%	14.4%
Age-Adjusted	16.4%	15.5%	15.5%



Health Risk Behaviors


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Binge Drinking

Camanche has a crude rate of 20.0% for binge drinking among adults aged >=18 years, which ranks 561st out of 958 lowa communities (65th out of 102 midsized communities). The age-adjusted rate for Camanche is 22.5%, which ranks 609th out of 905 lowa communities (72nd out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	20.0%	19.5%	19.2%
Age-Adjusted	22.5%	22.0%	21.4%



Current Smoking

Camanche has a crude rate of 19.4% for current smoking among adults aged >=18 years, which ranks 860th out of 958 lowa communities (88th out of 102 midsized communities). The age-adjusted rate for Camanche is 19.5%, which ranks 758th out of 905 lowa communities (80th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	19.4%	16.8%	16.4%
Age-Adjusted	19.5%	17.5%	17.6%



Physical Inactivity

Camanche has a crude rate of 27.8% for no leisure-time physical activity among adults aged >=18 years, which ranks 696th out of 958 lowa communities (67th out of 102 midsized communities). The age-adjusted rate for Camanche is 26.2%, which ranks 718th out of 905 lowa communities (69th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	27.8%	26.1%	26.6%
Age-Adjusted	26.2%	24.3%	24.7%



Sleep <7 hours

Camanche has a crude rate of 32.0% for sleeping less than 7 hours among adults aged >=18 years, which ranks 823rd out of 958 lowa communities (87th out of 102 midsized communities). The age-adjusted rate for Camanche is 32.5%, which ranks 770th out of 905 lowa communities (84th out of 102 midsized communities).

Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	32.0%	30.2%	29.8%
Age-Adjusted	32.5%	31.1%	30.7%



Health Outcomes


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

Arthritis

Camanche has a crude rate of 29.5% for arthritis among adults aged >=18 years, which ranks 654th out of 958 lowa communities (76th out of 102 midsized communities). The age-adjusted rate for Camanche is 24.4%, which ranks 768th out of 905 lowa communities (82nd out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	29.5%	27.9%	27.8%
Age-Adjusted	24.4%	23.1%	23.2%



High Blood Pressure

Camanche has a crude rate of 33.7% for high blood pressure among adults aged >=18 years, which ranks 639th out of 958 lowa communities (77th out of 102 midsized communities). The age-adjusted rate for Camanche is 28.5%, which ranks 710th out of 905 lowa communities (76th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	33.7%	32.0%	32.0%
Age-Adjusted	28.5%	27.3%	27.5%



Cancer (except skin)

Camanche has a crude rate of 8.0% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 449th out of 958 lowa communities (45th out of 102 midsized communities). The age-adjusted rate for Camanche is 6.5%, which ranks 418th out of 905 lowa communities (41st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	8.0%	8.0%	8.2%
Age-Adjusted	6.5%	6.5%	6.5%



Current Asthma

Camanche has a crude rate of 9.8% for current asthma among adults aged >=18 years, which ranks 838th out of 958 lowa communities (81st out of 102 midsized communities). The age-adjusted rate for Camanche is 9.9%, which ranks 762nd out of 905 lowa communities (80th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	9.8%	9.3%	9.3%
Age-Adjusted	9.9%	9.5%	9.6%



Coronary Heart Disease

Camanche has a crude rate of 6.9% for coronary heart disease among adults aged >=18 years, which ranks 608th out of 958 lowa communities (65th out of 102 midsized communities). The age-adjusted rate for Camanche is 5.4%, which ranks 729th out of 905 lowa communities (76th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	6.9%	6.4%	6.5%
Age-Adjusted	5.4%	5.0%	5.0%



COPD

Camanche has a crude rate of 8.5% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 770th out of 958 lowa communities (78th out of 102 midsized communities). The age-adjusted rate for Camanche is 7.1%, which ranks 765th out of 905 lowa communities (75th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	8.5%	7.4%	7.4%
Age-Adjusted	7.1%	6.2%	6.3%



Depression

Camanche has a crude rate of 18.9% for depression among adults aged >=18 years, which ranks 730th out of 958 lowa communities (69th out of 102 midsized communities). The age-adjusted rate for Camanche is 19.9%, which ranks 702nd out of 905 lowa communities (76th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	18.9%	18.0%	18.2%
Age-Adjusted	19.9%	19.0%	19.2%



Diabetes

Camanche has a crude rate of 11.6% for diagnosed diabetes among adults aged >=18 years, which ranks 806th out of 958 lowa communities (84th out of 102 midsized communities). The age-adjusted rate for Camanche is 9.2%, which ranks 782nd out of 905 lowa communities (78th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	11.6%	10.1%	9.9%
Age-Adjusted	9.2%	8.1%	8.3%



High Cholesterol

Camanche has a crude rate of 36.6% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 527th out of 958 lowa communities (67th out of 102 midsized communities). The age-adjusted rate for Camanche is 29.6%, which ranks 379th out of 905 lowa communities (41st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	36.6%	36.2%	35.7%
Age-Adjusted	29.6%	29.7%	29.8%



Chronic Kidney Disease

Camanche has a crude rate of 3.3% for chronic kidney disease among adults aged >=18 years, which ranks 540th out of 958 lowa communities (51st out of 102 midsized communities). The age-adjusted rate for Camanche is 2.7%, which ranks 623rd out of 905 lowa communities (60th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	3.3%	3.2%	3.3%
Age-Adjusted	2.7%	2.6%	2.6%



Obesity

Camanche has a crude rate of 42.7% for obesity among adults aged >=18 years, which ranks 929th out of 958 lowa communities (96th out of 102 midsized communities). The age-adjusted rate for Camanche is 41.8%, which ranks 865th out of 905 lowa communities (90th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	42.7%	37.6%	37.6%
Age-Adjusted	41.8%	37.6%	38.1%



Stroke

Camanche has a crude rate of 3.4% for stroke among adults aged >=18 years, which ranks 538th out of 958 lowa communities (52nd out of 102 midsized communities). The age-adjusted rate for Camanche is 2.8%, which ranks 714th out of 905 lowa communities (71st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	3.4%	3.3%	3.3%
Age-Adjusted	2.8%	2.6%	2.6%



All Teeth Lost

Camanche has a crude rate of 13.6% for all teeth lost among adults aged >=65 years, which ranks 601st out of 958 lowa communities (53rd out of 102 midsized communities). The age-adjusted rate for Camanche is 14.0%, which ranks 683rd out of 905 lowa communities (69th out of 102 midsized communities).

Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	13.6%	12.9%	13.5%
Age-Adjusted	14.0%	12.8%	12.9%



Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your community's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your community. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/prevention/index.html

Lack of Health Insurance

Camanche has a crude rate of 7.7% for current lack of health insurance among adults aged 18–64 years, which ranks 598th out of 958 lowa communities (53rd out of 102 midsized communities). The age-adjusted rate for Camanche is 8.2%, which ranks 598th out of 905 lowa communities (57th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	7.7%	7.3%	7.6%
Age-Adjusted	8.2%	7.7%	7.9%



Taking BP Medication

Camanche has a crude rate of 80.4% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 370th out of 958 lowa communities (36th out of 102 midsized communities). The age-adjusted rate for Camanche is 60.0%, which ranks 91st out of 905 lowa communities (17th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	80.4%	79.8%	79.8%
Age-Adjusted	60.0%	59.0%	59.0%



Cervical Cancer Screening

Camanche has a crude rate of 83.6% for cervical cancer screening among adult women aged 21–65 years, which ranks 402nd out of 958 lowa communities (36th out of 102 midsized communities). The age-adjusted rate for Camanche is 83.3%, which ranks 402nd out of 905 lowa communities (49th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	83.6%	83.3%	82.9%
Age-Adjusted	83.3%	83.2%	83.2%



Annual Checkup

Camanche has a crude rate of 76.4% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 234th out of 958 lowa communities (19th out of 102 midsized communities). The ageadjusted rate for Camanche is 73.7%, which ranks 127th out of 905 lowa communities (17th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	76.4%	75.2%	75.2%
Age-Adjusted	73.7%	72.6%	72.8%



Cholesterol Screening

Camanche has a crude rate of 82.7% for cholesterol screening among adults aged >=18 years, which ranks 451st out of 958 lowa communities (33rd out of 102 mid-sized communities). The age-adjusted rate for Camanche is 78.7%, which ranks 573rd out of 905 lowa communities (64th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	82.7%	82.6%	81.8%
Age-Adjusted	78.7%	79.1%	79.0%



Colorectal Cancer Screening

Camanche has a crude rate of 70.5% for colorectal cancer screening among adults aged 50–75 years, which ranks 643rd out of 958 lowa communities (65th out of 102 mid-sized communities). The age-adjusted rate for Camanche is 69.5%, which ranks 716th out of 905 lowa communities (75th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	70.5%	71.6%	71.6%
Age-Adjusted	69.5%	70.9%	70.8%



Core preventive services for older men

Camanche has a crude rate of 39.0% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 876th out of 958 lowa communities (89th out of 102 midsized communities). The age-adjusted rate for Camanche is 39.8%, which ranks 771st out of 905 lowa communities (88th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	39.0%	43.5%	42.9%
Age-Adjusted	39.8%	43.5%	43.2%



Core preventive services for older women

Camanche has a crude rate of 40.7% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 343rd out of 958 lowa communities (28th out of 102 midsized communities). The age-adjusted rate for Camanche is 40.8%, which ranks 382nd out of 905 lowa communities (47th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	40.7%	39.0%	37.8%
Age-Adjusted	40.8%	39.9%	40.4%



Dental Visit

Camanche has a crude rate of 63.0% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 822nd out of 958 lowa communities (76th out of 102 midsized communities). The age-adjusted rate for Camanche is 62.3%, which ranks 786th out of 905 lowa communities (75th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	63.0%	67.2%	67.0%
Age-Adjusted	62.3%	66.6%	66.5%



Mammography

Camanche has a crude rate of 79.0% for mammography use among women aged 50–74 years, which ranks 110th out of 958 lowa communities (16th out of 102 midsized communities). The age-adjusted rate for Camanche is 75.9%, which ranks 161st out of 905 lowa communities (31st out of 102 midsized communities).

Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	79.0%	76.2%	76.5%
Age-Adjusted	75.9%	73.9%	74.0%



Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Hearing disability

Camanche has a crude rate of 7.5% for hearing disability among adults aged >=18 years, which ranks 497th out of 958 lowa communities (46th out of 102 midsized communities). The age-adjusted rate for Camanche is 6.3%, which ranks 681st out of 905 lowa communities (72nd out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	7.5%	7.4%	7.6%
Age-Adjusted	6.3%	6.0%	5.9%



Vision disability

Camanche has a crude rate of 4.6% for vision disability among adults aged >=18 years, which ranks 694th out of 958 lowa communities (63rd out of 102 midsized communities). The age-adjusted rate for Camanche is 4.1%, which ranks 714th out of 905 lowa communities (66th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	4.6%	4.1%	4.3%
Age-Adjusted	4.1%	3.6%	3.8%



Cognitive disability

Camanche has a crude rate of 11.9% for cognitive disability among adults aged >=18 years, which ranks 718th out of 958 lowa communities (68th out of 102 midsized communities). The age-adjusted rate for Camanche is 12.6%, which ranks 726th out of 905 lowa communities (71st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	11.9%	11.1%	11.5%
Age-Adjusted	12.6%	11.6%	11.8%



Mobility disability

Camanche has a crude rate of 13.0% for mobility disability among adults aged >=18 years, which ranks 676th out of 958 lowa communities (65th out of 102 midsized communities). The age-adjusted rate for Camanche is 10.6%, which ranks 736th out of 905 lowa communities (71st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	13.0%	11.8%	12.1%
Age-Adjusted	10.6%	9.5%	9.8%



Self-care disability

Camanche has a crude rate of 3.9% for self-care disability among adults aged >=18 years, which ranks 728th out of 958 lowa communities (68th out of 102 midsized communities). The age-adjusted rate for Camanche is 3.3%, which ranks 702nd out of 905 lowa communities (66th out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	3.9%	3.4%	3.5%
Age-Adjusted	3.3%	2.9%	3.1%



Independent living disability

Camanche has a crude rate of 7.3% for independent living disability among adults aged >=18 years, which ranks 697th out of 958 lowa communities (64th out of 102 midsized communities). The age-adjusted rate for Camanche is 7.0%, which ranks 739th out of 905 lowa communities (71st out of 102 midsized communities).


Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	7.3%	6.6%	7.0%
Age-Adjusted	7.0%	6.2%	6.4%



Any disability

Camanche has a crude rate of 26.4% for any disability among adults aged >=18 years, which ranks 572nd out of 958 lowa communities (52nd out of 102 midsized communities). The age-adjusted rate for Camanche is 24.5%, which ranks 686th out of 905 lowa communities (69th out of 102 midsized communities).

Measure Type	Camanche	All Comm.	Midsized Comm.
Crude	26.4%	25.6%	26.3%
Age-Adjusted	24.5%	23.2%	23.4%



Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



Appendix 2: Camanche PLACES Data

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Health Status	General Health	752	15.9% (13.5% - 18.8%)	744	14.3% (12.1% - 16.8%)
Health Status	Mental Health	705	15.0% (12.9% - 17.3%)	744	16.4% (14.1% - 18.8%)
Health Status	Physical Health	830	12.1% (10.4% - 14.1%)	777	10.8% (9.3% - 12.6%)
Health Risk Behaviors	Binge Drinking	561	20.0% (16.6% - 23.7%)	609	22.5% (18.8% - 26.7%)
Health Risk Behaviors	Current Smoking	860	19.4% (15.7% - 23.6%)	758	19.5% (15.6% - 23.7%)
Health Risk Behaviors	Sleep <7 hours	823	32.0% (30.6% - 33.5%)	770	32.5% (31.0% - 34.0%)
Health Risk Behaviors	Physical Inactivity	696	27.8% (22.8% - 33.2%)	718	26.2% (21.7% - 31.6%)
Health Outcomes	Current Asthma	838	9.8% (8.5% - 11.2%)	762	9.9% (8.6% - 11.3%)
Health Outcomes	Coronary Heart Disease	608	6.9% (6.0% - 7.9%)	729	5.4% (4.7% - 6.2%)
Health Outcomes	Obesity	929	42.7% (35.7% - 49.8%)	865	41.8% (34.7% - 49.1%)
Health Outcomes	Stroke	538	3.4% (3.0% - 3.9%)	714	2.8% (2.4% - 3.1%)
Health Outcomes	Depression	730	18.9% (15.6% - 22.6%)	702	19.9% (16.4% - 23.8%)
Health Outcomes	High Blood Pressure	639	33.7% (29.7% - 38.0%)	710	28.5% (24.6% - 32.4%)
Health Outcomes	Diabetes	806	11.6% (9.8% - 13.6%)	782	9.2% (7.8% - 10.8%)
Health Outcomes	All Teeth Lost	601	13.6% (9.7% - 18.1%)	683	14.0% (10.0% - 18.4%)
Health Outcomes	Cancer (except skin)	449	8.0% (7.2% - 8.9%)	418	6.5% (5.8% - 7.2%)
Health Outcomes	Chronic Kidney Disease	540	3.3% (2.9% - 3.6%)	623	2.7% (2.5% - 3.0%)
Health Outcomes	High Cholesterol	527	36.6% (32.1% - 41.3%)	379	29.6% (25.4% - 34.0%)
Health Outcomes	Arthritis	654	29.5% (25.6% - 33.8%)	768	24.4% (20.8% - 28.1%)
Health Outcomes	COPD	770	8.5% (7.2% - 10.0%)	765	7.1% (5.9% - 8.3%)
Prevention	Mammography	110	79.0% (75.2% - 82.5%)	161	75.9% (71.9% - 79.4%)
Prevention	Core preventive services for older men	876	39.0% (31.1% - 47.3%)	771	39.8% (31.9% - 47.8%)
Prevention	Taking BP Medication	370	80.4% (77.0% - 83.6%)	91	60.0% (54.8% - 64.8%)
Prevention	Health Insurance	598	7.7% (6.0% - 9.8%)	598	8.2% (6.4% - 10.6%)
Prevention	Cervical Cancer Screening	402	83.6% (81.2% - 85.9%)	402	83.3% (81.0% - 85.6%)
Prevention	Annual Checkup	234	76.4% (71.8% - 80.6%)	127	73.7% (68.8% - 78.4%)

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Prevention	Dental Visit	822	63.0% (59.6% - 66.2%)	786	62.3% (58.9% - 65.7%)
Prevention	Colorectal Cancer Screening	643	70.5% (67.6% - 73.5%)	716	69.5% (66.6% - 72.8%)
Prevention	Core preventive services for older women	343	40.7% (33.8% - 48.0%)	382	40.8% (34.0% - 48.0%)
Prevention	Cholesterol Screening	451	82.7% (79.8% - 85.4%)	573	78.7% (75.1% - 82.0%)
Disability	Cognitive Disability	718	11.9% (10.1% - 14.0%)	726	12.6% (10.7% - 14.8%)
Disability	Hearing Disability	497	7.5% (6.6% - 8.5%)	681	6.3% (5.6% - 7.1%)
Disability	Vision Disability	694	4.6% (3.9% - 5.3%)	714	4.1% (3.6% - 4.7%)
Disability	Any Disability	572	26.4% (22.5% - 30.7%)	686	24.5% (20.8% - 28.8%)
Disability	Self-care Disability	728	3.9% (3.4% - 4.6%)	702	3.3% (2.9% - 3.9%)
Disability	Independent Living Disability	697	7.3% (6.3% - 8.5%)	739	7.0% (6.0% - 8.1%)
Disability	Mobility Disability	676	13.0% (11.0% - 15.4%)	736	10.6% (9.0% - 12.4%)

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.

Appendix 3: Midsized Communities (2,500-9,999)

Camanche falls into the group of midsized communities, which have a population of 2,500-9,999. In this data, 102 communities have a population in this range. The table below lists all communities in that group, sorted by the population estimate in the CDC PLACES dataset.

Community	Population	Community	Population	Community	Population
Keokuk	9,868	Red Oak	5,563	Dyersville	4,318
Grinnell	9,511	DeWitt	5,508	Forest City	4,254
Fairfield	9,474	Anamosa	5,493	Chariton	4,203
Mount Pleasant	9,214	Osceola	5,455	Jefferson	4,190
Denison	8,316	Algona	5,443	Carlisle	4,116
Sioux Center	8,227	Sheldon	5,417	Rock Valley	4,045
Perry	7,875	Spirit Lake	5,409	Monticello	4,034
Webster City	7,787	Centerville	5,393	Cresco	3,899
Clear Lake	7,642	Clarinda	5,371	West Liberty	3,821
Bondurant	7,617	Winterset	5,366	Waukon	3,818
Decorah	7,611	Windsor Heights	5,200	Carter Lake	3,780
Knoxville	7,523	Cherokee	5,154	Albia	3,705
Creston	7,519	Glenwood	5,128	Emmetsburg	3,671
Charles City	7,364	Manchester	5,112	Osage	3,590
Washington	7,329	Iowa Falls	5,095	Eagle Grove	3,589
Hiawatha	7,179	Sergeant Bluff	5,007	New Hampton	3,473
Nevada	6,933	Vinton	4,953	Robins	3,356
Atlantic	6,770	Shenandoah	4,930	Story City	3,352
Eldridge	6,693	Harlan	4,897	Williamsburg	3,332
Orange City	6,278	Tiffin	4,845	Milford	3,295
Maquoketa	6,123	Humboldt	4,774	West Burlington	3,184
Independence	6,106	Le Claire	4,679	Tipton	3,130
Adel	6,090	Evansdale	4,561	Tama	3,073
Oelwein	5,934	Camanche	4,546	Garner	3,065
Asbury	5,890	Mount Vernon	4,529	Solon	3,020
Estherville	5,881	Huxley	4,331	Wilton	2,939
Polk City	5,604	Hampton	4,328	Onawa	2,876

Community	Population
Saylorville	2,837
Park View	2,835
Sibley	2,830
Fairfax	2,814
Marengo	2,812
Clarion	2,799
Grundy Center	2,792
Madrid	2,784
Missouri Valley	2,692
Bloomfield	2,687
Hawarden	2,673
Postville	2,653
Eldora	2,645
Kalona	2,637
Rock Rapids	2,631
Center Point	2,573
Hudson	2,557
Belmond	2,512
Mitchellville	2,506
West Branch	2,503
Jesup	2,502