

Iowa Community Health Snapshot Series

275 community reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



May 2024

By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

Iowa Community Health Snapshot Series

Table of contents

| Health in Hiawa Strengths . | atha: Overview | | | | | | | | | | | | | | | | | 3 3 |
|--------------------------------|------------------|-----|-------|--|-------|------|---|---|-------|---|-------|---|-------|---|---|--|-------|---------------|
| U | 3 | | | | | | | | | | | | | | | | | 4 |
| • • | his Report | | | | | | | | | | | | | | | | | 5 |
| | mes, lA as an E | | | | | | | | | | | | | | | | | 6 |
| Health Status | | | | | | | | | | | | | | | | | | 7 |
| Poor G | eneral Health . | | | | | | | | | | | | | | | | | 7 |
| Poor Ph | nysical Health . | | | | | | | | | | | | | | | | | 8 |
| Poor M | ental Health . | | | | | | | | | | | | | | | | | 8 |
| Health Risk Be | haviors | | | | | | | | | | | | | | | | | 9 |
| Binge D | rinking | | | | | | | | | | | | | | | | | 9 |
| Current | Smoking | | | | | | | | | | | | | | | | | 10 |
| Physica | ıl Inactivity | | | | | | | | | | | | | | | | | 10 |
| Sleep < | 7 hours | | | | | | | | | | | | | | | | | 11 |
| Health Outcom | es | | | | | | | | | | | | | | | | | 12 |
| Arthritis | | | | | | | | | | | | | | | | | | 12 |
| High Bl | ood Pressure . | | | | | | | | | | | | | | | | | 13 |
| Cancer | (except skin) . | | | | | | | | | | | | | | | | | 13 |
| Current | Asthma | | | | | | | | | | | | | | | | | 14 |
| Corona | ry Heart Disease | . • | | | | | | | | | | | | | | | | 14 |
| COPD | | | | | | | | | | | | | | | | | | 15 |
| Depres | sion | | | | | | | | | | | | | | | | | 15 |
| | s | | | | | | | | | | | | | | | | | 16 |
| | nolesterol | | | | | | | | | | | | | | | | | 16 |
| | Kidney Disease | | | | | | | | | | | | | | | | | 17 |
| , | | | | | | | | | | | | | | | | | | 17 |
| | | | | | | | | | | | | | | | | | | 18 |
| All Teet | h Lost | | • | | • | | • | • | ٠ | • | • | • | • | ٠ | • | | • | 18 |
| Prevention | | | | | | | | | | | | | | | | | | 19 |
| Lack of | Health Insurance | е. | | | | | | | | | | | | | | | | 19 |
| • | BP Medication | | | | | | | | | | | | | | | | | 20 |
| | l Cancer Screen | | | | | | | | | | | | | | | | | 20 |
| | Checkup | | | | | | | | | | | | | | | | | 21 |
| Cholest | erol Screening | | | | | | | | | | | | | | | | | 21 |

| | Colorectal Cancer Screening | 22 |
|----------|---|----|
| | Core preventive services for older men | |
| | Core preventive services for older women | |
| | Dental Visit | |
| | Mammography | |
| Disabili | ty | 27 |
| | Hearing disability | 27 |
| | Vision disability | |
| | Cognitive disability | 28 |
| | Mobility disability | 29 |
| | Self-care disability | 29 |
| | Independent living disability | 30 |
| | Any disability | 30 |
| Append | lix 1: CDC PLACES Data | 31 |
| Append | lix 2: Hiawatha PLACES Data | 32 |
| Append | lix 3: Midsized Communities (2,500-9,999) | 34 |

Health in Hiawatha: Overview

Dear Community Members & Stakeholders of Hiawatha,

We are pleased to share the Iowa Community Health Snapshot series, a set of reports designed in partnership with Iowa State University's Community Economic Development to assess the overall landscape of health and well-being across Iowa. The following pages include the health snapshot for your community. The snapshot can be used to see how Hiawatha ranks across various health measures compared to the rest of the state and similarly-sized communities. This comparison allows us to identify Hiawatha's strengths and opportunities for growth by leveraging the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your community ranks compared to all lowa communities and communities of similar size to Hiawatha. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your community and presents what the rate would be if your community had a standard age distribution. Crude rates can provide a general comparison between communities and age-adjusted rates can give a fairer comparison between communities with different age structures.

Strengths

Take a look at the top strengths of your community! Below are unadjusted and age-adjusted health measures that represent your community's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

| | Crude | | Age-Adjusted | | | |
|--------------------------------|--------------------------------|-------------------------------|--------------------------------|--------------------------------|-------------------------------|--|
| Health Domain | Statewide Community Rank | Midsized Community Rank | Health Domain | Statewide Community Rank | Midsized Community Rank | |
| Arthritis | 103rd | 21st | Annual Checkup | 32nd | 6th | |
| Colorectal Cancer Screening | 125th | 14th | Taking BP Medication | 69th | 13th | |
| Cancer (except skin) | 126th | 16th | Cancer (except skin) | 74th | 11th | |
| Mammography | 143rd | 24th | Colorectal Cancer Screening | 79th | 19th | |
| Coronary Heart Disease | 156th | 24th | Arthritis | 135th | 21st | |

Opportunities

Below are health measures that represent potential areas for growth in your community. We recommend increasing investment in these areas to support community health and well-being.

| | Crude | | Age-Adjusted | | | |
|--|--------------------------------|-------------------------------|--|--------------------------------|-------------------------------|--|
| Health Domain | Statewide Community Rank | Midsized Community Rank | Health Domain | Statewide Community Rank | Midsized Community Rank | |
| Depression | 938th | 99th | Depression | 876th | 100th | |
| Mental Health | 856th | 88th | High Blood Pressure | 865th | 88th | |
| Current Asthma | 838th | 81st | Obesity | 725th | 75th | |
| Taking BP Medication | 811th | 81st | Core preventive services for older men | 725th | 83rd | |
| Core preventive services for older men | 807th | 79th | Current Asthma | 628th | 67th | |

Please review the rest of the report to learn more about your community and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Hiawatha.

Sincerely,

Show

Shawn F. Dorius, PhD Iowa State University

Public Science Collaborative



IOWA STATE UNIVERSITY
Extension and Outreach
Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

How to Use this Report

The purpose of the Iowa Community Health Snapshot Series is to provide an overview of health in Hiawatha that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Hiawatha, a review of risky behaviors in the community, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Hiawatha compares to the rest of the state and similarly-sized communities.

With a population of 7,179, Hiawatha's similarly sized communities are defined as midsized communities. In lowa, midsized communities have an average population of 4,787, and there are 102 communities that are considered midsized communities. To see all of the communities in this population group, please see Appendix 3 of this report.

| Group | Population Range | Number of Communities |
|------------|------------------|-----------------------|
| Large | 50,000+ | 11 |
| Mid-Large | 10,000-49,999 | 31 |
| Midsized | 2,500-9,999 | 102 |
| Small | 1,000-2,499 | 138 |
| Very Small | 0-999 | 676 |
| Total | | 958 |

Using Ames, IA as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your community's crude and age-adjusted rate estimates alongside their averages across all lowa communities and similarly-sized communities. The images below show the distribution of the health measure across communities. The vertical lines correspond with the values in the table to show the estimate for the specific community compared to communities across the state. The solid black line in each plot represents the community rate, with the dashed lines indicating the average rate for all lowa communities and the dotted lines showing the average rate for similarly-sized communities.



The example graphic above displays the poor mental health rate in Ames, lowa. The left plot shows the crude rate of poor mental health in the community. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Ames has a higher crude rate of poor mental health than most communities in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized communities, indicating that when accounting for Ames's unique age distribution, Ames's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

Health Status


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

Poor General Health

Hiawatha has a crude rate of 13.3% for fair or poor self-rated health status among adults aged >= 18 years, which ranks 312th out of 958 lowa communities (40th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 13.0%, which ranks 505th out of 905 lowa communities (50th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 13.3% | 14.3% | 14.5% |
| Age-Adjusted | 13.0% | 12.7% | 13.0% |



Poor Physical Health

Hiawatha has a crude rate of 10.2% for physical health not good for >=14 days among adults aged >=18 years, which ranks 293rd out of 958 lowa communities (38th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 9.9%, which ranks 518th out of 905 lowa communities (51st out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 10.2% | 10.8% | 10.7% |
| Age-Adjusted | 9.9% | 9.7% | 9.9% |



Poor Mental Health

Hiawatha has a crude rate of 15.7% for mental health not good for >=14 days among adults aged >=18 years, which ranks 856th out of 958 lowa communities (88th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 15.9%, which ranks 596th out of 905 lowa communities (67th out of 102 midsized communities).

| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 15.7% | 14.3% | 14.4% |
| Age-Adjusted | 15.9% | 15.5% | 15.5% |



Health Risk Behaviors


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Binge Drinking

Hiawatha has a crude rate of 21.6% for binge drinking among adults aged >=18 years, which ranks 799th out of 958 lowa communities (82nd out of 102 midsized communities). The age-adjusted rate for Hiawatha is 22.1%, which ranks 478th out of 905 lowa communities (64th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 21.6% | 19.5% | 19.2% |
| Age-Adjusted | 22.1% | 22.0% | 21.4% |



Current Smoking

Hiawatha has a crude rate of 17.7% for current smoking among adults aged >=18 years, which ranks 640th out of 958 lowa communities (74th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 17.8%, which ranks 495th out of 905 lowa communities (54th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 17.7% | 16.8% | 16.4% |
| Age-Adjusted | 17.8% | 17.5% | 17.6% |



Physical Inactivity

Hiawatha has a crude rate of 23.8% for no leisure-time physical activity among adults aged >=18 years, which ranks 232nd out of 958 lowa communities (29th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 23.5%, which ranks 333rd out of 905 lowa communities (40th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 23.8% | 26.1% | 26.6% |
| Age-Adjusted | 23.5% | 24.3% | 24.7% |



Sleep <7 hours

Hiawatha has a crude rate of 31.6% for sleeping less than 7 hours among adults aged >=18 years, which ranks 748th out of 958 lowa communities (82nd out of 102 mid-sized communities). The age-adjusted rate for Hiawatha is 31.8%, which ranks 613th out of 905 lowa communities (68th out of 102 midsized communities).

| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 31.6% | 30.2% | 29.8% |
| Age-Adjusted | 31.8% | 31.1% | 30.7% |



Health Outcomes


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

Arthritis

Hiawatha has a crude rate of 23.1% for arthritis among adults aged >=18 years, which ranks 103rd out of 958 lowa communities (21st out of 102 midsized communities). The age-adjusted rate for Hiawatha is 21.9%, which ranks 135th out of 905 lowa communities (21st out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 23.1% | 27.9% | 27.8% |
| Age-Adjusted | 21.9% | 23.1% | 23.2% |



High Blood Pressure

Hiawatha has a crude rate of 31.1% for high blood pressure among adults aged >=18 years, which ranks 362nd out of 958 lowa communities (41st out of 102 midsized communities). The age-adjusted rate for Hiawatha is 29.9%, which ranks 865th out of 905 lowa communities (88th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 31.1% | 32.0% | 32.0% |
| Age-Adjusted | 29.9% | 27.3% | 27.5% |



Cancer (except skin)

Hiawatha has a crude rate of 6.7% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 126th out of 958 lowa communities (16th out of 102 mid-sized communities). The age-adjusted rate for Hiawatha is 6.4%, which ranks 74th out of 905 lowa communities (11th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 6.7% | 8.0% | 8.2% |
| Age-Adjusted | 6.4% | 6.5% | 6.5% |



Current Asthma

Hiawatha has a crude rate of 9.8% for current asthma among adults aged >=18 years, which ranks 838th out of 958 lowa communities (81st out of 102 midsized communities). The age-adjusted rate for Hiawatha is 9.7%, which ranks 628th out of 905 lowa communities (67th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 9.8% | 9.3% | 9.3% |
| Age-Adjusted | 9.7% | 9.5% | 9.6% |



Coronary Heart Disease

Hiawatha has a crude rate of 5.3% for coronary heart disease among adults aged >=18 years, which ranks 156th out of 958 lowa communities (24th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 5.0%, which ranks 419th out of 905 lowa communities (49th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 5.3% | 6.4% | 6.5% |
| Age-Adjusted | 5.0% | 5.0% | 5.0% |



COPD

Hiawatha has a crude rate of 6.6% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 232nd out of 958 lowa communities (32nd out of 102 midsized communities). The age-adjusted rate for Hiawatha is 6.3%, which ranks 459th out of 905 lowa communities (46th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 6.6% | 7.4% | 7.4% |
| Age-Adjusted | 6.3% | 6.2% | 6.3% |



Depression

Hiawatha has a crude rate of 21.5% for depression among adults aged >=18 years, which ranks 938th out of 958 lowa communities (99th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 21.6%, which ranks 876th out of 905 lowa communities (100th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 21.5% | 18.0% | 18.2% |
| Age-Adjusted | 21.6% | 19.0% | 19.2% |



Diabetes

Hiawatha has a crude rate of 9.0% for diagnosed diabetes among adults aged >=18 years, which ranks 224th out of 958 lowa communities (30th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 8.4%, which ranks 567th out of 905 lowa communities (56th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 9.0% | 10.1% | 9.9% |
| Age-Adjusted | 8.4% | 8.1% | 8.3% |



High Cholesterol

Hiawatha has a crude rate of 33.6% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 158th out of 958 lowa communities (21st out of 102 midsized communities). The age-adjusted rate for Hiawatha is 29.9%, which ranks 501st out of 905 lowa communities (56th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 33.6% | 36.2% | 35.7% |
| Age-Adjusted | 29.9% | 29.7% | 29.8% |



Chronic Kidney Disease

Hiawatha has a crude rate of 2.8% for chronic kidney disease among adults aged >=18 years, which ranks 186th out of 958 lowa communities (24th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 2.7%, which ranks 623rd out of 905 lowa communities (60th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 2.8% | 3.2% | 3.3% |
| Age-Adjusted | 2.7% | 2.6% | 2.6% |



Obesity

Hiawatha has a crude rate of 39.9% for obesity among adults aged >=18 years, which ranks 794th out of 958 lowa communities (86th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 39.6%, which ranks 725th out of 905 lowa communities (75th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 39.9% | 37.6% | 37.6% |
| Age-Adjusted | 39.6% | 37.6% | 38.1% |



Stroke

Hiawatha has a crude rate of 2.8% for stroke among adults aged >=18 years, which ranks 181st out of 958 lowa communities (27th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 2.7%, which ranks 569th out of 905 lowa communities (57th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 2.8% | 3.3% | 3.3% |
| Age-Adjusted | 2.7% | 2.6% | 2.6% |



All Teeth Lost

Hiawatha has a crude rate of 12.3% for all teeth lost among adults aged >=65 years, which ranks 373rd out of 958 lowa communities (37th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 12.5%, which ranks 397th out of 905 lowa communities (43rd out of 102 midsized communities).

| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 12.3% | 12.9% | 13.5% |
| Age-Adjusted | 12.5% | 12.8% | 12.9% |



Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your community's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your community. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/prevention/index.html

Lack of Health Insurance

Hiawatha has a crude rate of 7.7% for current lack of health insurance among adults aged 18–64 years, which ranks 598th out of 958 lowa communities (53rd out of 102 mid-sized communities). The age-adjusted rate for Hiawatha is 7.9%, which ranks 498th out of 905 lowa communities (46th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 7.7% | 7.3% | 7.6% |
| Age-Adjusted | 7.9% | 7.7% | 7.9% |



Taking BP Medication

Hiawatha has a crude rate of 76.5% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 811th out of 958 lowa communities (81st out of 102 midsized communities). The age-adjusted rate for Hiawatha is 60.2%, which ranks 69th out of 905 lowa communities (13th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 76.5% | 79.8% | 79.8% |
| Age-Adjusted | 60.2% | 59.0% | 59.0% |



Cervical Cancer Screening

Hiawatha has a crude rate of 83.6% for cervical cancer screening among adult women aged 21–65 years, which ranks 402nd out of 958 lowa communities (36th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 84.4%, which ranks 168th out of 905 lowa communities (31st out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 83.6% | 83.3% | 82.9% |
| Age-Adjusted | 84.4% | 83.2% | 83.2% |



Annual Checkup

Hiawatha has a crude rate of 75.4% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 428th out of 958 lowa communities (43rd out of 102 midsized communities). The age-adjusted rate for Hiawatha is 74.9%, which ranks 32nd out of 905 lowa communities (6th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 75.4% | 75.2% | 75.2% |
| Age-Adjusted | 74.9% | 72.6% | 72.8% |



Cholesterol Screening

Hiawatha has a crude rate of 80.5% for cholesterol screening among adults aged >=18 years, which ranks 781st out of 958 lowa communities (70th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 79.7%, which ranks 296th out of 905 lowa communities (36th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 80.5% | 82.6% | 81.8% |
| Age-Adjusted | 79.7% | 79.1% | 79.0% |



Colorectal Cancer Screening

Hiawatha has a crude rate of 74.4% for colorectal cancer screening among adults aged 50–75 years, which ranks 125th out of 958 lowa communities (14th out of 102 mid-sized communities). The age-adjusted rate for Hiawatha is 74.5%, which ranks 79th out of 905 lowa communities (19th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 74.4% | 71.6% | 71.6% |
| Age-Adjusted | 74.5% | 70.9% | 70.8% |



Core preventive services for older men

Hiawatha has a crude rate of 40.1% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 807th out of 958 lowa communities (79th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 40.3%, which ranks 725th out of 905 lowa communities (83rd out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|----------------|
| Crude | 40.1% | 43.5% | 42.9% |
| Age-Adjusted | 40.3% | 43.5% | 43.2% |



Core preventive services for older women

Hiawatha has a crude rate of 41.4% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 288th out of 958 lowa communities (25th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 41.7%, which ranks 296th out of 905 lowa communities (37th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 41.4% | 39.0% | 37.8% |
| Age-Adjusted | 41.7% | 39.9% | 40.4% |



Dental Visit

Hiawatha has a crude rate of 67.0% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 490th out of 958 lowa communities (51st out of 102 mid-sized communities). The age-adjusted rate for Hiawatha is 66.9%, which ranks 424th out of 905 lowa communities (48th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 67.0% | 67.2% | 67.0% |
| Age-Adjusted | 66.9% | 66.6% | 66.5% |



Mammography

Hiawatha has a crude rate of 78.7% for mammography use among women aged 50–74 years, which ranks 143rd out of 958 lowa communities (24th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 75.8%, which ranks 174th out of 905 lowa communities (32nd out of 102 midsized communities).

| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 78.7% | 76.2% | 76.5% |
| Age-Adjusted | 75.8% | 73.9% | 74.0% |



Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Hearing disability

Hiawatha has a crude rate of 6.1% for hearing disability among adults aged >=18 years, which ranks 160th out of 958 lowa communities (24th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 5.9%, which ranks 360th out of 905 lowa communities (44th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 6.1% | 7.4% | 7.6% |
| Age-Adjusted | 5.9% | 6.0% | 5.9% |



Vision disability

Hiawatha has a crude rate of 4.0% for vision disability among adults aged >=18 years, which ranks 425th out of 958 lowa communities (41st out of 102 midsized communities). The age-adjusted rate for Hiawatha is 3.9%, which ranks 622nd out of 905 lowa communities (59th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 4.0% | 4.1% | 4.3% |
| Age-Adjusted | 3.9% | 3.6% | 3.8% |



Cognitive disability

Hiawatha has a crude rate of 11.7% for cognitive disability among adults aged >=18 years, which ranks 665th out of 958 lowa communities (62nd out of 102 midsized communities). The age-adjusted rate for Hiawatha is 11.8%, which ranks 495th out of 905 lowa communities (49th out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 11.7% | 11.1% | 11.5% |
| Age-Adjusted | 11.8% | 11.6% | 11.8% |



Mobility disability

Hiawatha has a crude rate of 10.1% for mobility disability among adults aged >=18 years, which ranks 215th out of 958 lowa communities (27th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 9.6%, which ranks 471st out of 905 lowa communities (42nd out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. |
|--------------|----------|--------------|-------------------|
| Crude | 10.1% | 11.8% | 12.1% |
| Age-Adjusted | 9.6% | 9.5% | 9.8% |



Self-care disability

Hiawatha has a crude rate of 3.2% for self-care disability among adults aged >=18 years, which ranks 320th out of 958 lowa communities (38th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 3.1%, which ranks 567th out of 905 lowa communities (50th out of 102 midsized communities).


| Measure Type | Hiawatha Comm | | Midsized Comm. |
|--------------|---------------|------|-------------------|
| Crude | 3.2% | 3.4% | 3.5% |
| Age-Adjusted | 3.1% | 2.9% | 3.1% |



Independent living disability

Hiawatha has a crude rate of 6.5% for independent living disability among adults aged >=18 years, which ranks 413th out of 958 lowa communities (39th out of 102 mid-sized communities). The age-adjusted rate for Hiawatha is 6.4%, which ranks 531st out of 905 lowa communities (51st out of 102 midsized communities).


| Measure Type | Hiawatha | All Comm. | Midsized Comm. | |
|--------------|----------|--------------|-------------------|--|
| Crude | 6.5% | 6.6% | 7.0% | |
| Age-Adjusted | 6.4% | 6.2% | 6.4% | |



Any disability

Hiawatha has a crude rate of 24.3% for any disability among adults aged >=18 years, which ranks 321st out of 958 lowa communities (34th out of 102 midsized communities). The age-adjusted rate for Hiawatha is 23.9%, which ranks 607th out of 905 lowa communities (62nd out of 102 midsized communities).

| Measure Type | ure Type Hiawatha | | Midsized Comm. |
|--------------|-------------------|-------|-------------------|
| Crude | 24.3% | 25.6% | 26.3% |
| Age-Adjusted | 23.9% | 23.2% | 23.4% |



Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



Appendix 2: Hiawatha PLACES Data

| Category | Health Domain | Crude Rate Rank | Crude Rate (95% CI) | Age-Adj. Rate Rank | Age-Adj. Rate (95% CI) |
|--------------------------|--|--------------------|-----------------------|-----------------------|------------------------|
| Health Status | Physical Health | 293 | 10.2% (8.8% - 11.7%) | 518 | 9.9% (8.6% - 11.2%) |
| Health Status | General Health | 312 | 13.3% (11.4% - 15.4%) | 505 | 13.0% (11.1% - 15.0%) |
| Health Status | Mental Health | 856 | 15.7% (13.7% - 17.8%) | 596 | 15.9% (13.9% - 18.1%) |
| Health Risk Behaviors | Sleep <7 hours | 748 | 31.6% (30.5% - 32.6%) | 613 | 31.8% (30.6% - 32.8%) |
| Health Risk Behaviors | Physical Inactivity | 232 | 23.8% (20.3% - 27.6%) | 333 | 23.5% (20.0% - 27.2%) |
| Health Risk Behaviors | Binge Drinking | 799 | 21.6% (18.7% - 24.7%) | 478 | 22.1% (19.3% - 25.3%) |
| Health Risk Behaviors | Current Smoking | 640 | 17.7% (14.6% - 20.9%) | 495 | 17.8% (14.5% - 21.2%) |
| Health Outcomes | COPD | 232 | 6.6% (5.6% - 7.7%) | 459 | 6.3% (5.3% - 7.4%) |
| Health Outcomes | Arthritis | 103 | 23.1% (20.4% - 25.9%) | 135 | 21.9% (19.3% - 24.6%) |
| Health Outcomes | Stroke | 181 | 2.8% (2.5% - 3.1%) | 569 | 2.7% (2.4% - 3.0%) |
| Health Outcomes | Current Asthma | 838 | 9.8% (8.7% - 11.0%) | 628 | 9.7% (8.6% - 11.0%) |
| Health Outcomes | Chronic Kidney Disease | 186 | 2.8% (2.5% - 3.0%) | 623 | 2.7% (2.4% - 2.9%) |
| Health Outcomes | High Cholesterol | 158 | 33.6% (30.4% - 37.0%) | 501 | 29.9% (26.6% - 33.3%) |
| Health Outcomes | Cancer (except skin) | 126 | 6.7% (6.1% - 7.3%) | 74 | 6.4% (5.8% - 7.1%) |
| Health Outcomes | Diabetes | 224 | 9.0% (7.7% - 10.3%) | 567 | 8.4% (7.2% - 9.7%) |
| Health Outcomes | Coronary Heart Disease | 156 | 5.3% (4.6% - 6.0%) | 419 | 5.0% (4.5% - 5.7%) |
| Health Outcomes | Obesity | 794 | 39.9% (35.2% - 44.7%) | 725 | 39.6% (35.1% - 44.3%) |
| Health Outcomes | All Teeth Lost | 373 | 12.3% (8.6% - 16.4%) | 397 | 12.5% (8.7% - 17.0%) |
| Health Outcomes | High Blood Pressure | 362 | 31.1% (28.0% - 34.3%) | 865 | 29.9% (26.9% - 32.9%) |
| Health Outcomes | Depression | 938 | 21.5% (18.5% - 24.7%) | 876 | 21.6% (18.8% - 25.0%) |
| Prevention | Taking BP Medication | 811 | 76.5% (73.3% - 79.5%) | 69 | 60.2% (55.9% - 64.5%) |
| Prevention | Dental Visit | 490 | 67.0% (64.3% - 69.8%) | 424 | 66.9% (64.2% - 69.6%) |
| Prevention | Cholesterol Screening | 781 | 80.5% (77.6% - 83.2%) | 296 | 79.7% (76.6% - 82.5%) |
| Prevention | Annual Checkup | 428 | 75.4% (71.9% - 78.9%) | 32 | 74.9% (71.2% - 78.2%) |
| Prevention | Core preventive services for older women | 288 | 41.4% (36.4% - 46.5%) | 296 | 41.7% (36.6% - 46.8%) |
| Prevention | Mammography | 143 | 78.7% (76.2% - 81.0%) | 174 | 75.8% (72.9% - 78.6%) |

| Category | Health Domain | Crude Rate Rank | Crude Rate (95% CI) | Age-Adj. Rate Rank | Age-Adj. Rate (95% CI) |
|------------|--|--------------------|-----------------------|-----------------------|------------------------|
| Prevention | Cervical Cancer Screening | 402 | 83.6% (81.8% - 85.6%) | 168 | 84.4% (82.7% - 86.3%) |
| Prevention | Colorectal Cancer Screening | 125 | 74.4% (72.2% - 76.6%) | 79 | 74.5% (72.3% - 76.7%) |
| Prevention | Health Insurance | 598 | 7.7% (6.2% - 9.7%) | 498 | 7.9% (6.2% - 9.7%) |
| Prevention | Core preventive services for older men | 807 | 40.1% (35.2% - 45.4%) | 725 | 40.3% (35.3% - 45.5%) |
| Disability | Hearing Disability | 160 | 6.1% (5.4% - 6.9%) | 360 | 5.9% (5.3% - 6.7%) |
| Disability | Mobility Disability | 215 | 10.1% (8.6% - 11.7%) | 471 | 9.6% (8.2% - 11.1%) |
| Disability | Vision Disability | 425 | 4.0% (3.5% - 4.5%) | 622 | 3.9% (3.3% - 4.4%) |
| Disability | Any Disability | 321 | 24.3% (21.2% - 27.3%) | 607 | 23.9% (20.7% - 27.2%) |
| Disability | Cognitive Disability | 665 | 11.7% (10.0% - 13.4%) | 495 | 11.8% (10.0% - 13.7%) |
| Disability | Independent Living Disability | 413 | 6.5% (5.6% - 7.4%) | 531 | 6.4% (5.5% - 7.4%) |
| Disability | Self-care Disability | 320 | 3.2% (2.8% - 3.7%) | 567 | 3.1% (2.7% - 3.5%) |

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.

Appendix 3: Midsized Communities (2,500-9,999)

Hiawatha falls into the group of midsized communities, which have a population of 2,500-9,999. In this data, 102 communities have a population in this range. The table below lists all communities in that group, sorted by the population estimate in the CDC PLACES dataset.

| Community | Population | Community | Population | Community | Population |
|----------------|------------|-----------------|------------|-----------------|------------|
| Keokuk | 9,868 | Red Oak | 5,563 | Dyersville | 4,318 |
| Grinnell | 9,511 | DeWitt | 5,508 | Forest City | 4,254 |
| Fairfield | 9,474 | Anamosa | 5,493 | Chariton | 4,203 |
| Mount Pleasant | 9,214 | Osceola | 5,455 | Jefferson | 4,190 |
| Denison | 8,316 | Algona | 5,443 | Carlisle | 4,116 |
| Sioux Center | 8,227 | Sheldon | 5,417 | Rock Valley | 4,045 |
| Perry | 7,875 | Spirit Lake | 5,409 | Monticello | 4,034 |
| Webster City | 7,787 | Centerville | 5,393 | Cresco | 3,899 |
| Clear Lake | 7,642 | Clarinda | 5,371 | West Liberty | 3,821 |
| Bondurant | 7,617 | Winterset | 5,366 | Waukon | 3,818 |
| Decorah | 7,611 | Windsor Heights | 5,200 | Carter Lake | 3,780 |
| Knoxville | 7,523 | Cherokee | 5,154 | Albia | 3,705 |
| Creston | 7,519 | Glenwood | 5,128 | Emmetsburg | 3,671 |
| Charles City | 7,364 | Manchester | 5,112 | Osage | 3,590 |
| Washington | 7,329 | lowa Falls | 5,095 | Eagle Grove | 3,589 |
| Hiawatha | 7,179 | Sergeant Bluff | 5,007 | New Hampton | 3,473 |
| Nevada | 6,933 | Vinton | 4,953 | Robins | 3,356 |
| Atlantic | 6,770 | Shenandoah | 4,930 | Story City | 3,352 |
| Eldridge | 6,693 | Harlan | 4,897 | Williamsburg | 3,332 |
| Orange City | 6,278 | Tiffin | 4,845 | Milford | 3,295 |
| Maquoketa | 6,123 | Humboldt | 4,774 | West Burlington | 3,184 |
| Independence | 6,106 | Le Claire | 4,679 | Tipton | 3,130 |
| Adel | 6,090 | Evansdale | 4,561 | Tama | 3,073 |
| Oelwein | 5,934 | Camanche | 4,546 | Garner | 3,065 |
| Asbury | 5,890 | Mount Vernon | 4,529 | Solon | 3,020 |
| Estherville | 5,881 | Huxley | 4,331 | Wilton | 2,939 |
| Polk City | 5,604 | Hampton | 4,328 | Onawa | 2,876 |

| Community | Population |
|-----------------|------------|
| Saylorville | 2,837 |
| Park View | 2,835 |
| Sibley | 2,830 |
| Fairfax | 2,814 |
| Marengo | 2,812 |
| Clarion | 2,799 |
| Grundy Center | 2,792 |
| Madrid | 2,784 |
| Missouri Valley | 2,692 |
| Bloomfield | 2,687 |
| Hawarden | 2,673 |
| Postville | 2,653 |
| Eldora | 2,645 |
| Kalona | 2,637 |
| Rock Rapids | 2,631 |
| Center Point | 2,573 |
| Hudson | 2,557 |
| Belmond | 2,512 |
| Mitchellville | 2,506 |
| West Branch | 2,503 |
| Jesup | 2,502 |