


# **Iowa Community Health Snapshot Series**

275 community reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



# May 2024

## By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

# Iowa Community Health Snapshot Series

### **Table of contents**

| Health in Kingsley: Overview |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 3        |
|------------------------------|-----|-----|---|---|---|---|---|-------|---|---|---|---|-----|---|---|---|---|---|-----|---|---|---|---|---|---|---|---|----------|
| Strengths                    |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 3        |
| Opportunities                |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 4        |
| How to Use this Report       |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 5        |
| Using Ames, IA as an Exan    | npl | е.  | • | • | · | · | • | <br>• | • | • | · | • | • • | • | • | • | • | • | • • | • | • | · | • | • | · | • | • | 6        |
| Health Status                |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 7        |
| Poor General Health          |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 7        |
| Poor Physical Health         |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 8        |
| Poor Mental Health           |     |     | • |   |   |   |   | <br>• |   | • | • | • |     | • | • |   |   | • |     |   | • |   |   |   | • | • | • | 8        |
| Health Risk Behaviors        |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 9        |
| Binge Drinking               |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 9        |
| Current Smoking              |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 10       |
| Physical Inactivity          |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 10       |
| Sleep <7 hours               |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 11       |
| Health Outcomes              |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 12       |
| Arthritis                    |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 12       |
| High Blood Pressure          |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 13       |
| Cancer (except skin)         |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 13       |
| · · · · ·                    |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 14       |
| Current Asthma               |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 14       |
| Coronary Heart Disease .     |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 14       |
|                              |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 15<br>15 |
| Depression                   |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | -        |
| Diabetes                     |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 16       |
| High Cholesterol             |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 16       |
| Chronic Kidney Disease .     |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 17       |
| Obesity                      |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 17       |
| Stroke                       |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 18       |
| All Teeth Lost               | •   | • • | • | • | • | • | • | <br>• | • | • | • | • | • • | • | • | • | • | • |     | • | • | · | · | • | • | • | • | 18       |
| Prevention                   |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 19       |
| Lack of Health Insurance .   |     |     | • |   |   |   |   | <br>• |   | • |   |   |     | • |   |   |   |   |     |   |   |   |   |   |   |   | • | 19       |
| Taking BP Medication         |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 20       |
| Cervical Cancer Screening    |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 20       |
| Annual Checkup               |     |     |   |   |   |   |   |       |   |   |   |   |     |   |   |   |   |   |     |   |   |   |   |   |   |   |   | 21       |
| Cholesterol Screening        |     |     |   |   |   |   |   |       |   |   |   |   |     | • |   |   |   |   |     |   |   |   |   |   |   |   |   | 21       |

| Colorectal Cancer Screening  Core preventive services for older men  Core preventive services for older men    Core preventive services for older women  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women  Core preventive services for older women    Dental Visit  Core preventive services for older women | 22<br>22<br>24<br>24<br>26       |
|---|----------------------------------|
| Disability  | 27                               |
| Hearing disability  | 27<br>28<br>29<br>29<br>30<br>30 |
| Appendix 1: CDC PLACES Data   | 31                               |
| Appendix 2: Kingsley PLACES Data  | 32                               |
| Appendix 3: Small Communities (1,000-2,499)   | 34                               |

### Health in Kingsley: Overview

Dear Community Members & Stakeholders of Kingsley,

We are pleased to share the Iowa Community Health Snapshot series, a set of reports designed in partnership with Iowa State University's Community Economic Development to assess the overall landscape of health and well-being across Iowa. The following pages include the health snapshot for your community. The snapshot can be used to see how Kingsley ranks across various health measures compared to the rest of the state and similarly-sized communities. This comparison allows us to identify Kingsley's strengths and opportunities for growth by leveraging the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your community ranks compared to all lowa communities and communities of similar size to Kingsley. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your community and presents what the rate would be if your communities and age-adjusted rates can give a fairer comparison between communities and age-adjusted rates can give a fairer comparison between communities.

#### Strengths

Take a look at the top strengths of your community! Below are unadjusted and age-adjusted health measures that represent your community's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

|                       | Crude                          |                            | Age-Adjusted                           |                                |                            |  |  |
|-----------------------|--------------------------------|----------------------------|--|--------------------------------|----------------------------|--|--|
| Health Domain         | Statewide<br>Community<br>Rank | Small<br>Community<br>Rank | Health Domain                          | Statewide<br>Community<br>Rank | Small<br>Community<br>Rank |  |  |
| Sleep <7 hours        | 31st                           | 6th                        | Sleep <7 hours                         | 56th                           | 9th                        |  |  |
| Annual Checkup        | 72nd                           | 14th                       | Annual Checkup                         | 86th                           | 18th                       |  |  |
| Cholesterol Screening | 102nd                          | 8th                        | Cholesterol Screening                  | 113th                          | 21st                       |  |  |
| Mental Health         | 141st                          | 20th                       | Core preventive services for older men | 164th                          | 22nd                       |  |  |
| Depression            | 143rd                          | 24th                       | Taking BP Medication                   | 179th                          | 22nd                       |  |  |

### Opportunities

Below are health measures that represent potential areas for growth in your community. We recommend increasing investment in these areas to support community health and well-being.

|                      | Crude                          |                            | Age-                                     | Adjusted                       |                            |
|----------------------|--------------------------------|----------------------------|--|--------------------------------|----------------------------|
| Health Domain        | Statewide<br>Community<br>Rank | Small<br>Community<br>Rank | Health Domain                            | Statewide<br>Community<br>Rank | Small<br>Community<br>Rank |
| Cancer (except skin) | 841st                          | 110th                      | High Cholesterol                         | 701st                          | 117th                      |
| Mammography          | 793rd                          | 115th                      | Mammography                              | 683rd                          | 106th                      |
| Hearing Disability   | 762nd                          | 97th                       | High Blood Pressure                      | 572nd                          | 96th                       |
| High Blood Pressure  | 751st                          | 107th                      | Binge Drinking                           | 554th                          | 77th                       |
| High Cholesterol     | 748th                          | 112th                      | Core preventive services for older women | 472nd                          | 79th                       |

Please review the rest of the report to learn more about your community and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Kingsley.

Sincerely,

Showl

Shawn F. Dorius, PhD Iowa State University Public Science Collaborative



IOWA STATE UNIVERSITY Extension and Outreach Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

#### How to Use this Report


The purpose of the Iowa Community Health Snapshot Series is to provide an overview of health in Kingsley that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Kingsley, a review of risky behaviors in the community, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Kingsley compares to the rest of the state and similarly-sized communities.

With a population of 1,382, Kingsley's similarly sized communities are defined as small communities. In lowa, small communities have an average population of 1,553, and there are 138 communities that are considered small communities. To see all of the communities in this population group, please see Appendix 3 of this report.

| Group      | Population Range | Number of Communities |
|------------|------------------|-----------------------|
| Large      | 50,000+          | 11                    |
| Mid-Large  | 10,000-49,999    | 31                    |
| Midsized   | 2,500-9,999      | 102                   |
| Small      | 1,000-2,499      | 138                   |
| Very Small | 0-999            | 676                   |
| Total      |                  | 958                   |

#### Using Ames, IA as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your community's crude and age-adjusted rate estimates alongside their averages across all lowa communities and similarly-sized communities. The images below show the distribution of the health measure across communities. The vertical lines correspond with the values in the table to show the estimate for the specific community compared to communities across the state. The solid black line in each plot represents the community rate, with the dashed lines indicating the average rate for all lowa communities and the dotted lines showing the average rate for similarly-sized communities.



The example graphic above displays the poor mental health rate in Ames, Iowa. The left plot shows the crude rate of poor mental health in the community. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Ames has a higher crude rate of poor mental health than most communities in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized communities, indicating that when accounting for Ames's unique age distribution, Ames's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

### **Health Status**


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

#### **Poor General Health**

Kingsley has a crude rate of 13.8% for fair or poor selfrated health status among adults aged >= 18 years, which ranks 391st out of 958 lowa communities (64th out of 138 small communities). The age-adjusted rate for Kingsley is 12.0%, which ranks 280th out of 905 lowa communities (58th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 13.8%    | 14.3%        | 14.0%          |
| Age-Adjusted | 12.0%    | 12.7%        | 12.4%          |



#### **Poor Physical Health**

Kingsley has a crude rate of 10.6% for physical health not good for >=14 days among adults aged >=18 years, which ranks 404th out of 958 lowa communities (67th out of 138 small communities). The age-adjusted rate for Kingsley is 9.4%, which ranks 300th out of 905 lowa communities (57th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 10.6%    | 10.8%        | 10.6%          |
| Age-Adjusted | 9.4%     | 9.7%         | 9.6%           |



#### **Poor Mental Health**

Kingsley has a crude rate of 13.3% for mental health not good for >=14 days among adults aged >=18 years, which ranks 141st out of 958 lowa communities (20th out of 138 small communities). The age-adjusted rate for Kingsley is 15.3%, which ranks 338th out of 905 lowa communities (58th out of 138 small communities).

| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 13.3%    | 14.3%        | 14.1%          |
| Age-Adjusted | 15.3%    | 15.5%        | 15.6%          |



### **Health Risk Behaviors**


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

#### **Binge Drinking**

Kingsley has a crude rate of 18.4% for binge drinking among adults aged >=18 years, which ranks 283rd out of 958 lowa communities (50th out of 138 small communities). The age-adjusted rate for Kingsley is 22.3%, which ranks 554th out of 905 lowa communities (77th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 18.4%    | 19.5%        | 19.1%          |
| Age-Adjusted | 22.3%    | 22.0%        | 22.1%          |



#### **Current Smoking**

Kingsley has a crude rate of 15.0% for current smoking among adults aged >=18 years, which ranks 175th out of 958 lowa communities (35th out of 138 small communities). The age-adjusted rate for Kingsley is 16.6%, which ranks 259th out of 905 lowa communities (52nd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 15.0%    | 16.8%        | 16.1%          |
| Age-Adjusted | 16.6%    | 17.5%        | 17.2%          |



#### **Physical Inactivity**

Kingsley has a crude rate of 24.8% for no leisure-time physical activity among adults aged >=18 years, which ranks 325th out of 958 lowa communities (50th out of 138 small communities). The age-adjusted rate for Kingsley is 22.3%, which ranks 203rd out of 905 lowa communities (38th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 24.8%    | 26.1%        | 25.8%          |
| Age-Adjusted | 22.3%    | 24.3%        | 23.9%          |



#### Sleep <7 hours

Kingsley has a crude rate of 26.7% for sleeping less than 7 hours among adults aged >=18 years, which ranks 31st out of 958 lowa communities (6th out of 138 small communities). The age-adjusted rate for Kingsley is 28.3%, which ranks 56th out of 905 lowa communities (9th out of 138 small communities).

| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 26.7%    | 30.2%        | 29.9%          |
| Age-Adjusted | 28.3%    | 31.1%        | 31.0%          |



### **Health Outcomes**


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

#### Arthritis

Kingsley has a crude rate of 29.2% for arthritis among adults aged >=18 years, which ranks 629th out of 958 lowa communities (83rd out of 138 small communities). The age-adjusted rate for Kingsley is 22.6%, which ranks 287th out of 905 lowa communities (42nd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 29.2%    | 27.9%        | 28.4%          |
| Age-Adjusted | 22.6%    | 23.1%        | 23.2%          |



#### **High Blood Pressure**

Kingsley has a crude rate of 35.0% for high blood pressure among adults aged >=18 years, which ranks 751st out of 958 lowa communities (107th out of 138 small communities). The age-adjusted rate for Kingsley is 27.8%, which ranks 572nd out of 905 lowa communities (96th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 35.0%    | 32.0%        | 32.5%          |
| Age-Adjusted | 27.8%    | 27.3%        | 27.0%          |



#### Cancer (except skin)

Kingsley has a crude rate of 9.6% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 841st out of 958 lowa communities (110th out of 138 small communities). The age-adjusted rate for Kingsley is 6.5%, which ranks 418th out of 905 lowa communities (41st out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 9.6%     | 8.0%         | 8.4%           |
| Age-Adjusted | 6.5%     | 6.5%         | 6.5%           |



#### **Current Asthma**

Kingsley has a crude rate of 9.1% for current asthma among adults aged >=18 years, which ranks 215th out of 958 lowa communities (32nd out of 138 small communities). The age-adjusted rate for Kingsley is 9.5%, which ranks 415th out of 905 lowa communities (54th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 9.1%     | 9.3%         | 9.3%           |
| Age-Adjusted | 9.5%     | 9.5%         | 9.5%           |



#### **Coronary Heart Disease**

Kingsley has a crude rate of 7.4% for coronary heart disease among adults aged >=18 years, which ranks 715th out of 958 lowa communities (96th out of 138 small communities). The age-adjusted rate for Kingsley is 4.8%, which ranks 257th out of 905 lowa communities (53rd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 7.4%     | 6.4%         | 6.7%           |
| Age-Adjusted | 4.8%     | 5.0%         | 4.9%           |



#### COPD

Kingsley has a crude rate of 7.6% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 511th out of 958 lowa communities (77th out of 138 small communities). The age-adjusted rate for Kingsley is 6.1%, which ranks 346th out of 905 lowa communities (66th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 7.6%     | 7.4%         | 7.4%           |
| Age-Adjusted | 6.1%     | 6.2%         | 6.1%           |



#### Depression

Kingsley has a crude rate of 17.0% for depression among adults aged >=18 years, which ranks 143rd out of 958 lowa communities (24th out of 138 small communities). The age-adjusted rate for Kingsley is 18.8%, which ranks 330th out of 905 lowa communities (47th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 17.0%    | 18.0%        | 17.9%          |
| Age-Adjusted | 18.8%    | 19.0%        | 19.1%          |



#### Diabetes

Kingsley has a crude rate of 10.4% for diagnosed diabetes among adults aged >=18 years, which ranks 543rd out of 958 lowa communities (86th out of 138 small communities). The age-adjusted rate for Kingsley is 8.0%, which ranks 347th out of 905 lowa communities (61st out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 10.4%    | 10.1%        | 10.0%          |
| Age-Adjusted | 8.0%     | 8.1%         | 8.1%           |



#### **High Cholesterol**

Kingsley has a crude rate of 38.2% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 748th out of 958 lowa communities (112th out of 138 small communities). The ageadjusted rate for Kingsley is 30.5%, which ranks 701st out of 905 lowa communities (117th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 38.2%    | 36.2%        | 36.4%          |
| Age-Adjusted | 30.5%    | 29.7%        | 29.6%          |



#### **Chronic Kidney Disease**

Kingsley has a crude rate of 3.6% for chronic kidney disease among adults aged >=18 years, which ranks 732nd out of 958 lowa communities (91st out of 138 small communities). The age-adjusted rate for Kingsley is 2.6%, which ranks 349th out of 905 lowa communities (65th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 3.6%     | 3.2%         | 3.3%           |
| Age-Adjusted | 2.6%     | 2.6%         | 2.6%           |



#### Obesity

Kingsley has a crude rate of 35.3% for obesity among adults aged >=18 years, which ranks 171st out of 958 lowa communities (32nd out of 138 small communities). The age-adjusted rate for Kingsley is 36.4%, which ranks 287th out of 905 lowa communities (44th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 35.3%    | 37.6%        | 37.2%          |
| Age-Adjusted | 36.4%    | 37.6%        | 37.5%          |



#### Stroke

Kingsley has a crude rate of 3.7% for stroke among adults aged >=18 years, which ranks 703rd out of 958 lowa communities (92nd out of 138 small communities). The ageadjusted rate for Kingsley is 2.5%, which ranks 230th out of 905 lowa communities (43rd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 3.7%     | 3.3%         | 3.4%           |
| Age-Adjusted | 2.5%     | 2.6%         | 2.5%           |



#### All Teeth Lost

Kingsley has a crude rate of 12.6% for all teeth lost among adults aged >=65 years, which ranks 412th out of 958 lowa communities (61st out of 138 small communities). The age-adjusted rate for Kingsley is 11.9%, which ranks 280th out of 905 lowa communities (54th out of 138 small communities).

| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 12.6%    | 12.9%        | 12.8%          |
| Age-Adjusted | 11.9%    | 12.8%        | 12.3%          |



### Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your community's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your community. The link below includes more information about each variable.

#### https://www.cdc.gov/places/measure-definitions/prevention/index.html

#### Lack of Health Insurance

Kingsley has a crude rate of 7.1% for current lack of health insurance among adults aged 18–64 years, which ranks 386th out of 958 lowa communities (66th out of 138 small communities). The age-adjusted rate for Kingsley is 7.2%, which ranks 266th out of 905 lowa communities (54th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 7.1%     | 7.3%         | 7.2%           |
| Age-Adjusted | 7.2%     | 7.7%         | 7.5%           |



#### **Taking BP Medication**

Kingsley has a crude rate of 82.2% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 150th out of 958 lowa communities (31st out of 138 small communities). The age-adjusted rate for Kingsley is 59.6%, which ranks 179th out of 905 lowa communities (22nd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 82.2%    | 79.8%        | 80.2%          |
| Age-Adjusted | 59.6%    | 59.0%        | 59.0%          |



#### **Cervical Cancer Screening**

Kingsley has a crude rate of 84.0% for cervical cancer screening among adult women aged 21–65 years, which ranks 311th out of 958 lowa communities (50th out of 138 small communities). The age-adjusted rate for Kingsley is 83.7%, which ranks 294th out of 905 lowa communities (60th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 84.0%    | 83.3%        | 83.6%          |
| Age-Adjusted | 83.7%    | 83.2%        | 83.5%          |



#### **Annual Checkup**

Kingsley has a crude rate of 78.0% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 72nd out of 958 lowa communities (14th out of 138 small communities). The ageadjusted rate for Kingsley is 74.0%, which ranks 86th out of 905 lowa communities (18th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 78.0%    | 75.2%        | 75.5%          |
| Age-Adjusted | 74.0%    | 72.6%        | 72.6%          |



#### **Cholesterol Screening**

Kingsley has a crude rate of 84.9% for cholesterol screening among adults aged >=18 years, which ranks 102nd out of 958 lowa communities (8th out of 138 small communities). The age-adjusted rate for Kingsley is 80.7%, which ranks 113th out of 905 lowa communities (21st out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 84.9%    | 82.6%        | 82.9%          |
| Age-Adjusted | 80.7%    | 79.1%        | 79.4%          |



#### **Colorectal Cancer Screening**

Kingsley has a crude rate of 74.0% for colorectal cancer screening among adults aged 50–75 years, which ranks 164th out of 958 lowa communities (27th out of 138 small communities). The age-adjusted rate for Kingsley is 72.3%, which ranks 237th out of 905 lowa communities (44th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 74.0%    | 71.6%        | 71.9%          |
| Age-Adjusted | 72.3%    | 70.9%        | 71.1%          |



#### Core preventive services for older men

Kingsley has a crude rate of 47.2% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 177th out of 958 lowa communities (20th out of 138 small communities). The age-adjusted rate for Kingsley is 47.1%, which ranks 164th out of 905 lowa communities (22nd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 47.2%    | 43.5%        | 43.8%          |
| Age-Adjusted | 47.1%    | 43.5%        | 44.2%          |



#### Core preventive services for older women

Kingsley has a crude rate of 36.9% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 669th out of 958 lowa communities (85th out of 138 small communities). The age-adjusted rate for Kingsley is 39.7%, which ranks 472nd out of 905 lowa communities (79th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 36.9%    | 39.0%        | 38.2%          |
| Age-Adjusted | 39.7%    | 39.9%        | 40.7%          |



#### **Dental Visit**

Kingsley has a crude rate of 70.3% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 184th out of 958 lowa communities (34th out of 138 small communities). The age-adjusted rate for Kingsley is 69.7%, which ranks 197th out of 905 lowa communities (35th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 70.3%    | 67.2%        | 68.2%          |
| Age-Adjusted | 69.7%    | 66.6%        | 67.5%          |



#### Mammography

Kingsley has a crude rate of 74.3% for mammography use among women aged 50–74 years, which ranks 793rd out of 958 lowa communities (115th out of 138 small communities). The age-adjusted rate for Kingsley is 72.4%, which ranks 683rd out of 905 lowa communities (106th out of 138 small communities).

| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 74.3%    | 76.2%        | 76.0%          |
| Age-Adjusted | 72.4%    | 73.9%        | 74.0%          |



### Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

#### Hearing disability

Kingsley has a crude rate of 8.6% for hearing disability among adults aged >=18 years, which ranks 762nd out of 958 lowa communities (97th out of 138 small communities). The age-adjusted rate for Kingsley is 5.8%, which ranks 287th out of 905 lowa communities (63rd out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 8.6%     | 7.4%         | 7.6%           |
| Age-Adjusted | 5.8%     | 6.0%         | 5.8%           |



#### Vision disability

Kingsley has a crude rate of 4.2% for vision disability among adults aged >=18 years, which ranks 516th out of 958 lowa communities (73rd out of 138 small communities). The age-adjusted rate for Kingsley is 3.5%, which ranks 364th out of 905 lowa communities (68th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 4.2%     | 4.1%         | 4.1%           |
| Age-Adjusted | 3.5%     | 3.6%         | 3.5%           |



#### **Cognitive disability**

Kingsley has a crude rate of 10.8% for cognitive disability among adults aged >=18 years, which ranks 330th out of 958 lowa communities (58th out of 138 small communities). The age-adjusted rate for Kingsley is 11.4%, which ranks 359th out of 905 lowa communities (65th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 10.8%    | 11.1%        | 10.9%          |
| Age-Adjusted | 11.4%    | 11.6%        | 11.4%          |



#### Mobility disability

Kingsley has a crude rate of 12.5% for mobility disability among adults aged >=18 years, which ranks 585th out of 958 lowa communities (81st out of 138 small communities). The age-adjusted rate for Kingsley is 9.1%, which ranks 307th out of 905 lowa communities (59th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 12.5%    | 11.8%        | 12.0%          |
| Age-Adjusted | 9.1%     | 9.5%         | 9.4%           |



#### Self-care disability

Kingsley has a crude rate of 3.4% for self-care disability among adults aged >=18 years, which ranks 435th out of 958 lowa communities (72nd out of 138 small communities). The age-adjusted rate for Kingsley is 2.8%, which ranks 307th out of 905 lowa communities (58th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 3.4%     | 3.4%         | 3.3%           |
| Age-Adjusted | 2.8%     | 2.9%         | 2.8%           |



#### Independent living disability

Kingsley has a crude rate of 6.8% for independent living disability among adults aged >=18 years, which ranks 519th out of 958 lowa communities (70th out of 138 small communities). The age-adjusted rate for Kingsley is 6.1%, which ranks 383rd out of 905 lowa communities (66th out of 138 small communities).


| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 6.8%     | 6.6%         | 6.8%           |
| Age-Adjusted | 6.1%     | 6.2%         | 6.1%           |



#### Any disability

Kingsley has a crude rate of 27.3% for any disability among adults aged >=18 years, which ranks 675th out of 958 lowa communities (93rd out of 138 small communities). The age-adjusted rate for Kingsley is 23.0%, which ranks 413th out of 905 lowa communities (72nd out of 138 small communities).

| Measure Type | Kingsley | All<br>Comm. | Small<br>Comm. |
|--------------|----------|--------------|----------------|
| Crude        | 27.3%    | 25.6%        | 26.0%          |
| Age-Adjusted | 23.0%    | 23.2%        | 22.8%          |



### Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



# Appendix 2: Kingsley PLACES Data

| Category                 | Health Domain                  | Crude Rate<br>Rank | Crude Rate (95% CI)   | Age-Adj.<br>Rate Rank | Age-Adj. Rate (95% CI) |
|--------------------------|--------------------------------|--------------------|-----------------------|-----------------------|------------------------|
| Health Status            | Physical Health                | 404                | 10.6% (8.9% - 12.5%)  | 300                   | 9.4% (7.9% - 11.1%)    |
| Health Status            | General Health                 | 391                | 13.8% (11.3% - 16.8%) | 280                   | 12.0% (9.8% - 14.7%)   |
| Health Status            | Mental Health                  | 141                | 13.3% (11.4% - 15.3%) | 338                   | 15.3% (12.9% - 17.7%)  |
| Health Risk<br>Behaviors | Physical Inactivity            | 325                | 24.8% (20.2% - 29.9%) | 203                   | 22.3% (18.0% - 27.1%)  |
| Health Risk<br>Behaviors | Binge Drinking                 | 283                | 18.4% (15.4% - 21.8%) | 554                   | 22.3% (18.8% - 26.3%)  |
| Health Risk<br>Behaviors | Current Smoking                | 175                | 15.0% (11.6% - 18.5%) | 259                   | 16.6% (12.9% - 20.9%)  |
| Health Risk<br>Behaviors | Sleep <7 hours                 | 31                 | 26.7% (25.1% - 28.4%) | 56                    | 28.3% (26.5% - 30.1%)  |
| Health Outcomes          | Cancer (except skin)           | 841                | 9.6% (8.7% - 10.7%)   | 418                   | 6.5% (5.9% - 7.2%)     |
| Health Outcomes          | Arthritis                      | 629                | 29.2% (25.2% - 33.3%) | 287                   | 22.6% (19.3% - 26.2%)  |
| Health Outcomes          | Stroke                         | 703                | 3.7% (3.1% - 4.4%)    | 230                   | 2.5% (2.2% - 2.9%)     |
| Health Outcomes          | High Cholesterol               | 748                | 38.2% (33.9% - 42.7%) | 701                   | 30.5% (26.6% - 35.0%)  |
| Health Outcomes          | Coronary Heart Disease         | 715                | 7.4% (6.3% - 8.6%)    | 257                   | 4.8% (4.1% - 5.6%)     |
| Health Outcomes          | Diabetes                       | 543                | 10.4% (8.8% - 12.2%)  | 347                   | 8.0% (6.8% - 9.4%)     |
| Health Outcomes          | All Teeth Lost                 | 412                | 12.6% (7.2% - 20.1%)  | 280                   | 11.9% (7.1% - 18.2%)   |
| Health Outcomes          | Chronic Kidney Disease         | 732                | 3.6% (3.2% - 4.1%)    | 349                   | 2.6% (2.3% - 2.9%)     |
| Health Outcomes          | Obesity                        | 171                | 35.3% (29.3% - 42.1%) | 287                   | 36.4% (30.1% - 43.3%)  |
| Health Outcomes          | COPD                           | 511                | 7.6% (6.2% - 9.3%)    | 346                   | 6.1% (5.0% - 7.4%)     |
| Health Outcomes          | High Blood Pressure            | 751                | 35.0% (30.9% - 39.2%) | 572                   | 27.8% (24.2% - 31.6%)  |
| Health Outcomes          | Depression                     | 143                | 17.0% (14.1% - 20.4%) | 330                   | 18.8% (15.4% - 22.5%)  |
| Health Outcomes          | Current Asthma                 | 215                | 9.1% (7.9% - 10.3%)   | 415                   | 9.5% (8.3% - 10.8%)    |
| Prevention               | Cholesterol Screening          | 102                | 84.9% (82.2% - 87.4%) | 113                   | 80.7% (77.5% - 83.9%)  |
| Prevention               | Cervical Cancer<br>Screening   | 311                | 84.0% (81.2% - 86.5%) | 294                   | 83.7% (80.9% - 86.2%)  |
| Prevention               | Annual Checkup                 | 72                 | 78.0% (73.9% - 81.9%) | 86                    | 74.0% (69.5% - 78.4%)  |
| Prevention               | Colorectal Cancer<br>Screening | 164                | 74.0% (70.8% - 77.0%) | 237                   | 72.3% (69.0% - 75.4%)  |
| Prevention               | Mammography                    | 793                | 74.3% (69.8% - 78.6%) | 683                   | 72.4% (67.9% - 76.6%)  |
|                          |                                |                    |                       |                       |                        |

| Category   | Health Domain                            | Crude Rate<br>Rank | Crude Rate (95% CI)   | Age-Adj.<br>Rate Rank | Age-Adj. Rate (95% CI) |
|------------|--|--------------------|-----------------------|-----------------------|------------------------|
| Prevention | Core preventive services for older men   | 177                | 47.2% (38.3% - 56.0%) | 164                   | 47.1% (38.2% - 55.7%)  |
| Prevention | Taking BP Medication                     | 150                | 82.2% (79.1% - 84.9%) | 179                   | 59.6% (54.7% - 64.7%)  |
| Prevention | Dental Visit                             | 184                | 70.3% (66.1% - 73.9%) | 197                   | 69.7% (65.6% - 73.5%)  |
| Prevention | Health Insurance                         | 386                | 7.1% (5.1% - 9.5%)    | 266                   | 7.2% (5.1% - 9.5%)     |
| Prevention | Core preventive services for older women | 669                | 36.9% (29.4% - 44.6%) | 472                   | 39.7% (31.8% - 47.1%)  |
| Disability | Mobility Disability                      | 585                | 12.5% (10.1% - 15.0%) | 307                   | 9.1% (7.5% - 10.9%)    |
| Disability | Independent Living<br>Disability         | 519                | 6.8% (5.5% - 8.3%)    | 383                   | 6.1% (4.9% - 7.4%)     |
| Disability | Vision Disability                        | 516                | 4.2% (3.4% - 5.3%)    | 364                   | 3.5% (2.9% - 4.2%)     |
| Disability | Any Disability                           | 675                | 27.3% (23.2% - 31.8%) | 413                   | 23.0% (19.1% - 27.2%)  |
| Disability | Hearing Disability                       | 762                | 8.6% (7.4% - 9.8%)    | 287                   | 5.8% (5.0% - 6.6%)     |
| Disability | Cognitive Disability                     | 330                | 10.8% (8.9% - 12.9%)  | 359                   | 11.4% (9.2% - 13.8%)   |
| Disability | Self-care Disability                     | 435                | 3.4% (2.8% - 4.1%)    | 307                   | 2.8% (2.4% - 3.4%)     |

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.

## Appendix 3: Small Communities (1,000-2,499)

Kingsley falls into the group of small communities, which have a population of 1,000-2,499. In this data, 138 communities have a population in this range. The table below lists all communities in that group, sorted by the population estimate in the CDC PLACES dataset.

| Community            | Population | Community     | Population | Community        | Population |
|----------------------|------------|---------------|------------|------------------|------------|
| New London           | 2,471      | Monroe        | 1,889      | Pocahontas       | 1,614      |
| West Union           | 2,468      | Ogden         | 1,878      | Guthrie Center   | 1,605      |
| Belle Plaine         | 2,421      | Lisbon        | 1,874      | Brooklyn         | 1,600      |
| Rockwell City        | 2,389      | Blue Grass    | 1,873      | Corning          | 1,592      |
| La Porte City        | 2,347      | Wapello       | 1,861      | Akron            | 1,580      |
| Hull                 | 2,340      | Walcott       | 1,854      | Monona           | 1,571      |
| Cascade              | 2,312      | Peosta        | 1,852      | Urbana           | 1,565      |
| Atkins               | 2,296      | Pleasantville | 1,840      | Holstein         | 1,560      |
| Lamoni               | 2,284      | Mount Ayr     | 1,838      | Slater           | 1,546      |
| Mediapolis           | 2,214      | Sigourney     | 1,835      | Dysart           | 1,542      |
| Alta                 | 2,207      | Farley        | 1,833      | Shell Rock       | 1,542      |
| Colfax               | 2,186      | Sac City      | 1,825      | Hartley          | 1,536      |
| Sumner               | 2,145      | Reinbeck      | 1,784      | Sanborn          | 1,536      |
| Northwood            | 2,142      | Greenfield    | 1,778      | Fairbank         | 1,490      |
| Bellevue             | 2,132      | Dallas Center | 1,770      | Panora           | 1,490      |
| Remsen               | 2,095      | Prairie City  | 1,762      | Lenox            | 1,488      |
| Audubon              | 2,089      | Lake City     | 1,745      | Wellman          | 1,474      |
| Toledo               | 2,047      | Parkersburg   | 1,738      | Roland           | 1,472      |
| Ely                  | 2,045      | Stuart        | 1,726      | Nashua           | 1,472      |
| Columbus<br>Junction | 2,029      | Manson        | 1,718      | Van Meter        | 1,468      |
| Epworth              | 1,982      | Leon          | 1,707      | Nora Springs     | 1,464      |
| Ida Grove            | 1,969      | Ackley        | 1,699      | Manning          | 1,444      |
| Lake Mills           | 1,965      | Corydon       | 1,688      | Traer            | 1,441      |
| Granger              | 1,950      | Oakland       | 1,678      | Logan            | 1,437      |
| Denver               | 1,921      | Guttenberg    | 1,667      | Walford          | 1,434      |
| Britt                | 1,921      | State Center  | 1,654      | Strawberry Point | 1,427      |
| Durant               | 1,902      | Moville       | 1,640      | Dunlap           | 1,418      |

| Community             | Population | Community      | Population | Community   | Population |
|-----------------------|------------|----------------|------------|-------------|------------|
| Bedford               | 1,416      | Fayette        | 1,179      | Graettinger | 1,010      |
| Manly                 | 1,415      | Central City   | 1,166      | Preston     | 1,005      |
| Kingsley              | 1,382      | Palo           | 1,162      | Rockwell    | 1,004      |
| Avoca                 | 1,375      | Springville    | 1,160      |             |            |
| Earlham               | 1,367      | George         | 1,149      |             |            |
| University<br>Heights | 1,353      | Wayland        | 1,148      |             |            |
| Montezuma             | 1,335      | St. Ansgar     | 1,140      |             |            |
| Elkader               | 1,326      | Clarence       | 1,136      |             |            |
| Coon Rapids           | 1,324      | Fredericksburg | 1,133      |             |            |
| Clarksville           | 1,311      | Fruitland      | 1,127      |             |            |
| Woodbine              | 1,286      | Swisher        | 1,126      |             |            |
| Jewell Junction       | 1,284      | Neola          | 1,125      |             |            |
| Alton                 | 1,283      | Afton          | 1,105      |             |            |
| Melcher-Dallas        | 1,278      | Riverside      | 1,090      |             |            |
| Greene                | 1,267      | Hamburg        | 1,087      |             |            |
| Malvern               | 1,264      | Newhall        | 1,076      |             |            |
| Lone Tree             | 1,261      | Treynor        | 1,071      |             |            |
| Dike                  | 1,240      | Villisca       | 1,071      |             |            |
| Conrad                | 1,234      | Janesville     | 1,063      |             |            |
| Lake Park             | 1,223      | Winfield       | 1,063      |             |            |
| Laurens               | 1,223      | Griswold       | 1,056      |             |            |
| Sheffield             | 1,209      | Lansing        | 1,053      |             |            |
| Tripoli               | 1,207      | Sloan          | 1,051      |             |            |
| Marcus                | 1,200      | Baxter         | 1,036      |             |            |
| Eddyville             | 1,187      | Winthrop       | 1,035      |             |            |
| Gilbert               | 1,185      | Sully          | 1,022      |             |            |
| New Sharon            | 1,183      | Lawton         | 1,021      |             |            |