


Iowa County Health Snapshot Series

99 county reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



May 2024

By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

Iowa County Health Snapshot Series

Table of contents

Health in Dallas County: Overview Strengths															3 3
Opportunities															4
How to Use this Report															5
Using Story County as an E															6
Health Status															7
Poor General Health															7
Poor Physical Health															8
Poor Mental Health															8
Health Risk Behaviors															9
Binge Drinking	 _							 			 				 9
Current Smoking															10
Physical Inactivity															10
Sleep <7 hours															11
Health Outcomes															12
Arthritis								 			 				 12
High Blood Pressure								 			 				 13
Cancer (except skin)															13
Current Asthma															14
Coronary Heart Disease .								 			 				 14
COPD								 			 				 15
Depression								 			 				 15
Diabetes								 			 				 16
High Cholesterol								 			 				 16
Chronic Kidney Disease .															17
Obesity															17
Stroke															18
All Teeth Lost	 •		•	 •		•	 ٠	 	٠	•		•	•		 18
Prevention															19
Lack of Health Insurance .								 			 				 19
Taking BP Medication															20
Cervical Cancer Screening															20
Annual Checkup															21
Cholesterol Screening								 			 				 21

	Colorectal Cancer Screening	22 24 24
Disabili	Hearing disability Vision disability Cognitive disability Mobility disability Self-care disability Independent living disability	28 28 29 29
Append	dix 1: CDC PLACES Data	31
Append	dix 2: Dallas County PLACES Data	32
Append	dix 3: Metropolitan Non-Core Counties	34
Append	dix 4: County Maps	36

Health in Dallas County: Overview

Dear Community Members & Stakeholders of Dallas County,

We are pleased to share the Iowa County Health Snapshot series, a set of reports designed in partner-ship with Iowa State University's Community Economic Development to assess the overall landscape of health and well-being across Iowa's 99 counties. The following pages include the health snapshot for your county. The snapshot can be used to see how Dallas County ranks across various health measures compared to the rest of the state and similarly-sized counties. This comparison allows us to identify Dallas County's strengths and opportunities for growth by leveraging data from the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your county ranks compared to all lowa counties and counties of similar size to Dallas County. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your county and presents what the rate would be if your county had a standard age distribution. Crude rates can provide a general comparison between counties and age-adjusted rates can give a fairer comparison between counties with different age structures.

Strengths

Take a look at the top strengths of your county! Below are unadjusted and age-adjusted health measures that represent your county's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

	Crude			Age-Adjusted	
Health Domain	Statewide County Rank	Metropolitan Non-Core County Rank	Health Domain	Statewide County Rank	Metropolitan Non-Core County Rank
Hearing Disability	1st	1st	High Blood Pressure	1st	1st
COPD	1st	1st	All Teeth Lost	1st	1st
Mobility Disability	1st	1st	Diabetes	1st	1st
Independent Living Disability	1st	1st	Sleep <7 hours	1st	1st
All Teeth Lost	1st	1st	Health Insurance	1st	1st

Opportunities

Below are health measures that represent potential areas for growth in your county. We recommend increasing investment in these areas to support community health and well-being.

	Crude		Age	-Adjusted	
Health Domain	Statewide County Rank	Metropolitan Non-Core County Rank	Health Domain	Statewide County Rank	Metropolitan Non-Core County Rank
Binge Drinking	98th	12th	Taking BP Medication	96th	12th
Taking BP Medication	96th	12th	Binge Drinking	95th	10th
Annual Checkup	92nd	12th	Arthritis	40th	7th
Core preventive services for older women	21st	6th	High Cholesterol	30th	5th
Cholesterol Screening	20th	5th	Core preventive services for older women	24th	5th

Please review the rest of the report to learn more about your county and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Dallas County.

Sincerely,

Should

Shawn F. Dorius, PhD Iowa State University

Public Science Collaborative



IOWA STATE UNIVERSITY
Extension and Outreach
Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

How to Use this Report


The purpose of the Iowa County Health Snapshot Series is to provide an overview of health in Dallas County that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Dallas County, a review of risky behaviors in the county, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Dallas County compares to the rest of the state and similarly-sized counties.

With a population of 103,796, Dallas County's similarly sized counties are defined as metropolitan non-core counties. In lowa, metropolitan non-core counties have an average population of 29,821, and there are 12 counties that are considered metropolitan non-core counties. To learn more about the county population classifications used in this report, please see the information below the table as well as Appendix 3.

Group	Population Avg.	Number of Counties
Metropolitan Core	175,797	9
Micropolitan	30,839	15
Metropolitan Non-Core	29,821	12
Rural	12,547	63
Total		99


The counties included in each category above are determined by the United States Office of Management and Budget. Iowa has counties in nine metropolitan statistical areas and 15 micropolitan statistical areas. The counties identified as metropolitan and micropolitan can be found in the link and the maps below. Metropolitan core counties are those counties in metropolitan areas that have the city that defines the metropolitan area (e.g., Des Moines and Polk County for the Des Moines Metropolitan Area). Metropolitan non-core counties are those that fall within the metropolitan area, but do not have the core city of the metropolitan area (e.g., Dallas and Jasper Counties in the Des Moines Metropolitan Area).

https://www.icip.iastate.edu/maps/refmaps/cofips



Using Story County as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your county's crude and age-adjusted rate estimates alongside their averages across all lowa counties and similarly-sized counties. The images below show the distribution of the health measure across counties. The vertical lines correspond with the values in the table to show the estimate for the specific county compared to counties across the state. The solid black line in each plot represents the county rate, with the dashed lines indicating the average rate for all lowa counties and the dotted lines showing the average rate for similarly-sized counties.



The example graphic above displays the poor mental health rate in Story County, Iowa. The left plot shows the crude rate of poor mental health in the county. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Story County has a higher crude rate of poor mental health than most counties in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized counties, indicating that when accounting for Story County's unique age distribution, Story County's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

Health Status


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

Poor General Health

Dallas County has a crude rate of 9.8% for fair or poor selfrated health status among adults aged >= 18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarlysized counties). The age-adjusted rate for Dallas County is 9.7%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	9.8%	15.0%	13.2%
Age-Adjusted	9.7%	13.3%	11.8%



Poor Physical Health

Dallas County has a crude rate of 7.8% for physical health not good for >=14 days among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 7.7%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	7.8%	11.1%	10.3%
Age-Adjusted	7.7%	9.9%	9.1%



Poor Mental Health

Dallas County has a crude rate of 12.7% for mental health not good for >=14 days among adults aged >=18 years, which ranks 2nd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 12.8%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).

Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	12.7%	14.1%	13.7%
Age-Adjusted	12.8%	15.5%	14.9%



Health Risk Behaviors


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Binge Drinking

Dallas County has a crude rate of 22.7% for binge drinking among adults aged >=18 years, which ranks 98th out of 99 lowa counties (12th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 22.9%, which ranks 95th out of 99 lowa counties (10th out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	22.7%	18.5%	19.8%
Age-Adjusted	22.9%	21.3%	22.3%



Current Smoking

Dallas County has a crude rate of 11.6% for current smoking among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 11.3%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	11.6%	16.7%	15.4%
Age-Adjusted	11.3%	17.8%	16.0%



Physical Inactivity

Dallas County has a crude rate of 18.7% for no leisure-time physical activity among adults aged >=18 years, which ranks 2nd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 18.6%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	18.7%	26.8%	24.2%
Age-Adjusted	18.6%	25.1%	22.6%



Sleep <7 hours

Dallas County has a crude rate of 25.3% for sleeping less than 7 hours among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 25.2%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).

Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	25.3%	30.0%	29.4%
Age-Adjusted	25.2%	31.4%	30.5%



Health Outcomes


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

Arthritis

Dallas County has a crude rate of 23.5% for arthritis among adults aged >=18 years, which ranks 5th out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 22.9%, which ranks 40th out of 99 lowa counties (7th out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	23.5%	28.8%	27.4%
Age-Adjusted	22.9%	23.2%	22.8%



High Blood Pressure

Dallas County has a crude rate of 25.3% for high blood pressure among adults aged >=18 years, which ranks 3rd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 24.8%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	25.3%	33.7%	31.9%
Age-Adjusted	24.8%	27.9%	26.4%



Cancer (except skin)

Dallas County has a crude rate of 6.4% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 3rd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 6.3%, which ranks 8th out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	6.4%	8.4%	8.2%
Age-Adjusted	6.3%	6.4%	6.4%



Current Asthma

Dallas County has a crude rate of 8.9% for current asthma among adults aged >=18 years, which ranks 2nd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 8.9%, which ranks 2nd out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	8.9%	9.3%	9.1%
Age-Adjusted	8.9%	9.5%	9.2%



Coronary Heart Disease

Dallas County has a crude rate of 4.2% for coronary heart disease among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 4.2%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	4.2%	7.1%	6.4%
Age-Adjusted	4.2%	5.2%	4.8%



COPD

Dallas County has a crude rate of 4.5% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 4.4%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	4.5%	7.9%	7.1%
Age-Adjusted	4.4%	6.4%	5.8%



Depression

Dallas County has a crude rate of 17.1% for depression among adults aged >=18 years, which ranks 17th out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 17.1%, which ranks 3rd out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	17.1%	17.6%	17.4%
Age-Adjusted	17.1%	18.7%	18.4%



Diabetes

Dallas County has a crude rate of 7.4% for diagnosed diabetes among adults aged >=18 years, which ranks 2nd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 7.2%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	7.4%	11.0%	10.1%
Age-Adjusted	7.2%	8.7%	8.0%



High Cholesterol

Dallas County has a crude rate of 32.2% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 3rd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 29.6%, which ranks 30th out of 99 lowa counties (5th out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	32.2%	37.5%	36.8%
Age-Adjusted	29.6%	29.8%	29.6%



Chronic Kidney Disease

Dallas County has a crude rate of 2.4% for chronic kidney disease among adults aged >=18 years, which ranks 3rd out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 2.3%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	2.4%	3.4%	3.2%
Age-Adjusted	2.3%	2.7%	2.5%



Obesity

Dallas County has a crude rate of 35.5% for obesity among adults aged >=18 years, which ranks 12th out of 99 lowa counties (2nd out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 35.0%, which ranks 7th out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	35.5%	37.6%	37.5%
Age-Adjusted	35.0%	37.9%	37.3%



Stroke

Dallas County has a crude rate of 2.2% for stroke among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 2.1%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	2.2%	3.5%	3.2%
Age-Adjusted	2.1%	2.7%	2.4%



All Teeth Lost

Dallas County has a crude rate of 6.7% for all teeth lost among adults aged >=65 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 7.1%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).

Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	6.7%	10.4%	9.6%
Age-Adjusted	7.1%	11.3%	10.2%



Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your county's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your county. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/prevention/index.html

Lack of Health Insurance

Dallas County has a crude rate of 5.8% for current lack of health insurance among adults aged 18–64 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 5.9%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	5.8%	7.8%	6.8%
Age-Adjusted	5.9%	8.3%	7.2%



Taking BP Medication

Dallas County has a crude rate of 74.7% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 96th out of 99 lowa counties (12th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 57.7%, which ranks 96th out of 99 lowa counties (12th out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	74.7%	80.8%	80.1%
Age-Adjusted	57.7%	59.4%	58.6%



Cervical Cancer Screening

Dallas County has a crude rate of 85.2% for cervical cancer screening among adult women aged 21–65 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 85.2%, which ranks 3rd out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	85.2%	82.3%	83.6%
Age-Adjusted	85.2%	83.0%	84.0%



Annual Checkup

Dallas County has a crude rate of 73.8% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 92nd out of 99 lowa counties (12th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 73.6%, which ranks 17th out of 99 lowa counties (3rd out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	73.8%	75.9%	75.3%
Age-Adjusted	73.6%	72.6%	72.8%



Cholesterol Screening

Dallas County has a crude rate of 83.3% for cholesterol screening among adults aged >=18 years, which ranks 20th out of 99 lowa counties (5th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 82.7%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	83.3%	82.5%	83.2%
Age-Adjusted	82.7%	78.9%	80.0%



Colorectal Cancer Screening

Dallas County has a crude rate of 75.6% for colorectal cancer screening among adults aged 50–75 years, which ranks 8th out of 99 lowa counties (2nd out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 74.8%, which ranks 3rd out of 99 lowa counties (2nd out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	75.6%	73.2%	73.9%
Age-Adjusted	74.8%	70.3%	71.6%



Core preventive services for older men

Dallas County has a crude rate of 46.2% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 14th out of 99 lowa counties (4th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 46.7%, which ranks 15th out of 99 lowa counties (4th out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	46.2%	42.7%	45.8%
Age-Adjusted	46.7%	43.3%	46.4%



Core preventive services for older women

Dallas County has a crude rate of 41.6% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 21st out of 99 lowa counties (6th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 42.0%, which ranks 24th out of 99 lowa counties (5th out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	41.6%	38.4%	41.0%
Age-Adjusted	42.0%	39.7%	41.7%



Dental Visit

Dallas County has a crude rate of 75.1% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 75.2%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	75.1%	66.0%	68.5%
Age-Adjusted	75.2%	65.3%	67.7%



Mammography

Dallas County has a crude rate of 75.9% for mammography use among women aged 50–74 years, which ranks 16th out of 99 lowa counties (5th out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 75.7%, which ranks 17th out of 99 lowa counties (5th out of 12 similarly-sized counties).

Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	75.9%	73.9%	75.2%
Age-Adjusted	75.7%	73.7%	75.0%



Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Hearing disability

Dallas County has a crude rate of 4.9% for hearing disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 4.9%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	4.9%	7.9%	7.2%
Age-Adjusted	4.9%	6.1%	5.8%



Vision disability

Dallas County has a crude rate of 2.7% for vision disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 2.7%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	2.7%	4.4%	3.7%
Age-Adjusted	2.7%	3.9%	3.3%



Cognitive disability

Dallas County has a crude rate of 8.5% for cognitive disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 8.6%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	8.5%	11.2%	10.2%
Age-Adjusted	8.6%	11.9%	10.9%



Mobility disability

Dallas County has a crude rate of 7.5% for mobility disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 7.4%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	7.5%	12.5%	11.1%
Age-Adjusted	7.4%	9.9%	8.8%



Self-care disability

Dallas County has a crude rate of 2.2% for self-care disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 2.2%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	2.2%	3.6%	3.2%
Age-Adjusted	2.2%	3.1%	2.7%



Independent living disability

Dallas County has a crude rate of 4.5% for independent living disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 4.5%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).


Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	4.5%	6.9%	6.0%
Age-Adjusted	4.5%	6.4%	5.8%



Any disability

Dallas County has a crude rate of 18.3% for any disability among adults aged >=18 years, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties). The age-adjusted rate for Dallas County is 18.4%, which ranks 1st out of 99 lowa counties (1st out of 12 similarly-sized counties).

Measure Type	Dallas County	All Counties	Similarly- Sized Counties
Crude	18.3%	26.6%	24.3%
Age-Adjusted	18.4%	23.6%	22.1%



Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



Appendix 2: Dallas County PLACES Data

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Health Status	Mental Health	2	12.7% (10.8% - 14.8%)	1	12.8% (10.9% - 14.9%)
Health Status	Physical Health	1	7.8% (6.6% - 9.3%)	1	7.7% (6.5% - 9.2%)
Health Status	General Health	1	9.8% (8.1% - 11.9%)	1	9.7% (8.0% - 11.7%)
Health Risk Behaviors	Physical Inactivity	2	18.7% (15.2% - 22.8%)	1	18.6% (15.2% - 22.7%)
Health Risk Behaviors	Sleep <7 hours	1	25.3% (23.7% - 26.7%)	1	25.2% (23.6% - 26.6%)
Health Risk Behaviors	Current Smoking	1	11.6% (8.9% - 15.2%)	1	11.3% (8.6% - 14.8%)
Health Risk Behaviors	Binge Drinking	98	22.7% (19.3% - 26.3%)	95	22.9% (19.5% - 26.4%)
Health Outcomes	High Blood Pressure	3	25.3% (22.1% - 28.5%)	1	24.8% (21.7% - 28.0%)
Health Outcomes	Obesity	12	35.5% (29.9% - 41.0%)	7	35.0% (29.4% - 40.5%)
Health Outcomes	All Teeth Lost	1	6.7% (3.7% - 10.8%)	1	7.1% (3.9% - 11.6%)
Health Outcomes	Current Asthma	2	8.9% (7.8% - 10.1%)	2	8.9% (7.8% - 10.1%)
Health Outcomes	Diabetes	2	7.4% (6.2% - 8.7%)	1	7.2% (6.1% - 8.5%)
Health Outcomes	Arthritis	5	23.5% (20.3% - 26.7%)	40	22.9% (19.8% - 26.1%)
Health Outcomes	COPD	1	4.5% (3.6% - 5.6%)	1	4.4% (3.5% - 5.4%)
Health Outcomes	Coronary Heart Disease	1	4.2% (3.6% - 4.8%)	1	4.2% (3.6% - 4.8%)
Health Outcomes	Chronic Kidney Disease	3	2.4% (2.1% - 2.6%)	1	2.3% (2.1% - 2.6%)
Health Outcomes	High Cholesterol	3	32.2% (28.4% - 36.1%)	30	29.6% (25.7% - 33.7%)
Health Outcomes	Cancer (except skin)	3	6.4% (5.8% - 7.1%)	8	6.3% (5.7% - 7.0%)
Health Outcomes	Depression	17	17.1% (14.2% - 20.2%)	3	17.1% (14.3% - 20.2%)
Health Outcomes	Stroke	1	2.2% (1.9% - 2.5%)	1	2.1% (1.9% - 2.5%)
Prevention	Cervical Cancer Screening	1	85.2% (82.9% - 87.4%)	3	85.2% (82.8% - 87.3%)
Prevention	Core preventive services for older men	14	46.2% (37.1% - 54.4%)	15	46.7% (37.8% - 54.8%)
Prevention	Cholesterol Screening	20	83.3% (80.4% - 86.0%)	1	82.7% (79.8% - 85.5%)
Prevention	Health Insurance	1	5.8% (4.4% - 7.8%)	1	5.9% (4.4% - 7.9%)
Prevention	Dental Visit	1	75.1% (71.9% - 78.0%)	1	75.2% (71.8% - 78.1%)

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Prevention	Colorectal Cancer Screening	8	75.6% (72.5% - 78.3%)	3	74.8% (71.6% - 77.7%)
Prevention	Core preventive services for older women	21	41.6% (34.1% - 48.5%)	24	42.0% (34.5% - 49.0%)
Prevention	Mammography	16	75.9% (71.6% - 79.5%)	17	75.7% (71.2% - 79.4%)
Prevention	Annual Checkup	92	73.8% (69.4% - 77.7%)	17	73.6% (69.2% - 77.6%)
Prevention	Taking BP Medication	96	74.7% (71.0% - 78.0%)	96	57.7% (52.8% - 62.4%)
Disability	Hearing Disability	1	4.9% (4.3% - 5.6%)	1	4.9% (4.3% - 5.6%)
Disability	Mobility Disability	1	7.5% (6.1% - 9.0%)	1	7.4% (6.1% - 8.9%)
Disability	Independent Living Disability	1	4.5% (3.7% - 5.4%)	1	4.5% (3.7% - 5.5%)
Disability	Cognitive Disability	1	8.5% (7.0% - 10.3%)	1	8.6% (7.1% - 10.4%)
Disability	Self-care Disability	1	2.2% (1.8% - 2.6%)	1	2.2% (1.8% - 2.6%)
Disability	Any Disability	1	18.3% (15.4% - 21.8%)	1	18.4% (15.6% - 21.7%)
Disability	Vision Disability	1	2.7% (2.3% - 3.2%)	1	2.7% (2.3% - 3.2%)

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.


Appendix 3: Metropolitan Non-Core Counties

Dallas County falls into the group of metropolitan non-core counties. In this data, 12 counties fall into this group. The table below lists all counties in the group, sorted by the population estimate in the CDC PLACES dataset.

County	Population Group	Population
Dallas County	Metropolitan Non-Core	103,796
Warren County	Metropolitan Non-Core	53,402
Jasper County	Metropolitan Non-Core	37,764
Benton County	Metropolitan Non-Core	25,691
Bremer County	Metropolitan Non-Core	25,081
Washington County	Metropolitan Non-Core	22,491
Jones County	Metropolitan Non-Core	20,805
Madison County	Metropolitan Non-Core	16,773
Harrison County	Metropolitan Non-Core	14,669
Mills County	Metropolitan Non-Core	14,465
Grundy County	Metropolitan Non-Core	12,347
Guthrie County	Metropolitan Non-Core	10,567

Metropolitan and micropolitan areas can be found in the link and the maps below.


https://www.icip.iastate.edu/maps/refmaps/cofips




Appendix 4: County Maps

Poor General Health

Fair or poor self-rated health status among adults aged >= 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Poor Physical Health

Physical health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Poor Mental Health

Mental health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Binge Drinking

Binge drinking among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Current Smoking

Current smoking among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Physical Inactivity

No leisure–time physical activity among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Sleep <7 hours

Sleeping less than 7 hours among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2020



Arthritis


Arthritis among adults aged >=18 years






High Blood Pressure

High blood pressure among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Cancer (except skin)

Cancer (excluding skin cancer) among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Current Asthma

Current asthma among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Coronary Heart Disease

Coronary heart disease among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2021



COPD


Chronic obstructive pulmonary disease among adults aged >=18 years






Depression

Depression among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2021



Diabetes


Diagnosed diabetes among adults aged >=18 years






High Cholesterol

High cholesterol among adults aged >=18 years who have been screened in the past 5 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Chronic Kidney Disease


Chronic kidney disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021





Obesity
Obesity among adults aged >=18 years







Stroke
Stroke among adults aged >=18 years






All Teeth Lost
All teeth lost among adults aged >=65 years






Lack of Health Insurance

Current lack of health insurance among adults aged 18-64 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Taking BP Medication

Taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Cervical Cancer Screening

Cervical cancer screening among adult women aged 21-65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Annual Checkup

Visits to doctor for routine checkup within the past year among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Cholesterol Screening

Cholesterol screening among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Colorectal Cancer Screening

Colorectal cancer screening among adults aged 50-75 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Core preventive services for older men

Older adult men aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Core preventive services for older women

Older adult women aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening,





Data Source: CDC PLACES 2023 Release, BRFSS 2020



Dental Visit


Visits to dentist or dental clinic among adults aged >=18 years






Mammography

Mammography use among women aged 50-74 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Hearing disability

Hearing disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Vision disability

Vision disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Cognitive disability

Cognitive disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Mobility disability

Mobility disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Self-care disability

Self-care disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Independent living disability

Independent living disability among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Any disability

Any disability among adults aged >=18 years

