

Iowa County Health Snapshot Series

99 county reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



May 2024

By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

Iowa County Health Snapshot Series

Table of contents

Health in Henry County: Overview																										3
Strengths																										3
Opportunities																										4
How to Use this Report																										5
Using Story County as an E	zxa	mp	le	• •	·	•		·	•	• •	•	•	• •	•	·	• •	•	•	·	·	•	•	•	• •	·	6
Health Status																										7
Poor General Health																						•				7
Poor Physical Health																										8
Poor Mental Health			·		•	•		•	•		•	•		•			•	•		•	•	•	•			8
Health Risk Behaviors																										9
Binge Drinking																										9
Current Smoking																										10
Physical Inactivity																										10
Sleep <7 hours																										11
Health Outcomes																										12
Arthritis																										12
High Blood Pressure																										13
Cancer (except skin)																										13
Current Asthma																										14
Coronary Heart Disease																										14
COPD																										15
Depression																										15
Diabetes																										16
High Cholesterol																										16
Chronic Kidney Disease .																										17
Obesity																										17
Stroke																										18
All Teeth Lost																										18
Prevention																										19
Lack of Health Insurance .																										19
Taking BP Medication																										20
Cervical Cancer Screening																										20
Annual Checkup																										21
Cholesterol Screening																										21
choiceterer corcerning	• •	•	•	• •	•	•	• •	•	•	• •	•	•	• •	•	•	• •	•	•	•	•	•	•	•	• •	•	- 1

Colorectal Cancer Screening Core preventive services for older men Core preventive services for older men Core preventive services for older women Core preventive services for older women Dental Visit Core preventive services for older women Mammography Core preventive services for older women	22 22 24 24 26
Disability	27
Hearing disability	27
Vision disability	28
Cognitive disability	28
Mobility disability	29
Self-care disability	29
Independent living disability	30
Any disability	30
Appendix 1: CDC PLACES Data	31
Appendix 2: Henry County PLACES Data	32
Appendix 3: Rural Counties	34
Appendix 4: County Maps	36

Health in Henry County: Overview

Dear Community Members & Stakeholders of Henry County,

We are pleased to share the lowa County Health Snapshot series, a set of reports designed in partnership with lowa State University's Community Economic Development to assess the overall landscape of health and well-being across lowa's 99 counties. The following pages include the health snapshot for your county. The snapshot can be used to see how Henry County ranks across various health measures compared to the rest of the state and similarly-sized counties. This comparison allows us to identify Henry County's strengths and opportunities for growth by leveraging data from the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your county ranks compared to all Iowa counties and counties of similar size to Henry County. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your county and presents what the rate would be if your county had a standard age distribution. Crude rates can provide a general comparison between counties and age-adjusted rates can give a fairer comparison between counties with different age structures.

Strengths

Take a look at the top strengths of your county! Below are unadjusted and age-adjusted health measures that represent your county's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

	Crude			Age-Adjusted	
Health Domain	Statewide County Rank	Rural County Rank	Health Domain	Statewide County Rank	Rural County Rank
Arthritis	21st	6th	Cancer (except skin)	8th	4th
Cancer (except skin)	22nd	4th	Binge Drinking	25th	14th
Chronic Kidney Disease	22nd	7th	Current Asthma	29th	12th
Stroke	26th	9th	Arthritis	32nd	15th
Coronary Heart Disease	29th	10th	All Teeth Lost	39th	18th

Opportunities

Below are health measures that represent potential areas for growth in your county. We recommend increasing investment in these areas to support community health and well-being.

	Crude		Age	-Adjusted	
Health Domain	Statewide County Rank	Rural County Rank	Health Domain	Statewide County Rank	Rural County Rank
Sleep <7 hours	98th	62nd	Sleep <7 hours	98th	62nd
Mammography	94th	59th	Mammography	93rd	59th
Depression	88th	61st	Depression	88th	56th
Cholesterol Screening	81st	56th	Core preventive services for older women	78th	47th
Annual Checkup	80th	54th	Obesity	76th	45th

Please review the rest of the report to learn more about your county and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Henry County.

Sincerely,

Show

Shawn F. Dorius, PhD Iowa State University Public Science Collaborative



IOWA STATE UNIVERSITY Extension and Outreach Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

How to Use this Report


The purpose of the lowa County Health Snapshot Series is to provide an overview of health in Henry County that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Henry County, a review of risky behaviors in the county, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Henry County compares to the rest of the state and similarly-sized counties.

With a population of 20,387, Henry County's similarly sized counties are defined as rural counties. In Iowa, rural counties have an average population of 12,547, and there are 63 counties that are considered rural counties. To learn more about the county population classifications used in this report, please see the information below the table as well as Appendix 3.

Group	Population Avg.	Number of Counties
Metropolitan Core	175,797	9
Micropolitan	30,839	15
Metropolitan Non-Core	29,821	12
Rural	12,547	63
Total		99


The counties included in each category above are determined by the United States Office of Management and Budget. Iowa has counties in nine metropolitan statistical areas and 15 micropolitan statistical areas. The counties identified as metropolitan and micropolitan can be found in the link and the maps below. Metropolitan core counties are those counties in metropolitan areas that have the city that defines the metropolitan area (e.g., Des Moines and Polk County for the Des Moines Metropolitan Area). Metropolitan non-core counties are those that fall within the metropolitan area, but do not have the core city of the metropolitan area (e.g., Dallas and Jasper Counties in the Des Moines Metropolitan Area).

https://www.icip.iastate.edu/maps/refmaps/cofips



Using Story County as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your county's crude and age-adjusted rate estimates alongside their averages across all lowa counties and similarly-sized counties. The images below show the distribution of the health measure across counties. The vertical lines correspond with the values in the table to show the estimate for the specific county compared to counties across the state. The solid black line in each plot represents the county rate, with the dashed lines indicating the average rate for all lowa counties and the dotted lines showing the average rate for similarly-sized counties.



The example graphic above displays the poor mental health rate in Story County, Iowa. The left plot shows the crude rate of poor mental health in the county. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Story County has a higher crude rate of poor mental health than most counties in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized counties, indicating that when accounting for Story County's unique age distribution, Story County's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

Health Status


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

Poor General Health

Henry County has a crude rate of 15.0% for fair or poor self-rated health status among adults aged >= 18 years, which ranks 48th out of 99 lowa counties (23rd out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 13.8%, which ranks 60th out of 99 lowa counties (36th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	15.0%	15.0%	15.5%
Age-Adjusted	13.8%	13.3%	13.5%



Poor Physical Health

Henry County has a crude rate of 11.0% for physical health not good for >=14 days among adults aged >=18 years, which ranks 41st out of 99 lowa counties (18th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 10.2%, which ranks 60th out of 99 lowa counties (34th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	11.0%	11.1%	11.4%
Age-Adjusted	10.2%	9.9%	10.1%



Poor Mental Health

Henry County has a crude rate of 14.6% for mental health not good for >=14 days among adults aged >=18 years, which ranks 73rd out of 99 lowa counties (49th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 15.5%, which ranks 49th out of 99 lowa counties (24th out of 63 similarly-sized counties).

Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	14.6%	14.1%	14.1%
Age-Adjusted	15.5%	15.5%	15.7%



Health Risk Behaviors


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Binge Drinking

Henry County has a crude rate of 18.7% for binge drinking among adults aged >=18 years, which ranks 58th out of 99 lowa counties (45th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 20.9%, which ranks 25th out of 99 lowa counties (14th out of 63 similarlysized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	18.7%	18.5%	18.1%
Age-Adjusted	20.9%	21.3%	21.3%



Current Smoking

Henry County has a crude rate of 16.8% for current smoking among adults aged >=18 years, which ranks 52nd out of 99 lowa counties (28th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 17.9%, which ranks 51st out of 99 lowa counties (25th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	16.8%	16.7%	16.9%
Age-Adjusted	17.9%	17.8%	18.1%



Physical Inactivity

Henry County has a crude rate of 26.8% for no leisure-time physical activity among adults aged >=18 years, which ranks 49th out of 99 lowa counties (24th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 25.6%, which ranks 58th out of 99 lowa counties (34th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	26.8%	26.8%	27.3%
Age-Adjusted	25.6%	25.1%	25.4%



Sleep <7 hours

Henry County has a crude rate of 33.2% for sleeping less than 7 hours among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarlysized counties). The age-adjusted rate for Henry County is 34.5%, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties).

Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	33.2%	30.0%	30.0%
Age-Adjusted	34.5%	31.4%	31.5%



Health Outcomes


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

Arthritis

Henry County has a crude rate of 26.8% for arthritis among adults aged >=18 years, which ranks 21st out of 99 lowa counties (6th out of 63 similarly-sized counties). The ageadjusted rate for Henry County is 22.7%, which ranks 32nd out of 99 lowa counties (15th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	26.8%	28.8%	29.1%
Age-Adjusted	22.7%	23.2%	23.3%



High Blood Pressure

Henry County has a crude rate of 33.2% for high blood pressure among adults aged >=18 years, which ranks 42nd out of 99 lowa counties (18th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 28.9%, which ranks 76th out of 99 lowa counties (47th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	33.2%	33.7%	34.5%
Age-Adjusted	28.9%	27.9%	27.9%



Cancer (except skin)

Henry County has a crude rate of 7.9% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 22nd out of 99 lowa counties (4th out of 63 similarlysized counties). The age-adjusted rate for Henry County is 6.3%, which ranks 8th out of 99 lowa counties (4th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	7.9%	8.4%	8.7%
Age-Adjusted	6.3%	6.4%	6.4%



Current Asthma

Henry County has a crude rate of 9.3% for current asthma among adults aged >=18 years, which ranks 49th out of 99 lowa counties (29th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 9.4%, which ranks 29th out of 99 lowa counties (12th out of 63 similarlysized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	9.3%	9.3%	9.3%
Age-Adjusted	9.4%	9.5%	9.5%



Coronary Heart Disease

Henry County has a crude rate of 6.6% for coronary heart disease among adults aged >=18 years, which ranks 29th out of 99 lowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 5.2%, which ranks 47th out of 99 lowa counties (25th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	6.6%	7.1%	7.4%
Age-Adjusted	5.2%	5.2%	5.2%



COPD

Henry County has a crude rate of 7.5% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 32nd out of 99 lowa counties (12th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 6.4%, which ranks 50th out of 99 lowa counties (24th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	7.5%	7.9%	8.2%
Age-Adjusted	6.4%	6.4%	6.5%



Depression

Henry County has a crude rate of 18.9% for depression among adults aged >=18 years, which ranks 88th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 19.7%, which ranks 88th out of 99 lowa counties (56th out of 63 similarlysized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	18.9%	17.6%	17.5%
Age-Adjusted	19.7%	18.7%	18.7%



Diabetes

Henry County has a crude rate of 10.5% for diagnosed diabetes among adults aged >=18 years, which ranks 30th out of 99 lowa counties (13th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 8.7%, which ranks 50th out of 99 lowa counties (30th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	10.5%	11.0%	11.3%
Age-Adjusted	8.7%	8.7%	8.7%



High Cholesterol

Henry County has a crude rate of 37.0% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 33rd out of 99 lowa counties (13th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 30.4%, which ranks 71st out of 99 lowa counties (45th out of 63 similarlysized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	37.0%	37.5%	37.8%
Age-Adjusted	30.4%	29.8%	29.8%



Chronic Kidney Disease

Henry County has a crude rate of 3.2% for chronic kidney disease among adults aged >=18 years, which ranks 22nd out of 99 lowa counties (7th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 2.7%, which ranks 49th out of 99 lowa counties (26th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	3.2%	3.4%	3.5%
Age-Adjusted	2.7%	2.7%	2.7%



Obesity

Henry County has a crude rate of 38.9% for obesity among adults aged >=18 years, which ranks 72nd out of 99 Iowa counties (41st out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 39.4%, which ranks 76th out of 99 Iowa counties (45th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	38.9%	37.6%	37.8%
Age-Adjusted	39.4%	37.9%	38.3%



Stroke

Henry County has a crude rate of 3.3% for stroke among adults aged >=18 years, which ranks 26th out of 99 lowa counties (9th out of 63 similarly-sized counties). The ageadjusted rate for Henry County is 2.7%, which ranks 45th out of 99 lowa counties (23rd out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	3.3%	3.5%	3.6%
Age-Adjusted	2.7%	2.7%	2.7%



All Teeth Lost

Henry County has a crude rate of 10.2% for all teeth lost among adults aged >=65 years, which ranks 43rd out of 99 lowa counties (21st out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 10.9%, which ranks 39th out of 99 lowa counties (18th out of 63 similarlysized counties).

Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	10.2%	10.4%	10.5%
Age-Adjusted	10.9%	11.3%	11.5%



Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your county's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your county. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/prevention/index.html

Lack of Health Insurance

Henry County has a crude rate of 8.4% for current lack of health insurance among adults aged 18–64 years, which ranks 69th out of 99 lowa counties (40th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 8.8%, which ranks 65th out of 99 lowa counties (36th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	8.4%	7.8%	8.0%
Age-Adjusted	8.8%	8.3%	8.5%



Taking BP Medication

Henry County has a crude rate of 79.6% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 79th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 59.5%, which ranks 41st out of 99 lowa counties (26th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	79.6%	80.8%	81.3%
Age-Adjusted	59.5%	59.4%	59.5%



Cervical Cancer Screening

Henry County has a crude rate of 81.7% for cervical cancer screening among adult women aged 21–65 years, which ranks 67th out of 99 lowa counties (41st out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 82.7%, which ranks 57th out of 99 lowa counties (31st out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	81.7%	82.3%	82.1%
Age-Adjusted	82.7%	83.0%	82.7%



Annual Checkup

Henry County has a crude rate of 74.7% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 80th out of 99 lowa counties (54th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 72.2%, which ranks 65th out of 99 lowa counties (39th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	74.7%	75.9%	76.1%
Age-Adjusted	72.2%	72.6%	72.5%



Cholesterol Screening

Henry County has a crude rate of 81.2% for cholesterol screening among adults aged >=18 years, which ranks 81st out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 78.8%, which ranks 53rd out of 99 lowa counties (27th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	81.2%	82.5%	82.7%
Age-Adjusted	78.8%	78.9%	78.7%



Colorectal Cancer Screening

Henry County has a crude rate of 72.5% for colorectal cancer screening among adults aged 50–75 years, which ranks 68th out of 99 lowa counties (44th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 70.1%, which ranks 53rd out of 99 lowa counties (30th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	72.5%	73.2%	73.0%
Age-Adjusted	70.1%	70.3%	70.0%



Core preventive services for older men

Henry County has a crude rate of 42.5% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 52nd out of 99 lowa counties (26th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 42.7%, which ranks 59th out of 99 lowa counties (31st out of 63 similarlysized counties).


Henry County	All Counties	Similarly- Sized Counties
42.5%	42.7%	42.0%
42.7%	43.3%	42.7%
	County 42.5%	County Counties 42.5% 42.7%



Core preventive services for older women

Henry County has a crude rate of 37.2% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 70th out of 99 lowa counties (39th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 37.7%, which ranks 78th out of 99 lowa counties (47th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	37.2%	38.4%	37.9%
Age-Adjusted	37.7%	39.7%	39.1%



Dental Visit

Henry County has a crude rate of 64.5% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 67th out of 99 lowa counties (40th out of 63 similarlysized counties). The age-adjusted rate for Henry County is 63.7%, which ranks 67th out of 99 lowa counties (39th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	64.5%	66.0%	65.6%
Age-Adjusted	63.7%	65.3%	64.6%



Mammography

Henry County has a crude rate of 71.4% for mammography use among women aged 50–74 years, which ranks 94th out of 99 lowa counties (59th out of 63 similarlysized counties). The age-adjusted rate for Henry County is 71.7%, which ranks 93rd out of 99 lowa counties (59th out of 63 similarly-sized counties).

Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	71.4%	73.9%	73.7%
Age-Adjusted	71.7%	73.7%	73.5%



Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

Hearing disability

Henry County has a crude rate of 7.5% for hearing disability among adults aged >=18 years, which ranks 31st out of 99 lowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 6.2%, which ranks 53rd out of 99 lowa counties (28th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties
Crude	7.5%	7.9%	8.2%
Age-Adjusted	6.2%	6.1%	6.2%



Vision disability

Henry County has a crude rate of 4.3% for vision disability among adults aged >=18 years, which ranks 41st out of 99 lowa counties (19th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 4.0%, which ranks 54th out of 99 lowa counties (31st out of 63 similarlysized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties	
Crude	4.3%	4.4%	4.5%	
Age-Adjusted	4.0%	3.9%	4.0%	



Cognitive disability

Henry County has a crude rate of 11.7% for cognitive disability among adults aged >=18 years, which ranks 63rd out of 99 lowa counties (39th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 12.1%, which ranks 57th out of 99 lowa counties (32nd out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties	
Crude	11.7%	11.2%	11.3%	
Age-Adjusted	12.1%	11.9%	12.1%	



Mobility disability

Henry County has a crude rate of 12.1% for mobility disability among adults aged >=18 years, which ranks 35th out of 99 lowa counties (15th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 10.1%, which ranks 58th out of 99 lowa counties (33rd out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties	
Crude	12.1%	12.5%	13.1%	
Age-Adjusted	10.1%	9.9%	10.0%	



Self-care disability

Henry County has a crude rate of 3.5% for self-care disability among adults aged >=18 years, which ranks 32nd out of 99 lowa counties (14th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 3.2%, which ranks 53rd out of 99 lowa counties (30th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties	
Crude	3.5%	3.6%	3.8%	
Age-Adjusted	3.2%	3.1%	3.2%	



Independent living disability

Henry County has a crude rate of 6.8% for independent living disability among adults aged >=18 years, which ranks 44th out of 99 lowa counties (19th out of 63 similarlysized counties). The age-adjusted rate for Henry County is 6.5%, which ranks 53rd out of 99 lowa counties (29th out of 63 similarly-sized counties).


Measure Type	Henry County	All Counties	Similarly- Sized Counties	
Crude	6.8%	6.9%	7.1%	
Age-Adjusted	6.5%	6.4%	6.5%	



Any disability

Henry County has a crude rate of 26.9% for any disability among adults aged >=18 years, which ranks 57th out of 99 lowa counties (27th out of 63 similarly-sized counties). The age-adjusted rate for Henry County is 24.7%, which ranks 71st out of 99 lowa counties (44th out of 63 similarlysized counties).

Measure Type	Henry County	All Counties	Similarly- Sized Counties	
Crude	26.9%	26.6%	27.2%	
Age-Adjusted	24.7%	23.6%	24.0%	



Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



Appendix 2: Henry County PLACES Data

Category	Health Domain	Crude Rate	Crude Rate (95% CI)	Age-Adj.	Age-Adj. Rate (95% CI)
Health Status	General Health	Rank 48	15.0% (12.5% - 18.0%)	Rate Rank 60	13.8% (11.5% - 16.3%)
			· · · · ·		
Health Status	Mental Health	73	14.6% (12.5% - 16.8%)	49	15.5% (13.3% - 17.8%)
Health Status	Physical Health	41	11.0% (9.4% - 12.9%)	60	10.2% (8.7% - 11.9%)
Health Risk Behaviors	Binge Drinking	58	18.7% (15.4% - 22.2%)	25	20.9% (17.3% - 24.7%)
Health Risk Behaviors	Sleep <7 hours	98	33.2% (31.5% - 34.8%)	98	34.5% (32.7% - 36.0%)
Health Risk Behaviors	Current Smoking	52	16.8% (13.2% - 20.6%)	51	17.9% (13.9% - 21.9%)
Health Risk Behaviors	Physical Inactivity	49	26.8% (22.0% - 32.1%)	58	25.6% (20.8% - 30.8%)
Health Outcomes	Coronary Heart Disease	29	6.6% (5.7% - 7.6%)	47	5.2% (4.5% - 6.0%)
Health Outcomes	Stroke	26	3.3% (2.9% - 3.8%)	45	2.7% (2.3% - 3.1%)
Health Outcomes	Depression	88	18.9% (15.5% - 22.7%)	88	19.7% (16.1% - 23.5%)
Health Outcomes	COPD	32	7.5% (6.1% - 9.0%)	50	6.4% (5.3% - 7.6%)
Health Outcomes	Arthritis	21	26.8% (23.0% - 30.9%)	32	22.7% (19.2% - 26.4%)
Health Outcomes	Chronic Kidney Disease	22	3.2% (2.9% - 3.6%)	49	2.7% (2.4% - 3.0%)
Health Outcomes	Current Asthma	49	9.3% (8.1% - 10.5%)	29	9.4% (8.2% - 10.7%)
Health Outcomes	Obesity	72	38.9% (31.6% - 46.1%)	76	39.4% (31.9% - 46.7%)
Health Outcomes	Cancer (except skin)	22	7.9% (7.1% - 8.7%)	8	6.3% (5.7% - 7.0%)
Health Outcomes	Diabetes	30	10.5% (8.9% - 12.3%)	50	8.7% (7.4% - 10.2%)
Health Outcomes	All Teeth Lost	43	10.2% (6.4% - 14.4%)	39	10.9% (6.9% - 15.4%)
Health Outcomes	High Blood Pressure	42	33.2% (29.1% - 37.4%)	76	28.9% (24.9% - 32.8%)
Health Outcomes	High Cholesterol	33	37.0% (32.4% - 41.5%)	71	30.4% (26.1% - 34.9%)
Prevention	Health Insurance	69	8.4% (6.4% - 10.8%)	65	8.8% (6.7% - 11.3%)
Prevention	Mammography	94	71.4% (66.7% - 75.8%)	93	71.7% (66.7% - 76.2%)
Prevention	Taking BP Medication	79	79.6% (76.2% - 82.4%)	41	59.5% (54.5% - 64.2%)
Prevention	Core preventive services for older men	52	42.5% (33.5% - 51.8%)	59	42.7% (34.0% - 51.7%)
Prevention	Dental Visit	67	64.5% (60.8% - 68.1%)	67	63.7% (60.1% - 67.6%)
Prevention	Annual Checkup	80	74.7% (69.9% - 79.1%)	65	72.2% (67.1% - 76.9%)

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Prevention	Cervical Cancer Screening	67	81.7% (79.3% - 84.2%)	57	82.7% (80.4% - 85.1%)
Prevention	Cholesterol Screening	81	81.2% (77.7% - 84.1%)	53	78.8% (75.1% - 82.1%)
Prevention	Core preventive services for older women	70	37.2% (29.3% - 45.3%)	78	37.7% (29.8% - 45.7%)
Prevention	Colorectal Cancer Screening	68	72.5% (69.5% - 75.6%)	53	70.1% (66.8% - 73.4%)
Disability	Vision Disability	41	4.3% (3.7% - 5.1%)	54	4.0% (3.4% - 4.6%)
Disability	Any Disability	57	26.9% (22.9% - 31.3%)	71	24.7% (20.8% - 28.8%)
Disability	Cognitive Disability	63	11.7% (9.7% - 13.7%)	57	12.1% (10.0% - 14.0%)
Disability	Mobility Disability	35	12.1% (10.0% - 14.4%)	58	10.1% (8.5% - 12.0%)
Disability	Independent Living Disability	44	6.8% (5.7% - 8.0%)	53	6.5% (5.4% - 7.6%)
Disability	Hearing Disability	31	7.5% (6.6% - 8.5%)	53	6.2% (5.4% - 7.1%)
Disability	Self-care Disability	32	3.5% (3.0% - 4.2%)	53	3.2% (2.7% - 3.7%)

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.

Appendix 3: Rural Counties

Henry County falls into the group of rural counties. In this data, 63 counties fall into this group. The table below lists all counties in the group, sorted by the population estimate in the CDC PLACES dataset.

County	Population	County	Population	County	Population
Sioux County	35,893	Lyon County	12,011	Pocahontas County	7,074
Boone County	26,723	Chickasaw County	11,887	Ida County	6,956
Plymouth County	25,650	Shelby County	11,770	Fremont County	6,567
Buchanan County	20,657	Cherokee County	11,503	Wayne County	6,508
Henry County	20,387	Louisa County	10,749	Osceola County	6,159
Winneshiek County	19,892	Hancock County	10,663	Taylor County	5,868
Jackson County	19,368	Winnebago County	10,656	Audubon County	5,635
Fayette County	19,258	Mitchell County	10,555	Ringgold County	4,639
Poweshiek County	18,586	Montgomery County	10,322	Adams County	3,641
Cedar County	18,410	Franklin County	9,952		
Delaware County	17,510	Calhoun County	9,915		
Clayton County	16,998	Keokuk County	9,914		
Tama County	16,867	Clarke County	9,785		
Hardin County	16,708	Sac County	9,752		
Iowa County	16,568	Humboldt County	9,634		
Crawford County	16,193	Howard County	9,478		
Floyd County	15,413	Emmet County	9,321		
Page County	15,197	Davis County	9,138		
Hamilton County	14,887	Palo Alto County	8,906		
Kossuth County	14,529	Greene County	8,717		
Butler County	14,332	Lucas County	8,710		
O'Brien County	14,015	Monona County	8,574		
Allamakee County	13,926	Decatur County	7,659		
Cass County	13,050	Monroe County	7,610		
Wright County	12,785	Adair County	7,541		
Appanoose County	12,257	Worth County	7,385		
Union County	12,018	Van Buren County	7,243		

Metropolitan and micropolitan areas can be found in the link and the maps below.


https://www.icip.iastate.edu/maps/refmaps/cofips








Appendix 4: County Maps



Poor General Health


Fair or poor self-rated health status among adults aged >= 18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




Poor Physical Health

Physical health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Poor Mental Health

Mental health not good for >=14 days among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021




(Age-Adjusted Rate) 17%




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Binge Drinking




Binge drinking among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021



Current Smoking



Marion 14.7%

Warren 14.0%

19.4%

Wayne 18.6%

Clarke 20.5%

16.7%

Current smoking among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021

Mahaska 18.1%

20.0%

Appanoose Davis Van Buren 19.8% 18.8% 20.1%

Monroe 16.8%

Washington 15.6%


16.89 7.6

18.19

.6%

кеокик 18.4%

Jetterson 15.5%



Data Source: CDC PLACES 2023 Release, BRFSS 2021

Pottawattami 17.1%

Mills 15.3%

Fremont 17.1%

Cass 18.0%

18.7%

Page 18.8%

Adams 16.5%

Taylor 16.5%


Adair 17.3%

Madison 14.9%

Union 17.2%


17.5%

Physical Inactivity



No leisure-time physical activity among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021



(Age-Adjusted Rate) 30%


> 27% 24%

> > 21%


Data Source: CDC PLACES 2023 Release, BRFSS 2021

Sleep <7 hours


Sleeping less than 7 hours among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2020




Arthritis




Arthritis among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




High Blood Pressure


High blood pressure among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021




High Blood Pressure (Age–Adjusted Rate)




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Cancer (except skin)

Cancer (excluding skin cancer) among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021





Data Source: CDC PLACES 2023 Release, BRFSS 2021

Current Asthma




Current asthma among adults aged >=18 years






Current Asthma (Age–Adjusted Rate)




Coronary Heart Disease

Coronary heart disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




COPD


Chronic obstructive pulmonary disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Depression




Depression among adults aged >=18 years






Diabetes




Diagnosed diabetes among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




High Cholesterol

High cholesterol among adults aged >=18 years who have been screened in the past 5




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Chronic Kidney Disease

Chronic kidney disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Obesity

Obesity among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Stroke

Stroke among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

All Teeth Lost




All teeth lost among adults aged >=65 years

Data Source: CDC PLACES 2023 Release, BRFSS 2020




Lack of Health Insurance

Current lack of health insurance among adults aged 18-64 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Taking BP Medication

Taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Data Source: CDC PLACES 2023 Release, BRFSS 2021

Taking BP Medication (Age-Adjusted Rate)

63%

62%

61%

60%


59%

58%


57%

Cervical Cancer Screening

Cervical cancer screening among adult women aged 21-65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020



Cervical Cancer Screening (Age–Adjusted Rate)


Data Source: CDC PLACES 2023 Release, BRFSS 2020

Annual Checkup




Visits to doctor for routine checkup within the past year among adults aged >=18

Data Source: CDC PLACES 2023 Release, BRFSS 2021




Annual Checkup (Age–Adjusted Rate)




Cholesterol Screening

Cholesterol screening among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Cholesterol Screening (Age-Adjusted Rate)




78%


Data Source: CDC PLACES 2023 Release, BRFSS 2021

Colorectal Cancer Screening

Colorectal cancer screening among adults aged 50-75 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020



Colorectal Cancer Screening (Age-Adjusted Rate) 76% 74% 72% 72% 70% 68%


Data Source: CDC PLACES 2023 Release, BRFSS 2020

Core preventive services for older men



Older adult men aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening

Data Source: CDC PLACES 2023 Release, BRFSS 2020




Core preventive services for older men (Age–Adjusted Rate)




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Core preventive services for older women




Older adult women aged >=65 years who are up to date on a core set of clinical

Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Dental Visit




Visits to dentist or dental clinic among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2020




Mammography



Mammography use among women aged 50-74 years

Data Source: CDC PLACES 2023 Release, BRFSS 2020




Mammography (Age–Adjusted Rate)





Data Source: CDC PLACES 2023 Release, BRFSS 2020

Hearing disability




Hearing disability among adults aged >=18 years







Hearing disability (Age–Adjusted Rate)





Vision disability



Vision disability among adults aged >=18 years











3.0%

Cognitive disability




Cognitive disability among adults aged >=18 years


Data Source: CDC PLACES 2023 Release, BRFSS 2021





Mobility disability



Mobility disability among adults aged >=18 years













Self-care disability




Self-care disability among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




Self-care disability (Age-Adjusted Rate)




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Independent living disability




Independent living disability among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021



Any disability



Any disability among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021

