

# **Iowa County Health Snapshot Series**

99 county reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



# May 2024

## By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

# **Iowa County Health Snapshot Series**

### **Table of contents**

Health in Ida County: Overview																												3
Strengths																												3
Opportunities																												4
How to Use this Report																												5
Using Story County as an E	:Xa	am	ple	Э.	·	•	• •	• •	·	•	•	• •	•	·	•	• •	•	·	·	·	•	•	• •	•	•	•	·	6
Health Status																												7
Poor General Health													•				•											7
Poor Physical Health													•				•											8
Poor Mental Health	•	•		•	•	•		•	•	•	•		•	•	•		•	•	•	•	•	•		•	•		•	8
Health Risk Behaviors																												9
Binge Drinking																												9
Current Smoking																												10
Physical Inactivity																												10
Sleep <7 hours																												11
Health Outcomes																												12
Arthritis																												12
High Blood Pressure																												13
Cancer (except skin)																												13
Current Asthma																												14
Coronary Heart Disease																												14
																												15
																												15
Diabetes																												16
High Cholesterol																												16
Chronic Kidney Disease																												17
Obesity																												17
Stroke																												18
All Teeth Lost																												18
Prevention																												19
Lack of Health Insurance .																												19
Taking BP Medication																												20
Cervical Cancer Screening																												20
																												20
Annual Checkup																												21
Cholesterol Screening	·	•	• •	•	·	÷	• •	• •	•	·	•	• •	•	•	÷	• •	•	·	÷	·	•	•	• •	•	•	•	•	<b>Z</b> I

Colorectal Cancer Screening	22 22 24 24 26
Disability	27
Hearing disability	27
Vision disability	28
Cognitive disability	28
Mobility disability	29
Self-care disability	29
Independent living disability	30
Any disability	30
	00
Appendix 1: CDC PLACES Data	31
Appendix 2: Ida County PLACES Data	32
Appendix 3: Rural Counties	34
Appendix 4: County Maps	36

### Health in Ida County: Overview

Dear Community Members & Stakeholders of Ida County,

We are pleased to share the Iowa County Health Snapshot series, a set of reports designed in partnership with Iowa State University's Community Economic Development to assess the overall landscape of health and well-being across Iowa's 99 counties. The following pages include the health snapshot for your county. The snapshot can be used to see how Ida County ranks across various health measures compared to the rest of the state and similarly-sized counties. This comparison allows us to identify Ida County's strengths and opportunities for growth by leveraging data from the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your county ranks compared to all Iowa counties and counties of similar size to Ida County. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your county and presents what the rate would be if your county had a standard age distribution. Crude rates can provide a general comparison between counties and age-adjusted rates can give a fairer comparison between counties with different age structures.

#### Strengths

Take a look at the top strengths of your county! Below are unadjusted and age-adjusted health measures that represent your county's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

	Crude			Age-Adjusted	
Health Domain	Statewide County Rank	Rural County Rank	Health Domain	Statewide County Rank	Rural County Rank
Depression	12th	10th	Obesity	15th	5th
Obesity	14th	4th	High Blood Pressure	17th	8th
Sleep <7 hours	22nd	12th	Depression	19th	12th
Binge Drinking	25th	20th	High Cholesterol	22nd	12th
Current Asthma	28th	15th	Arthritis	23rd	10th

### **Opportunities**

Below are health measures that represent potential areas for growth in your county. We recommend increasing investment in these areas to support community health and well-being.

С	rude		Age-Adjusted		
Health Domain	Statewide County Rank	Rural County Rank	Health Domain	Statewide County Rank	Rural County Rank
Core preventive services for older women	78th	47th	Core preventive services for older women	82nd	51st
Cervical Cancer Screening	75th	46th	Cervical Cancer Screening	68th	39th
Coronary Heart Disease	63rd	28th	Health Insurance	61st	34th
Colorectal Cancer Screening	61st	37th	All Teeth Lost	61st	35th
All Teeth Lost	61st	36th	COPD	60th	32nd

Please review the rest of the report to learn more about your county and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Ida County.

Sincerely,

Showl

Shawn F. Dorius, PhD Iowa State University Public Science Collaborative



IOWA STATE UNIVERSITY Extension and Outreach Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

#### How to Use this Report


The purpose of the lowa County Health Snapshot Series is to provide an overview of health in Ida County that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Ida County, a review of risky behaviors in the county, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Ida County compares to the rest of the state and similarly-sized counties.

With a population of 6,956, Ida County's similarly sized counties are defined as rural counties. In Iowa, rural counties have an average population of 12,547, and there are 63 counties that are considered rural counties. To learn more about the county population classifications used in this report, please see the information below the table as well as Appendix 3.

Group	Population Avg.	Number of Counties
Metropolitan Core	175,797	9
Micropolitan	30,839	15
Metropolitan Non-Core	29,821	12
Rural	12,547	63
Total		99


The counties included in each category above are determined by the United States Office of Management and Budget. Iowa has counties in nine metropolitan statistical areas and 15 micropolitan statistical areas. The counties identified as metropolitan and micropolitan can be found in the link and the maps below. Metropolitan core counties are those counties in metropolitan areas that have the city that defines the metropolitan area (e.g., Des Moines and Polk County for the Des Moines Metropolitan Area). Metropolitan non-core counties are those that fall within the metropolitan area, but do not have the core city of the metropolitan area (e.g., Dallas and Jasper Counties in the Des Moines Metropolitan Area).

#### https://www.icip.iastate.edu/maps/refmaps/cofips



#### Using Story County as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your county's crude and age-adjusted rate estimates alongside their averages across all lowa counties and similarly-sized counties. The images below show the distribution of the health measure across counties. The vertical lines correspond with the values in the table to show the estimate for the specific county compared to counties across the state. The solid black line in each plot represents the county rate, with the dashed lines indicating the average rate for all lowa counties and the dotted lines showing the average rate for similarly-sized counties.



The example graphic above displays the poor mental health rate in Story County, Iowa. The left plot shows the crude rate of poor mental health in the county. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Story County has a higher crude rate of poor mental health than most counties in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized counties, indicating that when accounting for Story County's unique age distribution, Story County's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

### **Health Status**


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

#### **Poor General Health**

Ida County has a crude rate of 15.3% for fair or poor selfrated health status among adults aged >= 18 years, which ranks 56th out of 99 lowa counties (29th out of 63 similarlysized counties). The age-adjusted rate for Ida County is 13.5%, which ranks 53rd out of 99 lowa counties (30th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	15.3%	15.0%	15.5%
Age-Adjusted	13.5%	13.3%	13.5%



#### **Poor Physical Health**

Ida County has a crude rate of 11.3% for physical health not good for >=14 days among adults aged >=18 years, which ranks 58th out of 99 lowa counties (28th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 10.1%, which ranks 58th out of 99 lowa counties (32nd out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	11.3%	11.1%	11.4%
Age-Adjusted	10.1%	9.9%	10.1%



#### **Poor Mental Health**

Ida County has a crude rate of 14.2% for mental health not good for >=14 days among adults aged >=18 years, which ranks 56th out of 99 lowa counties (37th out of 63 similarlysized counties). The age-adjusted rate for Ida County is 15.7%, which ranks 57th out of 99 lowa counties (31st out of 63 similarly-sized counties).

Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	14.2%	14.1%	14.1%
Age-Adjusted	15.7%	15.5%	15.7%



### **Health Risk Behaviors**


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

#### **Binge Drinking**

Ida County has a crude rate of 17.8% for binge drinking among adults aged >=18 years, which ranks 25th out of 99 lowa counties (20th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 20.9%, which ranks 25th out of 99 lowa counties (14th out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	17.8%	18.5%	18.1%
Age-Adjusted	20.9%	21.3%	21.3%



#### **Current Smoking**

Ida County has a crude rate of 17.0% for current smoking among adults aged >=18 years, which ranks 59th out of 99 Iowa counties (34th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 18.2%, which ranks 60th out of 99 Iowa counties (33rd out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	17.0%	16.7%	16.9%
Age-Adjusted	18.2%	17.8%	18.1%



#### **Physical Inactivity**

Ida County has a crude rate of 27.0% for no leisuretime physical activity among adults aged >=18 years, which ranks 52nd out of 99 lowa counties (26th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 25.2%, which ranks 51st out of 99 lowa counties (29th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	27.0%	26.8%	27.3%
Age-Adjusted	25.2%	25.1%	25.4%



#### Sleep <7 hours

Ida County has a crude rate of 29.2% for sleeping less than 7 hours among adults aged >=18 years, which ranks 22nd out of 99 lowa counties (12th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 30.6%, which ranks 25th out of 99 lowa counties (13th out of 63 similarly-sized counties).

Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	29.2%	30.0%	30.0%
Age-Adjusted	30.6%	31.4%	31.5%



### **Health Outcomes**


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

#### Arthritis

Ida County has a crude rate of 28.3% for arthritis among adults aged >=18 years, which ranks 38th out of 99 Iowa counties (15th out of 63 similarly-sized counties). The ageadjusted rate for Ida County is 22.5%, which ranks 23rd out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	28.3%	28.8%	29.1%
Age-Adjusted	22.5%	23.2%	23.3%



#### **High Blood Pressure**

Ida County has a crude rate of 32.8% for high blood pressure among adults aged >=18 years, which ranks 36th out of 99 lowa counties (14th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 26.6%, which ranks 17th out of 99 lowa counties (8th out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	32.8%	33.7%	34.5%
Age-Adjusted	26.6%	27.9%	27.9%



#### Cancer (except skin)

Ida County has a crude rate of 8.6% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 55th out of 99 Iowa counties (25th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 6.4%, which ranks 26th out of 99 Iowa counties (14th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	8.6%	8.4%	8.7%
Age-Adjusted	6.4%	6.4%	6.4%



#### **Current Asthma**

Ida County has a crude rate of 9.2% for current asthma among adults aged >=18 years, which ranks 28th out of 99 Iowa counties (15th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 9.4%, which ranks 29th out of 99 Iowa counties (12th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	9.2%	9.3%	9.3%
Age-Adjusted	9.4%	9.5%	9.5%



#### **Coronary Heart Disease**

Ida County has a crude rate of 7.3% for coronary heart disease among adults aged >=18 years, which ranks 63rd out of 99 lowa counties (28th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 5.2%, which ranks 47th out of 99 lowa counties (25th out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	7.3%	7.1%	7.4%
Age-Adjusted	5.2%	5.2%	5.2%



#### COPD

Ida County has a crude rate of 8.1% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 59th out of 99 lowa counties (27th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 6.5%, which ranks 60th out of 99 lowa counties (32nd out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	8.1%	7.9%	8.2%
Age-Adjusted	6.5%	6.4%	6.5%



#### Depression

Ida County has a crude rate of 17.0% for depression among adults aged >=18 years, which ranks 12th out of 99 Iowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 18.2%, which ranks 19th out of 99 Iowa counties (12th out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	17.0%	17.6%	17.5%
Age-Adjusted	18.2%	18.7%	18.7%



#### Diabetes

Ida County has a crude rate of 11.3% for diagnosed diabetes among adults aged >=18 years, which ranks 59th out of 99 lowa counties (29th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 8.8%, which ranks 57th out of 99 lowa counties (35th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	11.3%	11.0%	11.3%
Age-Adjusted	8.8%	8.7%	8.7%



#### **High Cholesterol**

Ida County has a crude rate of 37.3% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 42nd out of 99 lowa counties (21st out of 63 similarly-sized counties). The ageadjusted rate for Ida County is 29.4%, which ranks 22nd out of 99 lowa counties (12th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	37.3%	37.5%	37.8%
Age-Adjusted	29.4%	29.8%	29.8%



#### **Chronic Kidney Disease**

Ida County has a crude rate of 3.5% for chronic kidney disease among adults aged >=18 years, which ranks 55th out of 99 lowa counties (24th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 2.7%, which ranks 49th out of 99 lowa counties (26th out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	3.5%	3.4%	3.5%
Age-Adjusted	2.7%	2.7%	2.7%



#### Obesity

Ida County has a crude rate of 35.8% for obesity among adults aged >=18 years, which ranks 14th out of 99 Iowa counties (4th out of 63 similarly-sized counties). The ageadjusted rate for Ida County is 36.1%, which ranks 15th out of 99 Iowa counties (5th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	35.8%	37.6%	37.8%
Age-Adjusted	36.1%	37.9%	38.3%



#### Stroke

Ida County has a crude rate of 3.6% for stroke among adults aged >=18 years, which ranks 54th out of 99 Iowa counties (23rd out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 2.7%, which ranks 45th out of 99 Iowa counties (23rd out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	3.6%	3.5%	3.6%
Age-Adjusted	2.7%	2.7%	2.7%



#### All Teeth Lost

Ida County has a crude rate of 10.7% for all teeth lost among adults aged >=65 years, which ranks 61st out of 99 Iowa counties (36th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 11.6%, which ranks 61st out of 99 Iowa counties (35th out of 63 similarly-sized counties).

Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	10.7%	10.4%	10.5%
Age-Adjusted	11.6%	11.3%	11.5%



### Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your county's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your county. The link below includes more information about each variable.

#### https://www.cdc.gov/places/measure-definitions/prevention/index.html

#### Lack of Health Insurance

Ida County has a crude rate of 8.1% for current lack of health insurance among adults aged 18–64 years, which ranks 59th out of 99 lowa counties (34th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 8.7%, which ranks 61st out of 99 lowa counties (34th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	8.1%	7.8%	8.0%
Age-Adjusted	8.7%	8.3%	8.5%



#### **Taking BP Medication**

Ida County has a crude rate of 81.4% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 32nd out of 99 Iowa counties (29th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 59.1%, which ranks 60th out of 99 Iowa counties (41st out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	81.4%	80.8%	81.3%
Age-Adjusted	59.1%	59.4%	59.5%



#### **Cervical Cancer Screening**

Ida County has a crude rate of 81.5% for cervical cancer screening among adult women aged 21–65 years, which ranks 75th out of 99 Iowa counties (46th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 82.4%, which ranks 68th out of 99 Iowa counties (39th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	81.5%	82.3%	82.1%
Age-Adjusted	82.4%	83.0%	82.7%



#### **Annual Checkup**

Ida County has a crude rate of 76.1% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 38th out of 99 lowa counties (28th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 72.7%, which ranks 44th out of 99 lowa counties (25th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	76.1%	75.9%	76.1%
Age-Adjusted	72.7%	72.6%	72.5%



#### **Cholesterol Screening**

Ida County has a crude rate of 82.5% for cholesterol screening among adults aged >=18 years, which ranks 50th out of 99 lowa counties (35th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 78.7%, which ranks 56th out of 99 lowa counties (29th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	82.5%	82.5%	82.7%
Age-Adjusted	78.7%	78.9%	78.7%



#### **Colorectal Cancer Screening**

Ida County has a crude rate of 72.8% for colorectal cancer screening among adults aged 50–75 years, which ranks 61st out of 99 Iowa counties (37th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 69.8%, which ranks 60th out of 99 Iowa counties (34th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	72.8%	73.2%	73.0%
Age-Adjusted	69.8%	70.3%	70.0%



#### Core preventive services for older men

Ida County has a crude rate of 42.9% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 45th out of 99 Iowa counties (22nd out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 43.3%, which ranks 48th out of 99 Iowa counties (23rd out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	42.9%	42.7%	42.0%
Age-Adjusted	43.3%	43.3%	42.7%



#### Core preventive services for older women

Ida County has a crude rate of 36.5% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 78th out of 99 Iowa counties (47th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 37.6%, which ranks 82nd out of 99 Iowa counties (51st out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	36.5%	38.4%	37.9%
Age-Adjusted	37.6%	39.7%	39.1%



#### **Dental Visit**

Ida County has a crude rate of 67.3% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 34th out of 99 lowa counties (13th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 66.4%, which ranks 34th out of 99 lowa counties (13th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	67.3%	66.0%	65.6%
Age-Adjusted	66.4%	65.3%	64.6%



#### Mammography

Ida County has a crude rate of 74.0% for mammography use among women aged 50–74 years, which ranks 45th out of 99 Iowa counties (24th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 74.0%, which ranks 37th out of 99 Iowa counties (16th out of 63 similarly-sized counties).

Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	74.0%	73.9%	73.7%
Age-Adjusted	74.0%	73.7%	73.5%



### Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

#### Hearing disability

Ida County has a crude rate of 8.1% for hearing disability among adults aged >=18 years, which ranks 60th out of 99 Iowa counties (24th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 6.2%, which ranks 53rd out of 99 Iowa counties (28th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties
Crude	8.1%	7.9%	8.2%
Age-Adjusted	6.2%	6.1%	6.2%



#### Vision disability

Ida County has a crude rate of 4.5% for vision disability among adults aged >=18 years, which ranks 55th out of 99 Iowa counties (30th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 4.0%, which ranks 54th out of 99 Iowa counties (31st out of 63 similarly-sized counties).


Measure Type	All Ida County Counties		Similarly- Sized Counties
Crude	4.5%	4.4%	4.5%
Age-Adjusted	4.0%	3.9%	4.0%



#### **Cognitive disability**

Ida County has a crude rate of 11.4% for cognitive disability among adults aged >=18 years, which ranks 56th out of 99 lowa counties (33rd out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 12.1%, which ranks 57th out of 99 lowa counties (32nd out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties	
Crude	11.4%	11.2%	11.3%	
Age-Adjusted	12.1%	11.9%	12.1%	



#### Mobility disability

Ida County has a crude rate of 12.8% for mobility disability among adults aged >=18 years, which ranks 54th out of 99 lowa counties (23rd out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 10.0%, which ranks 54th out of 99 lowa counties (31st out of 63 similarlysized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties	
Crude	12.8%	12.5%	13.1%	
Age-Adjusted	10.0%	9.9%	10.0%	



#### Self-care disability

Ida County has a crude rate of 3.7% for self-care disability among adults aged >=18 years, which ranks 51st out of 99 Iowa counties (24th out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 3.2%, which ranks 53rd out of 99 Iowa counties (30th out of 63 similarly-sized counties).


Measure Type	Ida County	All Counties	Similarly- Sized Counties	
Crude	3.7%	3.6%	3.8%	
Age-Adjusted	3.2%	3.1%	3.2%	



#### Independent living disability

Ida County has a crude rate of 7.1% for independent living disability among adults aged >=18 years, which ranks 60th out of 99 Iowa counties (32nd out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 6.6%, which ranks 58th out of 99 Iowa counties (33rd out of 63 similarly-sized counties).


Measure Type	All Ida County Counties		Similarly- Sized Counties
Crude	7.1%	6.9%	7.1%
Age-Adjusted	6.6%	6.4%	6.5%



#### Any disability

Ida County has a crude rate of 26.5% for any disability among adults aged >=18 years, which ranks 48th out of 99 lowa counties (21st out of 63 similarly-sized counties). The age-adjusted rate for Ida County is 23.5%, which ranks 47th out of 99 lowa counties (24th out of 63 similarly-sized counties).

Measure Type	Ida County	All Counties	Similarly- Sized Counties	
Crude	26.5%	26.6%	27.2%	
Age-Adjusted	23.5%	23.6%	24.0%	



### Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



# Appendix 2: Ida County PLACES Data

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Health Status	General Health	56	15.3% (12.6% - 18.0%)	53	13.5% (11.3% - 16.0%)
Health Status	Physical Health	58	11.3% (9.6% - 13.1%)	58	10.1% (8.6% - 11.7%)
Health Status	Mental Health	56	14.2% (12.2% - 16.2%)	57	15.7% (13.6% - 18.0%)
Health Risk Behaviors	Binge Drinking	25	17.8% (14.5% - 21.4%)	25	20.9% (17.1% - 24.9%)
Health Risk Behaviors	Current Smoking	59	17.0% (13.6% - 20.9%)	60	18.2% (14.6% - 22.4%)
Health Risk Behaviors	Physical Inactivity	52	27.0% (22.1% - 32.4%)	51	25.2% (20.6% - 30.2%)
Health Risk Behaviors	Sleep <7 hours	22	29.2% (27.7% - 30.8%)	25	30.6% (28.9% - 32.3%)
Health Outcomes	High Cholesterol	42	37.3% (32.6% - 42.1%)	22	29.4% (25.0% - 34.2%)
Health Outcomes	Stroke	54	3.6% (3.1% - 4.1%)	45	2.7% (2.4% - 3.1%)
Health Outcomes	Depression	12	17.0% (13.9% - 20.4%)	19	18.2% (14.8% - 21.7%)
Health Outcomes	Chronic Kidney Disease	55	3.5% (3.1% - 3.8%)	49	2.7% (2.4% - 2.9%)
Health Outcomes	High Blood Pressure	36	32.8% (28.6% - 37.2%)	17	26.6% (23.0% - 30.5%)
Health Outcomes	COPD	59	8.1% (6.6% - 9.7%)	60	6.5% (5.3% - 7.7%)
Health Outcomes	Cancer (except skin)	55	8.6% (7.7% - 9.5%)	26	6.4% (5.7% - 7.1%)
Health Outcomes	Coronary Heart Disease	63	7.3% (6.2% - 8.3%)	47	5.2% (4.5% - 6.0%)
Health Outcomes	Current Asthma	28	9.2% (8.1% - 10.4%)	29	9.4% (8.3% - 10.7%)
Health Outcomes	Arthritis	38	28.3% (24.2% - 32.4%)	23	22.5% (19.0% - 26.1%)
Health Outcomes	Obesity	14	35.8% (28.5% - 43.4%)	15	36.1% (28.9% - 43.8%)
Health Outcomes	Diabetes	59	11.3% (9.6% - 13.1%)	57	8.8% (7.5% - 10.2%)
Health Outcomes	All Teeth Lost	61	10.7% (7.0% - 14.9%)	61	11.6% (7.6% - 16.0%)
Prevention	Annual Checkup	38	76.1% (71.2% - 80.6%)	44	72.7% (67.2% - 77.7%)
Prevention	Health Insurance	59	8.1% (6.2% - 10.5%)	61	8.7% (6.7% - 11.2%)
Prevention	Cervical Cancer Screening	75	81.5% (78.7% - 84.1%)	68	82.4% (79.7% - 84.7%)
Prevention	Mammography	45	74.0% (69.3% - 78.2%)	37	74.0% (69.4% - 78.3%)
Prevention	Taking BP Medication	32	81.4% (78.2% - 84.3%)	60	59.1% (54.0% - 64.3%)
Prevention	Cholesterol Screening	50	82.5% (79.3% - 85.5%)	56	78.7% (74.7% - 82.2%)

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Prevention	Colorectal Cancer Screening	61	72.8% (69.9% - 75.6%)	60	69.8% (66.6% - 72.9%)
Prevention	Core preventive services for older women	78	36.5% (29.3% - 44.2%)	82	37.6% (30.2% - 45.6%)
Prevention	Dental Visit	34	67.3% (63.6% - 70.8%)	34	66.4% (62.5% - 70.0%)
Prevention	Core preventive services for older men	45	42.9% (34.5% - 51.6%)	48	43.3% (34.8% - 51.9%)
Disability	Cognitive Disability	56	11.4% (9.6% - 13.3%)	57	12.1% (10.1% - 14.1%)
Disability	Mobility Disability	54	12.8% (10.6% - 15.0%)	54	10.0% (8.3% - 11.7%)
Disability	Self-care Disability	51	3.7% (3.2% - 4.4%)	53	3.2% (2.7% - 3.7%)
Disability	Any Disability	48	26.5% (22.5% - 31.0%)	47	23.5% (20.0% - 27.7%)
Disability	Vision Disability	55	4.5% (3.8% - 5.3%)	54	4.0% (3.4% - 4.6%)
Disability	Independent Living Disability	60	7.1% (5.9% - 8.2%)	58	6.6% (5.6% - 7.8%)
Disability	Hearing Disability	60	8.1% (7.1% - 9.2%)	53	6.2% (5.5% - 7.0%)

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.

# **Appendix 3: Rural Counties**

Ida County falls into the group of rural counties. In this data, 63 counties fall into this group. The table below lists all counties in the group, sorted by the population estimate in the CDC PLACES dataset.


County	Population	County	Population	County	Population
Sioux County	35,893	Lyon County	12,011	Pocahontas County	7,074
Boone County	26,723	Chickasaw County	11,887	Ida County	6,956
Plymouth County	25,650	Shelby County	11,770	Fremont County	6,567
Buchanan County	20,657	Cherokee County	11,503	Wayne County	6,508
Henry County	20,387	Louisa County	10,749	Osceola County	6,159
Winneshiek County	19,892	Hancock County	10,663	Taylor County	5,868
Jackson County	19,368	Winnebago County	10,656	Audubon County	5,635
Fayette County	19,258	Mitchell County	10,555	Ringgold County	4,639
Poweshiek County	18,586	Montgomery County	10,322	Adams County	3,641
Cedar County	18,410	Franklin County	9,952		
Delaware County	17,510	Calhoun County	9,915		
Clayton County	16,998	Keokuk County	9,914		
Tama County	16,867	Clarke County	9,785		
Hardin County	16,708	Sac County	9,752		
Iowa County	16,568	Humboldt County	9,634		
Crawford County	16,193	Howard County	9,478		
Floyd County	15,413	Emmet County	9,321		
Page County	15,197	Davis County	9,138		
Hamilton County	14,887	Palo Alto County	8,906		
Kossuth County	14,529	Greene County	8,717		
Butler County	14,332	Lucas County	8,710		
O'Brien County	14,015	Monona County	8,574		
Allamakee County	13,926	Decatur County	7,659		
Cass County	13,050	Monroe County	7,610		
Wright County	12,785	Adair County	7,541		
Appanoose County	12,257	Worth County	7,385		
Union County	12,018	Van Buren County	7,243		

Metropolitan and micropolitan areas can be found in the link and the maps below.


#### https://www.icip.iastate.edu/maps/refmaps/cofips








# **Appendix 4: County Maps**



### Poor General Health


Fair or poor self-rated health status among adults aged >= 18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Poor Physical Health

Physical health not good for >=14 days among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021




Poor Physical Health (Age–Adjusted Rate)




Data Source: CDC PLACES 2023 Release, BRFSS 2021

### Poor Mental Health

Mental health not good for >=14 days among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021




Poor Mental Health (Age–Adjusted Rate)




Data Source: CDC PLACES 2023 Release, BRFSS 2021

# **Binge Drinking**





#### Binge drinking among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




# **Current Smoking**






Data Source: CDC PLACES 2023 Release, BRFSS 2021





# **Physical Inactivity**



No leisure-time physical activity among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021









21%

# Sleep <7 hours

Sleeping less than 7 hours among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




### Arthritis



Arthritis among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021


Lyon 26.1%

# **High Blood Pressure**


#### High blood pressure among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021




High Blood Pressure (Age–Adjusted Rate)




Data Source: CDC PLACES 2023 Release, BRFSS 2021

### Cancer (except skin)


Cancer (excluding skin cancer) among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Current Asthma




Current asthma among adults aged >=18 years






Current Asthma (Age–Adjusted Rate)




# **Coronary Heart Disease**

#### Coronary heart disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# COPD


Chronic obstructive pulmonary disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### Depression




Depression among adults aged >=18 years






### Diabetes




#### Diagnosed diabetes among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021




# **High Cholesterol**

High cholesterol among adults aged >=18 years who have been screened in the past 5




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Chronic Kidney Disease

Chronic kidney disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Obesity

Obesity among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### Stroke

Stroke among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

# All Teeth Lost




All teeth lost among adults aged >=65 years

Data Source: CDC PLACES 2023 Release, BRFSS 2020




# Lack of Health Insurance

Current lack of health insurance among adults aged 18-64 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

## Taking BP Medication

Taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Taking BP Medication (Age-Adjusted Rate)



59%


58%

57%


Data Source: CDC PLACES 2023 Release, BRFSS 2021

# **Cervical Cancer Screening**

Cervical cancer screening among adult women aged 21-65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

## Annual Checkup




Visits to doctor for routine checkup within the past year among adults aged >=18

Data Source: CDC PLACES 2023 Release, BRFSS 2021




Annual Checkup (Age–Adjusted Rate)




# **Cholesterol Screening**

#### Cholesterol screening among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Cholesterol Screening (Age–Adjusted Rate)




78%


Data Source: CDC PLACES 2023 Release, BRFSS 2021

# **Colorectal Cancer Screening**

Colorectal cancer screening among adults aged 50-75 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020



Screening (Age-Adjusted Rate) 76% 74% 72% 70% 68%


Data Source: CDC PLACES 2023 Release, BRFSS 2020

### Core preventive services for older men



Older adult men aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening


Data Source: CDC PLACES 2023 Release, BRFSS 2020



40%


35%

#### Core preventive services for older women




Older adult women aged >=65 years who are up to date on a core set of clinical

Data Source: CDC PLACES 2023 Release, BRFSS 2020




### Dental Visit




Visits to dentist or dental clinic among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2020




### Mammography



#### Mammography use among women aged 50-74 years


Data Source: CDC PLACES 2023 Release, BRFSS 2020




Mammography (Age–Adjusted Rate)




# Hearing disability




#### Hearing disability among adults aged >=18 years






Hearing disability (Age–Adjusted Rate)





Data Source: CDC PLACES 2023 Release, BRFSS 2021


# Vision disability



#### Vision disability among adults aged >=18 years











3.5% 3.0%

# Cognitive disability




#### Cognitive disability among adults aged >=18 years


Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Mobility disability



#### Mobility disability among adults aged >=18 years






Mobility disability (Age–Adjusted Rate)

> - 11% - 10%

- 9%


8%

## Self-care disability




#### Self-care disability among adults aged >=18 years


Data Source: CDC PLACES 2023 Release, BRFSS 2021



Self–care disability (Age–Adjusted Rate)





# Independent living disability



#### Independent living disability among adults aged >=18 years


Data Source: CDC PLACES 2023 Release, BRFSS 2021





Data Source: CDC PLACES 2023 Release, BRFSS 2021

# Any disability



Any disability among adults aged >=18 years

Data Source: CDC PLACES 2023 Release, BRFSS 2021

