


# **Iowa County Health Snapshot Series**

99 county reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



May 2024

# By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

# **Iowa County Health Snapshot Series**

## **Table of contents**

| Health in Van Buren County: Overview Strengths |     |    |   |       |       |       |       |       |   |       |   |   |   |       | <b>3</b> |
|------------------------------------------------|-----|----|---|-------|-------|-------|-------|-------|---|-------|---|---|---|-------|----------|
| Opportunities                                  |     |    |   |       |       |       |       |       |   |       |   |   |   |       |          |
| • •                                            |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 4        |
| How to Use this Report                         |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 5        |
| Using Story County as an Exam                  | pie | ٠. | • | <br>• | <br>٠ | <br>• | <br>• | <br>• | • | <br>• | ٠ | • | • | <br>• | 6        |
| Health Status                                  |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 7        |
| Poor General Health                            |     |    |   |       |       |       |       |       |   | <br>  |   |   |   |       | 7        |
| Poor Physical Health                           |     |    |   |       |       |       |       |       |   | <br>  |   |   |   |       | 8        |
| Poor Mental Health                             |     |    |   |       |       |       |       |       |   | <br>  |   |   |   |       | 8        |
| Health Risk Behaviors                          |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 9        |
| Binge Drinking                                 |     |    |   |       |       |       |       |       |   | <br>  |   |   |   | <br>  | 9        |
| Current Smoking                                |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 10       |
| Physical Inactivity                            |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 10       |
| Sleep <7 hours                                 |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 11       |
| Health Outcomes                                |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 12       |
| Arthritis                                      |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 12       |
|                                                |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 13       |
| High Blood Pressure                            |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 13       |
| Cancer (except skin)                           |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 14       |
| Current Asthma                                 |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 14       |
| Coronary Heart Disease                         |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 15       |
| COPD                                           |     |    |   |       |       |       |       |       |   |       |   |   |   |       |          |
| Depression                                     |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 15       |
| Diabetes                                       |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 16       |
| High Cholesterol                               |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 16       |
| Chronic Kidney Disease                         |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 17       |
| Obesity                                        |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 17       |
| Stroke                                         |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 18       |
| All Teeth Lost                                 |     |    |   |       |       | <br>• |       |       |   | <br>  |   |   |   |       | 18       |
| Prevention                                     |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 19       |
| Lack of Health Insurance                       |     |    |   |       |       |       |       |       |   | <br>  |   |   |   | <br>  | 19       |
| Taking BP Medication                           |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 20       |
| Cervical Cancer Screening                      |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 20       |
| Annual Checkup                                 |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 21       |
| Cholesterol Screening                          |     |    |   |       |       |       |       |       |   |       |   |   |   |       | 21       |

|          | Colorectal Cancer Screening                                                                                                                     | 22<br>24<br>24             |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| Disabili | Hearing disability Vision disability Cognitive disability Mobility disability Self-care disability Independent living disability Any disability | 28<br>28<br>29<br>29<br>30 |
| Append   | dix 1: CDC PLACES Data                                                                                                                          | 31                         |
| Append   | dix 2: Van Buren County PLACES Data                                                                                                             | 32                         |
| Append   | dix 3: Rural Counties                                                                                                                           | 34                         |
| Append   | dix 4: County Maps                                                                                                                              | 36                         |

## Health in Van Buren County: Overview

Dear Community Members & Stakeholders of Van Buren County,

We are pleased to share the lowa County Health Snapshot series, a set of reports designed in partnership with lowa State University's Community Economic Development to assess the overall landscape of health and well-being across lowa's 99 counties. The following pages include the health snapshot for your county. The snapshot can be used to see how Van Buren County ranks across various health measures compared to the rest of the state and similarly-sized counties. This comparison allows us to identify Van Buren County's strengths and opportunities for growth by leveraging data from the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your county ranks compared to all lowa counties and counties of similar size to Van Buren County. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your county and presents what the rate would be if your county had a standard age distribution. Crude rates can provide a general comparison between counties and age-adjusted rates can give a fairer comparison between counties with different age structures.

## **Strengths**

Take a look at the top strengths of your county! Below are unadjusted and age-adjusted health measures that represent your county's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

|                      | Crude                    |                      | Age-Adjusted         |                          |                      |  |
|----------------------|--------------------------|----------------------|----------------------|--------------------------|----------------------|--|
| Health Domain        | Statewide<br>County Rank | Rural County<br>Rank | Health Domain        | Statewide<br>County Rank | Rural County<br>Rank |  |
| Binge Drinking       | 13th                     | 11th                 | Binge Drinking       | 17th                     | 8th                  |  |
| Taking BP Medication | 24th                     | 23rd                 | Cancer (except skin) | 26th                     | 14th                 |  |
| Annual Checkup       | 29th                     | 19th                 | Taking BP Medication | 28th                     | 15th                 |  |
| Cancer (except skin) | 64th                     | 31st                 | Annual Checkup       | 48th                     | 29th                 |  |
| Sleep <7 hours       | 76th                     | 52nd                 | High Cholesterol     | 71st                     | 45th                 |  |

## **Opportunities**

Below are health measures that represent potential areas for growth in your county. We recommend increasing investment in these areas to support community health and well-being.

|                                          | Crude                    |                      | Age-Adjusted                             |                          |                      |  |
|------------------------------------------|--------------------------|----------------------|------------------------------------------|--------------------------|----------------------|--|
| Health Domain                            | Statewide<br>County Rank | Rural County<br>Rank | Health Domain                            | Statewide<br>County Rank | Rural County<br>Rank |  |
| Mobility Disability                      | 98th                     | 62nd                 | COPD                                     | 99th                     | 63rd                 |  |
| COPD                                     | 98th                     | 62nd                 | Mental Health                            | 98th                     | 62nd                 |  |
| Physical Health                          | 98th                     | 62nd                 | Core preventive services for older women | 98th                     | 62nd                 |  |
| Core preventive services for older women | 98th                     | 62nd                 | Cognitive Disability                     | 98th                     | 62nd                 |  |
| Diabetes                                 | 98th                     | 62nd                 | Current Smoking                          | 98th                     | 62nd                 |  |

Please review the rest of the report to learn more about your county and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Van Buren County.

Sincerely,

Show

Shawn F. Dorius, PhD Iowa State University

Public Science Collaborative



IOWA STATE UNIVERSITY
Extension and Outreach
Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

## **How to Use this Report**


The purpose of the Iowa County Health Snapshot Series is to provide an overview of health in Van Buren County that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Van Buren County, a review of risky behaviors in the county, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Van Buren County compares to the rest of the state and similarly-sized counties.

With a population of 7,243, Van Buren County's similarly sized counties are defined as rural counties. In lowa, rural counties have an average population of 12,547, and there are 63 counties that are considered rural counties. To learn more about the county population classifications used in this report, please see the information below the table as well as Appendix 3.

| Group                    | Population Avg. | Number of Counties |
|--------------------------|-----------------|--------------------|
| Metropolitan Core        | 175,797         | 9                  |
| Micropolitan             | 30,839          | 15                 |
| Metropolitan<br>Non-Core | 29,821          | 12                 |
| Rural                    | 12,547          | 63                 |
| Total                    |                 | 99                 |


The counties included in each category above are determined by the United States Office of Management and Budget. Iowa has counties in nine metropolitan statistical areas and 15 micropolitan statistical areas. The counties identified as metropolitan and micropolitan can be found in the link and the maps below. Metropolitan core counties are those counties in metropolitan areas that have the city that defines the metropolitan area (e.g., Des Moines and Polk County for the Des Moines Metropolitan Area). Metropolitan non-core counties are those that fall within the metropolitan area, but do not have the core city of the metropolitan area (e.g., Dallas and Jasper Counties in the Des Moines Metropolitan Area).

https://www.icip.iastate.edu/maps/refmaps/cofips



#### **Using Story County as an Example**

The graphic below is an example of the details included for each health measure. The table in the upper right shows your county's crude and age-adjusted rate estimates alongside their averages across all lowa counties and similarly-sized counties. The images below show the distribution of the health measure across counties. The vertical lines correspond with the values in the table to show the estimate for the specific county compared to counties across the state. The solid black line in each plot represents the county rate, with the dashed lines indicating the average rate for all lowa counties and the dotted lines showing the average rate for similarly-sized counties.



The example graphic above displays the poor mental health rate in Story County, Iowa. The left plot shows the crude rate of poor mental health in the county. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Story County has a higher crude rate of poor mental health than most counties in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized counties, indicating that when accounting for Story County's unique age distribution, Story County's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

## **Health Status**


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

#### **Poor General Health**

Van Buren County has a crude rate of 18.1% for fair or poor self-rated health status among adults aged >= 18 years, which ranks 96th out of 99 lowa counties (60th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 16.0%, which ranks 92nd out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 18.1%               | 15.0%           | 15.5%                           |
| Age-Adjusted | 16.0%               | 13.3%           | 13.5%                           |



#### **Poor Physical Health**

Van Buren County has a crude rate of 13.1% for physical health not good for >=14 days among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 11.5%, which ranks 96th out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 13.1%               | 11.1%           | 11.4%                           |
| Age-Adjusted | 11.5%               | 9.9%            | 10.1%                           |



#### **Poor Mental Health**

Van Buren County has a crude rate of 15.2% for mental health not good for >=14 days among adults aged >=18 years, which ranks 88th out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 17.0%, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties).

| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 15.2%               | 14.1%           | 14.1%                           |
| Age-Adjusted | 17.0%               | 15.5%           | 15.7%                           |



## **Health Risk Behaviors**


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

## **Binge Drinking**

Van Buren County has a crude rate of 17.4% for binge drinking among adults aged >=18 years, which ranks 13th out of 99 lowa counties (11th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 20.7%, which ranks 17th out of 99 lowa counties (8th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 17.4%               | 18.5%           | 18.1%                           |
| Age-Adjusted | 20.7%               | 21.3%           | 21.3%                           |



#### **Current Smoking**

Van Buren County has a crude rate of 20.1% for current smoking among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 21.2%, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 20.1%               | 16.7%           | 16.9%                           |
| Age-Adjusted | 21.2%               | 17.8%           | 18.1%                           |



#### **Physical Inactivity**

Van Buren County has a crude rate of 31.1% for no leisuretime physical activity among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 28.9%, which ranks 95th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 31.1%               | 26.8%           | 27.3%                           |
| Age-Adjusted | 28.9%               | 25.1%           | 25.4%                           |



## Sleep <7 hours

Van Buren County has a crude rate of 31.3% for sleeping less than 7 hours among adults aged >=18 years, which ranks 76th out of 99 lowa counties (52nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 32.6%, which ranks 80th out of 99 lowa counties (51st out of 63 similarly-sized counties).

| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 31.3%               | 30.0%           | 30.0%                           |
| Age-Adjusted | 32.6%               | 31.4%           | 31.5%                           |



## **Health Outcomes**


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

#### **Arthritis**

Van Buren County has a crude rate of 31.4% for arthritis among adults aged >=18 years, which ranks 94th out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 24.6%, which ranks 91st out of 99 lowa counties (59th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 31.4%               | 28.8%           | 29.1%                           |
| Age-Adjusted | 24.6%               | 23.2%           | 23.3%                           |



#### **High Blood Pressure**

Van Buren County has a crude rate of 36.5% for high blood pressure among adults aged >=18 years, which ranks 91st out of 99 lowa counties (55th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 29.4%, which ranks 91st out of 99 lowa counties (56th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 36.5%               | 33.7%           | 34.5%                           |
| Age-Adjusted | 29.4%               | 27.9%           | 27.9%                           |



#### Cancer (except skin)

Van Buren County has a crude rate of 8.7% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 64th out of 99 lowa counties (31st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 6.4%, which ranks 26th out of 99 lowa counties (14th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 8.7%                | 8.4%            | 8.7%                            |
| Age-Adjusted | 6.4%                | 6.4%            | 6.4%                            |



#### **Current Asthma**

Van Buren County has a crude rate of 9.8% for current asthma among adults aged >=18 years, which ranks 93rd out of 99 lowa counties (60th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 10.0%, which ranks 96th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 9.8%                | 9.3%            | 9.3%                            |
| Age-Adjusted | 10.0%               | 9.5%            | 9.5%                            |



#### **Coronary Heart Disease**

Van Buren County has a crude rate of 8.2% for coronary heart disease among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 5.9%, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 8.2%                | 7.1%            | 7.4%                            |
| Age-Adjusted | 5.9%                | 5.2%            | 5.2%                            |



#### COPD

Van Buren County has a crude rate of 10.0% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 7.9%, which ranks 99th out of 99 lowa counties (63rd out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 10.0%               | 7.9%            | 8.2%                            |
| Age-Adjusted | 7.9%                | 6.4%            | 6.5%                            |



#### **Depression**

Van Buren County has a crude rate of 18.4% for depression among adults aged >=18 years, which ranks 82nd out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 19.7%, which ranks 88th out of 99 lowa counties (56th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 18.4%               | 17.6%           | 17.5%                           |
| Age-Adjusted | 19.7%               | 18.7%           | 18.7%                           |



#### **Diabetes**

Van Buren County has a crude rate of 12.8% for diagnosed diabetes among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 9.7%, which ranks 92nd out of 99 lowa counties (59th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 12.8%               | 11.0%           | 11.3%                           |
| Age-Adjusted | 9.7%                | 8.7%            | 8.7%                            |



#### **High Cholesterol**

Van Buren County has a crude rate of 39.2% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 90th out of 99 lowa counties (55th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 30.4%, which ranks 71st out of 99 lowa counties (45th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 39.2%               | 37.5%           | 37.8%                           |
| Age-Adjusted | 30.4%               | 29.8%           | 29.8%                           |



#### **Chronic Kidney Disease**

Van Buren County has a crude rate of 3.7% for chronic kidney disease among adults aged >=18 years, which ranks 84th out of 99 lowa counties (48th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 2.9%, which ranks 93rd out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 3.7%                | 3.4%            | 3.5%                            |
| Age-Adjusted | 2.9%                | 2.7%            | 2.7%                            |



#### Obesity

Van Buren County has a crude rate of 39.9% for obesity among adults aged >=18 years, which ranks 84th out of 99 lowa counties (52nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 39.8%, which ranks 83rd out of 99 lowa counties (51st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 39.9%               | 37.6%           | 37.8%                           |
| Age-Adjusted | 39.8%               | 37.9%           | 38.3%                           |



#### **Stroke**

Van Buren County has a crude rate of 4.1% for stroke among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 3.0%, which ranks 95th out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 4.1%                | 3.5%            | 3.6%                            |
| Age-Adjusted | 3.0%                | 2.7%            | 2.7%                            |



#### **All Teeth Lost**

Van Buren County has a crude rate of 13.0% for all teeth lost among adults aged >=65 years, which ranks 95th out of 99 lowa counties (60th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 13.9%, which ranks 93rd out of 99 lowa counties (59th out of 63 similarly-sized counties).

| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 13.0%               | 10.4%           | 10.5%                           |
| Age-Adjusted | 13.9%               | 11.3%           | 11.5%                           |



## **Prevention**


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your county's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your county. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/prevention/index.html

#### **Lack of Health Insurance**

Van Buren County has a crude rate of 9.2% for current lack of health insurance among adults aged 18–64 years, which ranks 86th out of 99 lowa counties (55th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 9.9%, which ranks 86th out of 99 lowa counties (55th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 9.2%                | 7.8%            | 8.0%                            |
| Age-Adjusted | 9.9%                | 8.3%            | 8.5%                            |



## **Taking BP Medication**

Van Buren County has a crude rate of 81.8% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 24th out of 99 lowa counties (23rd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 59.7%, which ranks 28th out of 99 lowa counties (15th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 81.8%               | 80.8%           | 81.3%                           |
| Age-Adjusted | 59.7%               | 59.4%           | 59.5%                           |



#### **Cervical Cancer Screening**

Van Buren County has a crude rate of 80.9% for cervical cancer screening among adult women aged 21–65 years, which ranks 89th out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 81.7%, which ranks 90th out of 99 lowa counties (58th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 80.9%               | 82.3%           | 82.1%                           |
| Age-Adjusted | 81.7%               | 83.0%           | 82.7%                           |



#### **Annual Checkup**

Van Buren County has a crude rate of 76.4% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 29th out of 99 lowa counties (19th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 72.6%, which ranks 48th out of 99 lowa counties (29th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 76.4%               | 75.9%           | 76.1%                           |
| Age-Adjusted | 72.6%               | 72.6%           | 72.5%                           |



#### **Cholesterol Screening**

Van Buren County has a crude rate of 81.4% for cholesterol screening among adults aged >=18 years, which ranks 79th out of 99 lowa counties (54th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 76.6%, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 81.4%               | 82.5%           | 82.7%                           |
| Age-Adjusted | 76.6%               | 78.9%           | 78.7%                           |



#### **Colorectal Cancer Screening**

Van Buren County has a crude rate of 71.0% for colorectal cancer screening among adults aged 50–75 years, which ranks 91st out of 99 lowa counties (59th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 67.8%, which ranks 94th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 71.0%               | 73.2%           | 73.0%                           |
| Age-Adjusted | 67.8%               | 70.3%           | 70.0%                           |



#### Core preventive services for older men

Van Buren County has a crude rate of 38.6% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 90th out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 39.3%, which ranks 89th out of 99 lowa counties (55th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 38.6%               | 42.7%           | 42.0%                           |
| Age-Adjusted | 39.3%               | 43.3%           | 42.7%                           |



#### Core preventive services for older women

Van Buren County has a crude rate of 33.4% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 33.5%, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 33.4%               | 38.4%           | 37.9%                           |
| Age-Adjusted | 33.5%               | 39.7%           | 39.1%                           |



#### **Dental Visit**

Van Buren County has a crude rate of 62.6% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 85th out of 99 lowa counties (54th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 61.6%, which ranks 87th out of 99 lowa counties (54th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 62.6%               | 66.0%           | 65.6%                           |
| Age-Adjusted | 61.6%               | 65.3%           | 64.6%                           |



## **Mammography**

Van Buren County has a crude rate of 71.2% for mammography use among women aged 50–74 years, which ranks 96th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 71.2%, which ranks 96th out of 99 lowa counties (61st out of 63 similarly-sized counties).

| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 71.2%               | 73.9%           | 73.7%                           |
| Age-Adjusted | 71.2%               | 73.7%           | 73.5%                           |



## **Disability**


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

## **Hearing disability**

Van Buren County has a crude rate of 9.0% for hearing disability among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 6.9%, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 9.0%                | 7.9%            | 8.2%                            |
| Age-Adjusted | 6.9%                | 6.1%            | 6.2%                            |



#### Vision disability

Van Buren County has a crude rate of 5.5% for vision disability among adults aged >=18 years, which ranks 96th out of 99 lowa counties (60th out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 4.8%, which ranks 94th out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|---------------------|-----------------|---------------------------------|--|
| Crude        | 5.5%                | 4.4%            | 4.5%                            |  |
| Age-Adjusted | 4.8%                | 3.9%            | 4.0%                            |  |



#### Cognitive disability

Van Buren County has a crude rate of 13.1% for cognitive disability among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 14.0%, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|---------------------|-----------------|---------------------------------|--|
| Crude        | 13.1%               | 11.2%           | 11.3%                           |  |
| Age-Adjusted | 14.0%               | 11.9%           | 12.1%                           |  |



## **Mobility disability**

Van Buren County has a crude rate of 15.2% for mobility disability among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 11.7%, which ranks 96th out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|---------------------|-----------------|---------------------------------|--|
| Crude        | 15.2%               | 12.5%           | 13.1%                           |  |
| Age-Adjusted | 11.7%               | 9.9%            | 10.0%                           |  |



#### Self-care disability

Van Buren County has a crude rate of 4.7% for self-care disability among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 3.9%, which ranks 95th out of 99 lowa counties (60th out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|---------------------|-----------------|---------------------------------|--|
| Crude        | 4.7%                | 3.6%            | 3.8%                            |  |
| Age-Adjusted | 3.9%                | 3.1%            | 3.2%                            |  |



#### Independent living disability

Van Buren County has a crude rate of 8.3% for independent living disability among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 7.9%, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties).


| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|---------------------|-----------------|---------------------------------|
| Crude        | 8.3%                | 6.9%            | 7.1%                            |
| Age-Adjusted | 7.9%                | 6.4%            | 6.5%                            |



#### Any disability

Van Buren County has a crude rate of 30.2% for any disability among adults aged >=18 years, which ranks 97th out of 99 lowa counties (61st out of 63 similarly-sized counties). The age-adjusted rate for Van Buren County is 27.0%, which ranks 94th out of 99 lowa counties (59th out of 63 similarly-sized counties).

| Measure Type | Van Buren<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|---------------------|-----------------|---------------------------------|--|
| Crude        | 30.2%               | 26.6%           | 27.2%                           |  |
| Age-Adjusted | 27.0%               | 23.6%           | 24.0%                           |  |



## **Appendix 1: CDC PLACES Data**

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- · Measure Definitions
- Methodology



# **Appendix 2: Van Buren County PLACES Data**

| Category                 | Health Domain                            | Crude Rate<br>Rank | Crude Rate (95% CI)   | Age-Adj.<br>Rate Rank | Age-Adj. Rate (95% CI) |
|--------------------------|------------------------------------------|--------------------|-----------------------|-----------------------|------------------------|
| Health Status            | Physical Health                          | 98                 | 13.1% (11.1% - 15.1%) | 96                    | 11.5% (9.9% - 13.4%)   |
| Health Status            | Mental Health                            | 88                 | 15.2% (13.1% - 17.4%) | 98                    | 17.0% (14.7% - 19.6%)  |
| Health Status            | General Health                           | 96                 | 18.1% (14.9% - 21.6%) | 92                    | 16.0% (13.3% - 18.9%)  |
| Health Risk<br>Behaviors | Sleep <7 hours                           | 76                 | 31.3% (29.6% - 32.9%) | 80                    | 32.6% (30.8% - 34.4%)  |
| Health Risk<br>Behaviors | Physical Inactivity                      | 97                 | 31.1% (25.4% - 36.7%) | 95                    | 28.9% (23.7% - 34.5%)  |
| Health Risk<br>Behaviors | Current Smoking                          | 98                 | 20.1% (16.1% - 24.2%) | 98                    | 21.2% (17.1% - 25.8%)  |
| Health Risk<br>Behaviors | Binge Drinking                           | 13                 | 17.4% (14.3% - 20.8%) | 17                    | 20.7% (17.1% - 24.6%)  |
| Health Outcomes          | High Blood Pressure                      | 91                 | 36.5% (31.8% - 40.9%) | 91                    | 29.4% (25.4% - 33.5%)  |
| Health Outcomes          | COPD                                     | 98                 | 10.0% (8.1% - 11.9%)  | 99                    | 7.9% (6.5% - 9.4%)     |
| Health Outcomes          | Coronary Heart Disease                   | 97                 | 8.2% (7.1% - 9.5%)    | 97                    | 5.9% (5.1% - 6.7%)     |
| Health Outcomes          | All Teeth Lost                           | 95                 | 13.0% (8.6% - 17.9%)  | 93                    | 13.9% (9.1% - 19.4%)   |
| Health Outcomes          | Current Asthma                           | 93                 | 9.8% (8.6% - 11.2%)   | 96                    | 10.0% (8.8% - 11.4%)   |
| Health Outcomes          | Diabetes                                 | 98                 | 12.8% (10.8% - 14.9%) | 92                    | 9.7% (8.2% - 11.3%)    |
| Health Outcomes          | Chronic Kidney Disease                   | 84                 | 3.7% (3.3% - 4.2%)    | 93                    | 2.9% (2.6% - 3.2%)     |
| Health Outcomes          | Arthritis                                | 94                 | 31.4% (26.7% - 35.9%) | 91                    | 24.6% (20.7% - 28.4%)  |
| Health Outcomes          | Cancer (except skin)                     | 64                 | 8.7% (7.8% - 9.7%)    | 26                    | 6.4% (5.8% - 7.1%)     |
| Health Outcomes          | High Cholesterol                         | 90                 | 39.2% (34.1% - 44.3%) | 71                    | 30.4% (25.7% - 35.1%)  |
| Health Outcomes          | Obesity                                  | 84                 | 39.9% (31.9% - 48.3%) | 83                    | 39.8% (31.8% - 48.1%)  |
| Health Outcomes          | Stroke                                   | 98                 | 4.1% (3.5% - 4.7%)    | 95                    | 3.0% (2.7% - 3.5%)     |
| Health Outcomes          | Depression                               | 82                 | 18.4% (14.9% - 22.2%) | 88                    | 19.7% (16.0% - 23.7%)  |
| Prevention               | Colorectal Cancer<br>Screening           | 91                 | 71.0% (67.6% - 74.2%) | 94                    | 67.8% (64.2% - 71.4%)  |
| Prevention               | Mammography                              | 96                 | 71.2% (66.3% - 75.7%) | 96                    | 71.2% (65.9% - 75.9%)  |
| Prevention               | Dental Visit                             | 85                 | 62.6% (58.5% - 66.6%) | 87                    | 61.6% (57.3% - 65.8%)  |
| Prevention               | Annual Checkup                           | 29                 | 76.4% (71.3% - 80.8%) | 48                    | 72.6% (67.0% - 77.6%)  |
| Prevention               | Core preventive services for older women | 98                 | 33.4% (25.8% - 41.2%) | 98                    | 33.5% (26.2% - 41.2%)  |

| Category   | Health Domain                          | Crude Rate<br>Rank | Crude Rate (95% CI)   | Age-Adj.<br>Rate Rank | Age-Adj. Rate (95% CI) |
|------------|----------------------------------------|--------------------|-----------------------|-----------------------|------------------------|
| Prevention | Cervical Cancer<br>Screening           | 89                 | 80.9% (78.0% - 83.7%) | 90                    | 81.7% (79.1% - 84.3%)  |
| Prevention | Cholesterol Screening                  | 79                 | 81.4% (78.0% - 84.6%) | 97                    | 76.6% (72.5% - 80.5%)  |
| Prevention | Core preventive services for older men | 90                 | 38.6% (29.3% - 48.5%) | 89                    | 39.3% (30.7% - 48.9%)  |
| Prevention | Taking BP Medication                   | 24                 | 81.8% (78.5% - 84.5%) | 28                    | 59.7% (54.4% - 64.6%)  |
| Prevention | Health Insurance                       | 86                 | 9.2% (6.8% - 12.1%)   | 86                    | 9.9% (7.3% - 13.0%)    |
| Disability | Cognitive Disability                   | 97                 | 13.1% (11.0% - 15.4%) | 98                    | 14.0% (11.7% - 16.6%)  |
| Disability | Hearing Disability                     | 97                 | 9.0% (7.8% - 10.1%)   | 97                    | 6.9% (6.1% - 7.8%)     |
| Disability | Mobility Disability                    | 98                 | 15.2% (12.5% - 17.9%) | 96                    | 11.7% (9.8% - 13.9%)   |
| Disability | Independent Living<br>Disability       | 97                 | 8.3% (6.9% - 9.8%)    | 97                    | 7.9% (6.6% - 9.3%)     |
| Disability | Vision Disability                      | 96                 | 5.5% (4.6% - 6.5%)    | 94                    | 4.8% (4.1% - 5.7%)     |
| Disability | Self-care Disability                   | 97                 | 4.7% (3.9% - 5.5%)    | 95                    | 3.9% (3.3% - 4.6%)     |
| Disability | Any Disability                         | 97                 | 30.2% (25.5% - 34.9%) | 94                    | 27.0% (22.7% - 31.6%)  |

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.


# **Appendix 3: Rural Counties**

Van Buren County falls into the group of rural counties. In this data, 63 counties fall into this group. The table below lists all counties in the group, sorted by the population estimate in the CDC PLACES dataset.

| County            | Population | County            | Population | County            | Population |
|-------------------|------------|-------------------|------------|-------------------|------------|
| Sioux County      | 35,893     | Lyon County       | 12,011     | Pocahontas County | 7,074      |
| Boone County      | 26,723     | Chickasaw County  | 11,887     | Ida County        | 6,956      |
| Plymouth County   | 25,650     | Shelby County     | 11,770     | Fremont County    | 6,567      |
| Buchanan County   | 20,657     | Cherokee County   | 11,503     | Wayne County      | 6,508      |
| Henry County      | 20,387     | Louisa County     | 10,749     | Osceola County    | 6,159      |
| Winneshiek County | 19,892     | Hancock County    | 10,663     | Taylor County     | 5,868      |
| Jackson County    | 19,368     | Winnebago County  | 10,656     | Audubon County    | 5,635      |
| Fayette County    | 19,258     | Mitchell County   | 10,555     | Ringgold County   | 4,639      |
| Poweshiek County  | 18,586     | Montgomery County | 10,322     | Adams County      | 3,641      |
| Cedar County      | 18,410     | Franklin County   | 9,952      |                   |            |
| Delaware County   | 17,510     | Calhoun County    | 9,915      |                   |            |
| Clayton County    | 16,998     | Keokuk County     | 9,914      |                   |            |
| Tama County       | 16,867     | Clarke County     | 9,785      |                   |            |
| Hardin County     | 16,708     | Sac County        | 9,752      |                   |            |
| Iowa County       | 16,568     | Humboldt County   | 9,634      |                   |            |
| Crawford County   | 16,193     | Howard County     | 9,478      |                   |            |
| Floyd County      | 15,413     | Emmet County      | 9,321      |                   |            |
| Page County       | 15,197     | Davis County      | 9,138      |                   |            |
| Hamilton County   | 14,887     | Palo Alto County  | 8,906      |                   |            |
| Kossuth County    | 14,529     | Greene County     | 8,717      |                   |            |
| Butler County     | 14,332     | Lucas County      | 8,710      |                   |            |
| O'Brien County    | 14,015     | Monona County     | 8,574      |                   |            |
| Allamakee County  | 13,926     | Decatur County    | 7,659      |                   |            |
| Cass County       | 13,050     | Monroe County     | 7,610      |                   |            |
| Wright County     | 12,785     | Adair County      | 7,541      |                   |            |
| Appanoose County  | 12,257     | Worth County      | 7,385      |                   |            |
| Union County      | 12,018     | Van Buren County  | 7,243      |                   |            |

Metropolitan and micropolitan areas can be found in the link and the maps below.


## https://www.icip.iastate.edu/maps/refmaps/cofips




# **Appendix 4: County Maps**

Poor General Health

Fair or poor self-rated health status among adults aged >= 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Poor Physical Health

Physical health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### Poor Mental Health

### Mental health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Binge Drinking

### Binge drinking among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## **Current Smoking**

### Current smoking among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### **Physical Inactivity**

No leisure–time physical activity among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Sleep <7 hours

### Sleeping less than 7 hours among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2020



Arthritis


Arthritis among adults aged >=18 years






## High Blood Pressure

High blood pressure among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### Cancer (except skin)

Cancer (excluding skin cancer) among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### **Current Asthma**

### Current asthma among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Coronary Heart Disease

Coronary heart disease among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2021



COPD


Chronic obstructive pulmonary disease among adults aged >=18 years






Depression

### Depression among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2021



Diabetes


Diagnosed diabetes among adults aged >=18 years






## **High Cholesterol**

High cholesterol among adults aged >=18 years who have been screened in the past 5 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Chronic Kidney Disease


Chronic kidney disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021





Obesity
Obesity among adults aged >=18 years







Stroke
Stroke among adults aged >=18 years






All Teeth Lost
All teeth lost among adults aged >=65 years






### Lack of Health Insurance

### Current lack of health insurance among adults aged 18-64 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Taking BP Medication

Taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## **Cervical Cancer Screening**

Cervical cancer screening among adult women aged 21-65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




### **Annual Checkup**

Visits to doctor for routine checkup within the past year among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## **Cholesterol Screening**

Cholesterol screening among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Colorectal Cancer Screening

Colorectal cancer screening among adults aged 50-75 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




## Core preventive services for older men

Older adult men aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening




Data Source: CDC PLACES 2023 Release, BRFSS 2020




## Core preventive services for older women

Older adult women aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening,





Data Source: CDC PLACES 2023 Release, BRFSS 2020



Dental Visit


Visits to dentist or dental clinic among adults aged >=18 years






## Mammography

### Mammography use among women aged 50-74 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




## Hearing disability

### Hearing disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Vision disability

### Vision disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Cognitive disability

### Cognitive disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Mobility disability

### Mobility disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Self-care disability

### Self-care disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




## Independent living disability

### Independent living disability among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Any disability

Any disability among adults aged >=18 years

