

# **Iowa County Health Snapshot Series**

99 county reports prepared for the Iowa State University Extension and Outreach Community and Economic Development Unit



May 2024

# By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

# **Iowa County Health Snapshot Series**

# **Table of contents**

| Strengths                        | 3<br>4<br>5<br>6<br>7<br>7<br>8<br>8 |
|----------------------------------|--------------------------------------|
| How to Use this Report           | 5<br>6<br>7<br>7<br>8<br>8           |
| Using Story County as an Example | 6<br>7<br>7<br>8<br>8<br>8           |
| Health Status                    | 7<br>7<br>8<br>8                     |
|                                  | 7<br>8<br>8                          |
|                                  | 8                                    |
| Poor General Health              | 9                                    |
| Poor Physical Health             | 9                                    |
| Poor Mental Health               |                                      |
| Health Risk Behaviors            |                                      |
| Binge Drinking                   | 9                                    |
| Current Smoking                  | 10                                   |
| Physical Inactivity              | 10                                   |
| Sleep <7 hours                   | 11                                   |
|                                  |                                      |
| Health Outcomes                  | 12                                   |
| Arthritis                        | 12                                   |
| High Blood Pressure              | 13                                   |
| Cancer (except skin)             | 13                                   |
| Current Asthma                   | 14                                   |
| Coronary Heart Disease           | 14                                   |
| COPD                             | 15                                   |
| Depression                       | 15                                   |
| Diabetes                         | 16                                   |
| High Cholesterol                 | 16                                   |
| Chronic Kidney Disease           | 17                                   |
| Obesity                          | 17                                   |
| Stroke                           | 18                                   |
| All Teeth Lost                   | 18                                   |
| Prevention                       | 19                                   |
| Lack of Health Insurance         | 19                                   |
| Taking BP Medication             | 20                                   |
| Cervical Cancer Screening        | 20                                   |
| Annual Checkup                   | 21                                   |
| Cholesterol Screening            |                                      |

|          | Colorectal Cancer Screening   | 22<br>24<br>24             |
|----------|---|----------------------------|
| Disabili | Hearing disability Vision disability Cognitive disability Mobility disability Self-care disability Independent living disability Any disability | 28<br>28<br>29<br>29<br>30 |
| Append   | dix 1: CDC PLACES Data  | 31                         |
| Append   | dix 2: Wayne County PLACES Data   | 32                         |
| Append   | dix 3: Rural Counties   | 34                         |
| Append   | dix 4: County Maps  | 36                         |

# **Health in Wayne County: Overview**

Dear Community Members & Stakeholders of Wayne County,

We are pleased to share the Iowa County Health Snapshot series, a set of reports designed in partner-ship with Iowa State University's Community Economic Development to assess the overall landscape of health and well-being across Iowa's 99 counties. The following pages include the health snapshot for your county. The snapshot can be used to see how Wayne County ranks across various health measures compared to the rest of the state and similarly-sized counties. This comparison allows us to identify Wayne County's strengths and opportunities for growth by leveraging data from the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your county ranks compared to all lowa counties and counties of similar size to Wayne County. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your county and presents what the rate would be if your county had a standard age distribution. Crude rates can provide a general comparison between counties and age-adjusted rates can give a fairer comparison between counties with different age structures.

# **Strengths**

Take a look at the top strengths of your county! Below are unadjusted and age-adjusted health measures that represent your county's strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

| Crude                                    |                          |                      | Age-Adjusted                             |                          |                      |
|--|--------------------------|----------------------|--|--------------------------|----------------------|
| Health Domain                            | Statewide<br>County Rank | Rural County<br>Rank | Health Domain                            | Statewide<br>County Rank | Rural County<br>Rank |
| Binge Drinking                           | 13th                     | 11th                 | Binge Drinking                           | 17th                     | 8th                  |
| Taking BP Medication                     | 24th                     | 23rd                 | Cancer (except skin)                     | 26th                     | 14th                 |
| Annual Checkup                           | 62nd                     | 46th                 | Taking BP Medication                     | 41st                     | 26th                 |
| Core preventive services for older women | 62nd                     | 33rd                 | Core preventive services for older women | 59th                     | 31st                 |
| Sleep <7 hours                           | 65th                     | 45th                 | High Cholesterol                         | 66th                     | 41st                 |

# **Opportunities**

Below are health measures that represent potential areas for growth in your county. We recommend increasing investment in these areas to support community health and well-being.

| Crude               |                          |                      | Age-Adjusted         |                          |                      |
|---------------------|--------------------------|----------------------|----------------------|--------------------------|----------------------|
| Health Domain       | Statewide<br>County Rank | Rural County<br>Rank | Health Domain        | Statewide<br>County Rank | Rural County<br>Rank |
| Arthritis           | 98th                     | 62nd                 | Mental Health        | 96th                     | 61st                 |
| Any Disability      | 95th                     | 59th                 | Arthritis            | 95th                     | 62nd                 |
| Mobility Disability | 95th                     | 59th                 | All Teeth Lost       | 95th                     | 60th                 |
| COPD                | 94th                     | 58th                 | Cognitive Disability | 94th                     | 59th                 |
| All Teeth Lost      | 94th                     | 59th                 | Current Smoking      | 94th                     | 59th                 |

Please review the rest of the report to learn more about your county and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Wayne County.

Sincerely,

Shawn F. Dorius, PhD lowa State University

Public Science Collaborative



IOWA STATE UNIVERSITY
Extension and Outreach
Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

# **How to Use this Report**


The purpose of the Iowa County Health Snapshot Series is to provide an overview of health in Wayne County that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Wayne County, a review of risky behaviors in the county, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Wayne County compares to the rest of the state and similarly-sized counties.

With a population of 6,508, Wayne County's similarly sized counties are defined as rural counties. In lowa, rural counties have an average population of 12,547, and there are 63 counties that are considered rural counties. To learn more about the county population classifications used in this report, please see the information below the table as well as Appendix 3.

| Group                    | Population Avg. | Number of Counties |
|--------------------------|-----------------|--------------------|
| Metropolitan Core        | 175,797         | 9                  |
| Micropolitan             | 30,839          | 15                 |
| Metropolitan<br>Non-Core | 29,821          | 12                 |
| Rural                    | 12,547          | 63                 |
| Total                    |                 | 99                 |


The counties included in each category above are determined by the United States Office of Management and Budget. Iowa has counties in nine metropolitan statistical areas and 15 micropolitan statistical areas. The counties identified as metropolitan and micropolitan can be found in the link and the maps below. Metropolitan core counties are those counties in metropolitan areas that have the city that defines the metropolitan area (e.g., Des Moines and Polk County for the Des Moines Metropolitan Area). Metropolitan non-core counties are those that fall within the metropolitan area, but do not have the core city of the metropolitan area (e.g., Dallas and Jasper Counties in the Des Moines Metropolitan Area).

https://www.icip.iastate.edu/maps/refmaps/cofips



# **Using Story County as an Example**

The graphic below is an example of the details included for each health measure. The table in the upper right shows your county's crude and age-adjusted rate estimates alongside their averages across all lowa counties and similarly-sized counties. The images below show the distribution of the health measure across counties. The vertical lines correspond with the values in the table to show the estimate for the specific county compared to counties across the state. The solid black line in each plot represents the county rate, with the dashed lines indicating the average rate for all lowa counties and the dotted lines showing the average rate for similarly-sized counties.



The example graphic above displays the poor mental health rate in Story County, Iowa. The left plot shows the crude rate of poor mental health in the county. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Story County has a higher crude rate of poor mental health than most counties in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized counties, indicating that when accounting for Story County's unique age distribution, Story County's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

# **Health Status**


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country's population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of "excellent," "very good," "good," "fair," or "poor," from which the respondents who answer "fair" or "poor" are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-status/index.html

#### **Poor General Health**

Wayne County has a crude rate of 16.9% for fair or poor self-rated health status among adults aged >= 18 years, which ranks 90th out of 99 lowa counties (57th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 14.9%, which ranks 86th out of 99 lowa counties (54th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 16.9%           | 15.0%           | 15.5%                           |
| Age-Adjusted | 14.9%           | 13.3%           | 13.5%                           |



# **Poor Physical Health**

Wayne County has a crude rate of 12.2% for physical health not good for >=14 days among adults aged >=18 years, which ranks 91st out of 99 lowa counties (55th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 10.8%, which ranks 88th out of 99 lowa counties (54th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 12.2%           | 11.1%           | 11.4%                           |
| Age-Adjusted | 10.8%           | 9.9%            | 10.1%                           |



#### **Poor Mental Health**

Wayne County has a crude rate of 14.9% for mental health not good for >=14 days among adults aged >=18 years, which ranks 82nd out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 16.7%, which ranks 96th out of 99 lowa counties (61st out of 63 similarly-sized counties).

| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 14.9%           | 14.1%           | 14.1%                           |
| Age-Adjusted | 16.7%           | 15.5%           | 15.7%                           |



# **Health Risk Behaviors**


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

# **Binge Drinking**

Wayne County has a crude rate of 17.4% for binge drinking among adults aged >=18 years, which ranks 13th out of 99 lowa counties (11th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 20.7%, which ranks 17th out of 99 lowa counties (8th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 17.4%           | 18.5%           | 18.1%                           |
| Age-Adjusted | 20.7%           | 21.3%           | 21.3%                           |



# **Current Smoking**

Wayne County has a crude rate of 18.6% for current smoking among adults aged >=18 years, which ranks 91st out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 20.1%, which ranks 94th out of 99 lowa counties (59th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 18.6%           | 16.7%           | 16.9%                           |
| Age-Adjusted | 20.1%           | 17.8%           | 18.1%                           |



## **Physical Inactivity**

Wayne County has a crude rate of 29.8% for no leisuretime physical activity among adults aged >=18 years, which ranks 92nd out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 27.6%, which ranks 88th out of 99 lowa counties (55th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 29.8%           | 26.8%           | 27.3%                           |
| Age-Adjusted | 27.6%           | 25.1%           | 25.4%                           |



# Sleep <7 hours

Wayne County has a crude rate of 30.6% for sleeping less than 7 hours among adults aged >=18 years, which ranks 65th out of 99 lowa counties (45th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 32.2%, which ranks 69th out of 99 lowa counties (45th out of 63 similarly-sized counties).

| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 30.6%           | 30.0%           | 30.0%                           |
| Age-Adjusted | 32.2%           | 31.4%           | 31.5%                           |



# **Health Outcomes**


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html

## **Arthritis**

Wayne County has a crude rate of 31.7% for arthritis among adults aged >=18 years, which ranks 98th out of 99 lowa counties (62nd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 25.0%, which ranks 95th out of 99 lowa counties (62nd out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 31.7%           | 28.8%           | 29.1%                           |
| Age-Adjusted | 25.0%           | 23.2%           | 23.3%                           |



# **High Blood Pressure**

Wayne County has a crude rate of 35.6% for high blood pressure among adults aged >=18 years, which ranks 81st out of 99 lowa counties (45th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 28.7%, which ranks 69th out of 99 lowa counties (43rd out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 35.6%           | 33.7%           | 34.5%                           |
| Age-Adjusted | 28.7%           | 27.9%           | 27.9%                           |



## Cancer (except skin)

Wayne County has a crude rate of 8.8% for cancer (excluding skin cancer) among adults aged >=18 years, which ranks 73rd out of 99 lowa counties (39th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 6.4%, which ranks 26th out of 99 lowa counties (14th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 8.8%            | 8.4%            | 8.7%                            |
| Age-Adjusted | 6.4%            | 6.4%            | 6.4%                            |



#### **Current Asthma**

Wayne County has a crude rate of 9.6% for current asthma among adults aged >=18 years, which ranks 85th out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 9.9%, which ranks 89th out of 99 lowa counties (57th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 9.6%            | 9.3%            | 9.3%                            |
| Age-Adjusted | 9.9%            | 9.5%            | 9.5%                            |



## **Coronary Heart Disease**

Wayne County has a crude rate of 8.0% for coronary heart disease among adults aged >=18 years, which ranks 90th out of 99 lowa counties (54th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 5.6%, which ranks 89th out of 99 lowa counties (54th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 8.0%            | 7.1%            | 7.4%                            |
| Age-Adjusted | 5.6%            | 5.2%            | 5.2%                            |



#### COPD

Wayne County has a crude rate of 9.1% for chronic obstructive pulmonary disease among adults aged >=18 years, which ranks 94th out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 7.2%, which ranks 93rd out of 99 lowa counties (58th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 9.1%            | 7.9%            | 8.2%                            |
| Age-Adjusted | 7.2%            | 6.4%            | 6.5%                            |



## **Depression**

Wayne County has a crude rate of 18.3% for depression among adults aged >=18 years, which ranks 77th out of 99 lowa counties (54th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 19.8%, which ranks 92nd out of 99 lowa counties (59th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 18.3%           | 17.6%           | 17.5%                           |
| Age-Adjusted | 19.8%           | 18.7%           | 18.7%                           |



#### **Diabetes**

Wayne County has a crude rate of 12.0% for diagnosed diabetes among adults aged >=18 years, which ranks 85th out of 99 lowa counties (50th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 9.1%, which ranks 74th out of 99 lowa counties (48th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 12.0%           | 11.0%           | 11.3%                           |
| Age-Adjusted | 9.1%            | 8.7%            | 8.7%                            |



# **High Cholesterol**

Wayne County has a crude rate of 38.9% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 85th out of 99 lowa counties (51st out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 30.3%, which ranks 66th out of 99 lowa counties (41st out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 38.9%           | 37.5%           | 37.8%                           |
| Age-Adjusted | 30.3%           | 29.8%           | 29.8%                           |



# **Chronic Kidney Disease**

Wayne County has a crude rate of 3.7% for chronic kidney disease among adults aged >=18 years, which ranks 84th out of 99 lowa counties (48th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 2.8%, which ranks 76th out of 99 lowa counties (47th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 3.7%            | 3.4%            | 3.5%                            |
| Age-Adjusted | 2.8%            | 2.7%            | 2.7%                            |



# Obesity

Wayne County has a crude rate of 40.9% for obesity among adults aged >=18 years, which ranks 91st out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 41.4%, which ranks 93rd out of 99 lowa counties (58th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 40.9%           | 37.6%           | 37.8%                           |
| Age-Adjusted | 41.4%           | 37.9%           | 38.3%                           |



#### **Stroke**

Wayne County has a crude rate of 3.9% for stroke among adults aged >=18 years, which ranks 87th out of 99 lowa counties (51st out of 63 similarly-sized counties). The ageadjusted rate for Wayne County is 2.9%, which ranks 85th out of 99 lowa counties (52nd out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 3.9%            | 3.5%            | 3.6%                            |
| Age-Adjusted | 2.9%            | 2.7%            | 2.7%                            |



#### **All Teeth Lost**

Wayne County has a crude rate of 12.9% for all teeth lost among adults aged >=65 years, which ranks 94th out of 99 lowa counties (59th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 14.0%, which ranks 95th out of 99 lowa counties (60th out of 63 similarly-sized counties).

| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 12.9%           | 10.4%           | 10.5%                           |
| Age-Adjusted | 14.0%           | 11.3%           | 11.5%                           |



# **Prevention**


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your county's prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your county. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/prevention/index.html

#### **Lack of Health Insurance**

Wayne County has a crude rate of 8.7% for current lack of health insurance among adults aged 18–64 years, which ranks 76th out of 99 lowa counties (46th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 9.3%, which ranks 77th out of 99 lowa counties (47th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 8.7%            | 7.8%            | 8.0%                            |
| Age-Adjusted | 9.3%            | 8.3%            | 8.5%                            |



# **Taking BP Medication**

Wayne County has a crude rate of 81.8% for taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure, which ranks 24th out of 99 lowa counties (23rd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 59.5%, which ranks 41st out of 99 lowa counties (26th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 81.8%           | 80.8%           | 81.3%                           |
| Age-Adjusted | 59.5%           | 59.4%           | 59.5%                           |



# **Cervical Cancer Screening**

Wayne County has a crude rate of 81.1% for cervical cancer screening among adult women aged 21–65 years, which ranks 85th out of 99 lowa counties (55th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 81.8%, which ranks 87th out of 99 lowa counties (55th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 81.1%           | 82.3%           | 82.1%                           |
| Age-Adjusted | 81.8%           | 83.0%           | 82.7%                           |



# **Annual Checkup**

Wayne County has a crude rate of 75.5% for visits to doctor for routine checkup within the past year among adults aged >=18 years, which ranks 62nd out of 99 lowa counties (46th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 71.7%, which ranks 84th out of 99 lowa counties (51st out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 75.5%           | 75.9%           | 76.1%                           |
| Age-Adjusted | 71.7%           | 72.6%           | 72.5%                           |



## **Cholesterol Screening**

Wayne County has a crude rate of 82.0% for cholesterol screening among adults aged >=18 years, which ranks 66th out of 99 lowa counties (44th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 77.7%, which ranks 87th out of 99 lowa counties (52nd out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 82.0%           | 82.5%           | 82.7%                           |
| Age-Adjusted | 77.7%           | 78.9%           | 78.7%                           |



# **Colorectal Cancer Screening**

Wayne County has a crude rate of 71.9% for colorectal cancer screening among adults aged 50–75 years, which ranks 81st out of 99 lowa counties (52nd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 68.4%, which ranks 87th out of 99 lowa counties (56th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 71.9%           | 73.2%           | 73.0%                           |
| Age-Adjusted | 68.4%           | 70.3%           | 70.0%                           |



## Core preventive services for older men

Wayne County has a crude rate of 40.0% for older adult men aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 84th out of 99 lowa counties (51st out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 40.4%, which ranks 84th out of 99 lowa counties (51st out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 40.0%           | 42.7%           | 42.0%                           |
| Age-Adjusted | 40.4%           | 43.3%           | 42.7%                           |



# Core preventive services for older women

Wayne County has a crude rate of 37.8% for older adult women aged >=65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 62nd out of 99 lowa counties (33rd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 39.1%, which ranks 59th out of 99 lowa counties (31st out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 37.8%           | 38.4%           | 37.9%                           |
| Age-Adjusted | 39.1%           | 39.7%           | 39.1%                           |



# **Dental Visit**

Wayne County has a crude rate of 61.6% for visits to dentist or dental clinic among adults aged >=18 years, which ranks 92nd out of 99 lowa counties (56th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 60.6%, which ranks 92nd out of 99 lowa counties (56th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 61.6%           | 66.0%           | 65.6%                           |
| Age-Adjusted | 60.6%           | 65.3%           | 64.6%                           |



# **Mammography**

Wayne County has a crude rate of 72.9% for mammography use among women aged 50–74 years, which ranks 73rd out of 99 lowa counties (45th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 72.3%, which ranks 81st out of 99 lowa counties (50th out of 63 similarly-sized counties).

| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 72.9%           | 73.9%           | 73.7%                           |
| Age-Adjusted | 72.3%           | 73.7%           | 73.5%                           |



# **Disability**


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html

# **Hearing disability**

Wayne County has a crude rate of 8.8% for hearing disability among adults aged >=18 years, which ranks 89th out of 99 lowa counties (53rd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 6.5%, which ranks 83rd out of 99 lowa counties (49th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 8.8%            | 7.9%            | 8.2%                            |
| Age-Adjusted | 6.5%            | 6.1%            | 6.2%                            |



# Vision disability

Wayne County has a crude rate of 5.0% for vision disability among adults aged >=18 years, which ranks 85th out of 99 lowa counties (52nd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 4.4%, which ranks 81st out of 99 lowa counties (50th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|-----------------|-----------------|---------------------------------|--|
| Crude        | 5.0%            | 4.4%            | 4.5%                            |  |
| Age-Adjusted | 4.4%            | 3.9%            | 4.0%                            |  |



## Cognitive disability

Wayne County has a crude rate of 12.5% for cognitive disability among adults aged >=18 years, which ranks 92nd out of 99 lowa counties (57th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 13.3%, which ranks 94th out of 99 lowa counties (59th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|-----------------|-----------------|---------------------------------|--|
| Crude        | 12.5%           | 11.2%           | 11.3%                           |  |
| Age-Adjusted | 13.3%           | 11.9%           | 12.1%                           |  |



# **Mobility disability**

Wayne County has a crude rate of 14.4% for mobility disability among adults aged >=18 years, which ranks 95th out of 99 lowa counties (59th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 11.0%, which ranks 88th out of 99 lowa counties (54th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|-----------------|-----------------|---------------------------------|--|
| Crude        | 14.4%           | 12.5%           | 13.1%                           |  |
| Age-Adjusted | 11.0%           | 9.9%            | 10.0%                           |  |



## Self-care disability

Wayne County has a crude rate of 4.2% for self-care disability among adults aged >=18 years, which ranks 88th out of 99 lowa counties (53rd out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 3.5%, which ranks 80th out of 99 lowa counties (49th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|-----------------|-----------------|---------------------------------|--|
| Crude        | 4.2%            | 3.6%            | 3.8%                            |  |
| Age-Adjusted | 3.5%            | 3.1%            | 3.2%                            |  |



# Independent living disability

Wayne County has a crude rate of 7.8% for independent living disability among adults aged >=18 years, which ranks 93rd out of 99 lowa counties (58th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 7.3%, which ranks 91st out of 99 lowa counties (56th out of 63 similarly-sized counties).


| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |
|--------------|-----------------|-----------------|---------------------------------|
| Crude        | 7.8%            | 6.9%            | 7.1%                            |
| Age-Adjusted | 7.3%            | 6.4%            | 6.5%                            |



# Any disability

Wayne County has a crude rate of 29.8% for any disability among adults aged >=18 years, which ranks 95th out of 99 lowa counties (59th out of 63 similarly-sized counties). The age-adjusted rate for Wayne County is 26.3%, which ranks 92nd out of 99 lowa counties (58th out of 63 similarly-sized counties).

| Measure Type | Wayne<br>County | All<br>Counties | Similarly-<br>Sized<br>Counties |  |
|--------------|-----------------|-----------------|---------------------------------|--|
| Crude        | 29.8%           | 26.6%           | 27.2%                           |  |
| Age-Adjusted | 26.3%           | 23.6%           | 24.0%                           |  |



# **Appendix 1: CDC PLACES Data**

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- PLACES Homepage
- Measure Definitions
- Methodology



# **Appendix 2: Wayne County PLACES Data**

| Category                 | Health Domain                            | Crude Rate<br>Rank | Crude Rate (95% CI)   | Age-Adj.<br>Rate Rank | Age-Adj. Rate (95% CI) |
|--------------------------|--|--------------------|-----------------------|-----------------------|------------------------|
| Health Status            | Mental Health                            | 82                 | 14.9% (12.8% - 17.1%) | 96                    | 16.7% (14.4% - 19.1%)  |
| Health Status            | Physical Health                          | 91                 | 12.2% (10.4% - 14.2%) | 88                    | 10.8% (9.2% - 12.5%)   |
| Health Status            | General Health                           | 90                 | 16.9% (14.2% - 20.2%) | 86                    | 14.9% (12.4% - 17.7%)  |
| Health Risk<br>Behaviors | Binge Drinking                           | 13                 | 17.4% (14.3% - 20.8%) | 17                    | 20.7% (17.0% - 24.6%)  |
| Health Risk<br>Behaviors | Sleep <7 hours                           | 65                 | 30.6% (29.1% - 32.3%) | 69                    | 32.2% (30.6% - 34.0%)  |
| Health Risk<br>Behaviors | Physical Inactivity                      | 92                 | 29.8% (24.1% - 35.4%) | 88                    | 27.6% (22.4% - 32.9%)  |
| Health Risk<br>Behaviors | Current Smoking                          | 91                 | 18.6% (14.9% - 22.4%) | 94                    | 20.1% (16.1% - 24.1%)  |
| Health Outcomes          | COPD                                     | 94                 | 9.1% (7.4% - 10.9%)   | 93                    | 7.2% (5.9% - 8.5%)     |
| Health Outcomes          | Current Asthma                           | 85                 | 9.6% (8.4% - 10.9%)   | 89                    | 9.9% (8.6% - 11.2%)    |
| Health Outcomes          | Chronic Kidney Disease                   | 84                 | 3.7% (3.3% - 4.1%)    | 76                    | 2.8% (2.5% - 3.1%)     |
| Health Outcomes          | Stroke                                   | 87                 | 3.9% (3.4% - 4.5%)    | 85                    | 2.9% (2.5% - 3.3%)     |
| Health Outcomes          | Depression                               | 77                 | 18.3% (15.0% - 22.1%) | 92                    | 19.8% (16.2% - 23.8%)  |
| Health Outcomes          | Obesity                                  | 91                 | 40.9% (33.0% - 49.2%) | 93                    | 41.4% (33.4% - 49.6%)  |
| Health Outcomes          | Cancer (except skin)                     | 73                 | 8.8% (7.9% - 9.7%)    | 26                    | 6.4% (5.7% - 7.1%)     |
| Health Outcomes          | Coronary Heart Disease                   | 90                 | 8.0% (6.9% - 9.2%)    | 89                    | 5.6% (4.8% - 6.4%)     |
| Health Outcomes          | Diabetes                                 | 85                 | 12.0% (10.1% - 14.1%) | 74                    | 9.1% (7.7% - 10.6%)    |
| Health Outcomes          | All Teeth Lost                           | 94                 | 12.9% (8.8% - 17.7%)  | 95                    | 14.0% (9.8% - 19.4%)   |
| Health Outcomes          | High Blood Pressure                      | 81                 | 35.6% (31.2% - 40.0%) | 69                    | 28.7% (24.8% - 32.7%)  |
| Health Outcomes          | Arthritis                                | 98                 | 31.7% (27.2% - 36.3%) | 95                    | 25.0% (21.2% - 28.9%)  |
| Health Outcomes          | High Cholesterol                         | 85                 | 38.9% (34.2% - 43.7%) | 66                    | 30.3% (25.8% - 34.9%)  |
| Prevention               | Mammography                              | 73                 | 72.9% (68.5% - 77.3%) | 81                    | 72.3% (67.2% - 76.9%)  |
| Prevention               | Annual Checkup                           | 62                 | 75.5% (70.4% - 79.9%) | 84                    | 71.7% (65.9% - 76.7%)  |
| Prevention               | Core preventive services for older women | 62                 | 37.8% (29.9% - 46.2%) | 59                    | 39.1% (31.1% - 47.3%)  |
| Prevention               | Dental Visit                             | 92                 | 61.6% (57.7% - 65.0%) | 92                    | 60.6% (56.8% - 64.5%)  |
| Prevention               | Cholesterol Screening                    | 66                 | 82.0% (78.7% - 85.0%) | 87                    | 77.7% (73.7% - 81.4%)  |
| Prevention               | Cervical Cancer<br>Screening             | 85                 | 81.1% (78.2% - 84.0%) | 87                    | 81.8% (79.0% - 84.5%)  |

| Category   | Health Domain                          | Crude Rate<br>Rank | Crude Rate (95% CI)   | Age-Adj.<br>Rate Rank | Age-Adj. Rate (95% CI) |
|------------|--|--------------------|-----------------------|-----------------------|------------------------|
| Prevention | Taking BP Medication                   | 24                 | 81.8% (78.7% - 84.4%) | 41                    | 59.5% (54.5% - 64.2%)  |
| Prevention | Colorectal Cancer<br>Screening         | 81                 | 71.9% (68.8% - 75.0%) | 87                    | 68.4% (65.0% - 72.0%)  |
| Prevention | Core preventive services for older men | 84                 | 40.0% (31.1% - 49.7%) | 84                    | 40.4% (31.2% - 49.7%)  |
| Prevention | Health Insurance                       | 76                 | 8.7% (6.5% - 11.1%)   | 77                    | 9.3% (6.8% - 12.0%)    |
| Disability | Hearing Disability                     | 89                 | 8.8% (7.6% - 10.0%)   | 83                    | 6.5% (5.7% - 7.4%)     |
| Disability | Independent Living Disability          | 93                 | 7.8% (6.6% - 9.2%)    | 91                    | 7.3% (6.1% - 8.6%)     |
| Disability | Cognitive Disability                   | 92                 | 12.5% (10.4% - 14.5%) | 94                    | 13.3% (11.1% - 15.6%)  |
| Disability | Self-care Disability                   | 88                 | 4.2% (3.5% - 5.0%)    | 80                    | 3.5% (3.0% - 4.1%)     |
| Disability | Any Disability                         | 95                 | 29.8% (25.2% - 34.5%) | 92                    | 26.3% (22.2% - 30.6%)  |
| Disability | Mobility Disability                    | 95                 | 14.4% (11.9% - 17.1%) | 88                    | 11.0% (9.2% - 13.0%)   |
| Disability | Vision Disability                      | 85                 | 5.0% (4.2% - 6.0%)    | 81                    | 4.4% (3.7% - 5.1%)     |

The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.


# **Appendix 3: Rural Counties**

Wayne County falls into the group of rural counties. In this data, 63 counties fall into this group. The table below lists all counties in the group, sorted by the population estimate in the CDC PLACES dataset.

| County            | Population | County            | Population | County            | Population |
|-------------------|------------|-------------------|------------|-------------------|------------|
| Sioux County      | 35,893     | Lyon County       | 12,011     | Pocahontas County | 7,074      |
| Boone County      | 26,723     | Chickasaw County  | 11,887     | Ida County        | 6,956      |
| Plymouth County   | 25,650     | Shelby County     | 11,770     | Fremont County    | 6,567      |
| Buchanan County   | 20,657     | Cherokee County   | 11,503     | Wayne County      | 6,508      |
| Henry County      | 20,387     | Louisa County     | 10,749     | Osceola County    | 6,159      |
| Winneshiek County | 19,892     | Hancock County    | 10,663     | Taylor County     | 5,868      |
| Jackson County    | 19,368     | Winnebago County  | 10,656     | Audubon County    | 5,635      |
| Fayette County    | 19,258     | Mitchell County   | 10,555     | Ringgold County   | 4,639      |
| Poweshiek County  | 18,586     | Montgomery County | 10,322     | Adams County      | 3,641      |
| Cedar County      | 18,410     | Franklin County   | 9,952      |                   |            |
| Delaware County   | 17,510     | Calhoun County    | 9,915      |                   |            |
| Clayton County    | 16,998     | Keokuk County     | 9,914      |                   |            |
| Tama County       | 16,867     | Clarke County     | 9,785      |                   |            |
| Hardin County     | 16,708     | Sac County        | 9,752      |                   |            |
| Iowa County       | 16,568     | Humboldt County   | 9,634      |                   |            |
| Crawford County   | 16,193     | Howard County     | 9,478      |                   |            |
| Floyd County      | 15,413     | Emmet County      | 9,321      |                   |            |
| Page County       | 15,197     | Davis County      | 9,138      |                   |            |
| Hamilton County   | 14,887     | Palo Alto County  | 8,906      |                   |            |
| Kossuth County    | 14,529     | Greene County     | 8,717      |                   |            |
| Butler County     | 14,332     | Lucas County      | 8,710      |                   |            |
| O'Brien County    | 14,015     | Monona County     | 8,574      |                   |            |
| Allamakee County  | 13,926     | Decatur County    | 7,659      |                   |            |
| Cass County       | 13,050     | Monroe County     | 7,610      |                   |            |
| Wright County     | 12,785     | Adair County      | 7,541      |                   |            |
| Appanoose County  | 12,257     | Worth County      | 7,385      |                   |            |
| Union County      | 12,018     | Van Buren County  | 7,243      |                   |            |

Metropolitan and micropolitan areas can be found in the link and the maps below.


# https://www.icip.iastate.edu/maps/refmaps/cofips




# **Appendix 4: County Maps**

Poor General Health

Fair or poor self-rated health status among adults aged >= 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### Poor Physical Health

Physical health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




#### Poor Mental Health

#### Mental health not good for >=14 days among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Binge Drinking

#### Binge drinking among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### **Current Smoking**

#### Current smoking among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### **Physical Inactivity**

No leisure–time physical activity among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Sleep <7 hours

#### Sleeping less than 7 hours among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2020



Arthritis


Arthritis among adults aged >=18 years






# High Blood Pressure

High blood pressure among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Cancer (except skin)

Cancer (excluding skin cancer) among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




#### **Current Asthma**

#### Current asthma among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### **Coronary Heart Disease**

#### Coronary heart disease among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2021



COPD


Chronic obstructive pulmonary disease among adults aged >=18 years






Depression

#### Depression among adults aged >=18 years





Data Source: CDC PLACES 2023 Release, BRFSS 2021



Diabetes


Diagnosed diabetes among adults aged >=18 years






# **High Cholesterol**

High cholesterol among adults aged >=18 years who have been screened in the past 5 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# **Chronic Kidney Disease**


Chronic kidney disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021





Obesity
Obesity among adults aged >=18 years







Stroke
Stroke among adults aged >=18 years






All Teeth Lost
All teeth lost among adults aged >=65 years






#### Lack of Health Insurance

#### Current lack of health insurance among adults aged 18-64 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Taking BP Medication

Taking medicine for high blood pressure control among adults aged >=18 years with high blood pressure




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# **Cervical Cancer Screening**

Cervical cancer screening among adult women aged 21–65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




# **Annual Checkup**

Visits to doctor for routine checkup within the past year among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# **Cholesterol Screening**

Cholesterol screening among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Colorectal Cancer Screening

Colorectal cancer screening among adults aged 50-75 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




# Core preventive services for older men

Older adult men aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening




Data Source: CDC PLACES 2023 Release, BRFSS 2020




#### Core preventive services for older women

Older adult women aged >=65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening,





Data Source: CDC PLACES 2023 Release, BRFSS 2020



Dental Visit


Visits to dentist or dental clinic among adults aged >=18 years






### Mammography

#### Mammography use among women aged 50-74 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




# Hearing disability

#### Hearing disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Vision disability

#### Vision disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Cognitive disability

#### Cognitive disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




### Mobility disability

#### Mobility disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Self-care disability

#### Self-care disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




# Independent living disability

#### Independent living disability among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Any disability

Any disability among adults aged >=18 years

