



Iowa County Health Snapshot Series

*99 county reports prepared for the Iowa State University
Extension and Outreach Community and Economic
Development Unit*



May 2024

By Matthew Voss & Shawn Dorius

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

Iowa County Health Snapshot Series

Table of contents

Health in Winnebago County: Overview	3
Strengths	3
Opportunities	4
How to Use this Report	5
Using Story County as an Example	6
Health Status	7
Poor General Health	7
Poor Physical Health	8
Poor Mental Health	8
Health Risk Behaviors	9
Binge Drinking	9
Current Smoking	10
Physical Inactivity	10
Sleep <7 hours	11
Health Outcomes	12
Arthritis	12
High Blood Pressure	13
Cancer (except skin)	13
Current Asthma	14
Coronary Heart Disease	14
COPD	15
Depression	15
Diabetes	16
High Cholesterol	16
Chronic Kidney Disease	17
Obesity	17
Stroke	18
All Teeth Lost	18
Prevention	19
Lack of Health Insurance	19
Taking BP Medication	20
Cervical Cancer Screening	20
Annual Checkup	21
Cholesterol Screening	21

Colorectal Cancer Screening	22
Core preventive services for older men	22
Core preventive services for older women	24
Dental Visit	24
Mammography	26
Disability	27
Hearing disability	27
Vision disability	28
Cognitive disability	28
Mobility disability	29
Self-care disability	29
Independent living disability	30
Any disability	30
Appendix 1: CDC PLACES Data	31
Appendix 2: Winnebago County PLACES Data	32
Appendix 3: Rural Counties	34
Appendix 4: County Maps	36

Health in Winnebago County: Overview

Dear Community Members & Stakeholders of Winnebago County,

We are pleased to share the Iowa County Health Snapshot series, a set of reports designed in partnership with Iowa State University’s Community Economic Development to assess the overall landscape of health and well-being across Iowa’s 99 counties. The following pages include the health snapshot for your county. The snapshot can be used to see how Winnebago County ranks across various health measures compared to the rest of the state and similarly-sized counties. This comparison allows us to identify Winnebago County’s strengths and opportunities for growth by leveraging data from the Centers for Disease Control and Prevention PLACES dataset.

The report includes 37 health measures organized topically by general health status, risky behavior, health outcomes, prevention, and disability. We provide a general overview of each health topic, followed by a description of each health measure. Health measure descriptions include crude and age-adjusted rates and a ranking that tells you how your county ranks compared to all Iowa counties and counties of similar size to Winnebago County. Crude rates tell you the raw, un-adjusted percent of the population experiencing the health measure. Age-adjusted rates account for the age distribution present in your county and presents what the rate would be if your county had a standard age distribution. Crude rates can provide a general comparison between counties and age-adjusted rates can give a fairer comparison between counties with different age structures.

Strengths

Take a look at the top strengths of your county! Below are unadjusted and age-adjusted health measures that represent your county’s strengths. We recommend using continued investment in these areas to maintain them as strengths, as well as building on them to improve in other health domains.

Crude			Age-Adjusted		
Health Domain	Statewide County Rank	Rural County Rank	Health Domain	Statewide County Rank	Rural County Rank
Current Asthma	11th	4th	Hearing Disability	16th	4th
Depression	17th	15th	Chronic Kidney Disease	17th	9th
Dental Visit	18th	9th	Current Asthma	18th	7th
Current Smoking	21st	7th	Coronary Heart Disease	18th	7th
COPD	21st	6th	Depression	19th	12th

Opportunities

Below are health measures that represent potential areas for growth in your county. We recommend increasing investment in these areas to support community health and well-being.

Crude			Age-Adjusted		
Health Domain	Statewide County Rank	Rural County Rank	Health Domain	Statewide County Rank	Rural County Rank
Core preventive services for older women	82nd	51st	Core preventive services for older women	78th	47th
Binge Drinking	58th	45th	Binge Drinking	62nd	43rd
Annual Checkup	55th	40th	Sleep <7 hours	57th	36th
Sleep <7 hours	51st	34th	Mammography	55th	32nd
Mammography	49th	28th	Annual Checkup	54th	32nd

Please review the rest of the report to learn more about your county and reach out to us with questions about the report or for recommendations to improve the overall health and well-being in Winnebago County.

Sincerely,



Shawn F. Dorius, PhD
Iowa State University
Public Science Collaborative



IOWA STATE UNIVERSITY
Extension and Outreach
Community and Economic Development

This project was supported by funding from Iowa State University's Extension and Outreach Community and Economic Development Unit, via an award from Iowa State University's Presidential Strategic Initiative Plan 2022-2031.

How to Use this Report

The purpose of the Iowa County Health Snapshot Series is to provide an overview of health in Winnebago County that can be used to help inform health-related interventions and programming. This report contains five sections, including the overall health status of Winnebago County, a review of risky behaviors in the county, and information on various health outcomes, prevention measures, and disability needs. Each section includes an overview of the health domain, a breakdown of its underlying health measures, and data to see how Winnebago County compares to the rest of the state and similarly-sized counties.

With a population of 10,656, Winnebago County’s similarly sized counties are defined as rural counties. In Iowa, rural counties have an average population of 12,547, and there are 63 counties that are considered rural counties. To learn more about the county population classifications used in this report, please see the information below the table as well as Appendix 3.

Group	Population Avg.	Number of Counties
Metropolitan Core	175,797	9
Micropolitan	30,839	15
Metropolitan Non-Core	29,821	12
Rural	12,547	63
Total		99

The counties included in each category above are determined by the United States Office of Management and Budget. Iowa has counties in nine metropolitan statistical areas and 15 micropolitan statistical areas. The counties identified as metropolitan and micropolitan can be found in the link and the maps below. Metropolitan core counties are those counties in metropolitan areas that have the city that defines the metropolitan area (e.g., Des Moines and Polk County for the Des Moines Metropolitan Area). Metropolitan non-core counties are those that fall within the metropolitan area, but do not have the core city of the metropolitan area (e.g., Dallas and Jasper Counties in the Des Moines Metropolitan Area).

<https://www.icip.iastate.edu/maps/refmaps/cofips>



Using Story County as an Example

The graphic below is an example of the details included for each health measure. The table in the upper right shows your county's crude and age-adjusted rate estimates alongside their averages across all Iowa counties and similarly-sized counties. The images below show the distribution of the health measure across counties. The vertical lines correspond with the values in the table to show the estimate for the specific county compared to counties across the state. The solid black line in each plot represents the county rate, with the dashed lines indicating the average rate for all Iowa counties and the dotted lines showing the average rate for similarly-sized counties.



The example graphic above displays the poor mental health rate in Story County, Iowa. The left plot shows the crude rate of poor mental health in the county. Crude rates are the raw, un-adjusted percent of the population experiencing the health measure. Notice how the solid black line is closer to the right of the plot than the dashed and dotted lines; this indicates that Story County has a higher crude rate of poor mental health than most counties in the state. However, the age-adjusted rate plot on the right shows the solid line closer to the peak of the distribution and averages for the state and similarly-sized counties, indicating that when accounting for Story County's unique age distribution, Story County's poor mental health rate is not a significant outlier, and is estimated to be lower than the statewide average. Accounting for crude and age-adjusted rates is critical to help inform health interventions as age-adjusted rates can help contextualize the health measure within the population.

Health Status


This section reflects measures for overall health, including general, physical, and mental health. These measures are a valuable way to see a simple summary of the health of a country’s population. The questions to calculate these measures ask respondents to evaluate their health status. General health is evaluated on a 5-point scale where respondents can report their health status as one of “excellent,” “very good,” “good,” “fair,” or “poor,” from which the respondents who answer “fair” or “poor” are included in the measure. Physical and mental health are evaluated as the rate of respondents who say they have had 14 or more days in the last 30 days in which their physical or mental health was not good. The URL below includes more information about each variable.

<https://www.cdc.gov/places/measure-definitions/health-status/index.html>

Poor General Health

Winnebago County has a crude rate of 13.8% for fair or poor self-rated health status among adults aged ≥ 18 years, which ranks 24th out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 12.4%, which ranks 24th out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	13.8%	15.0%	15.5%
Age-Adjusted	12.4%	13.3%	13.5%



Poor Physical Health

Winnebago County has a crude rate of 10.4% for physical health not good for >=14 days among adults aged >=18 years, which ranks 24th out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 9.4%, which ranks 25th out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	10.4%	11.1%	11.4%
Age-Adjusted	9.4%	9.9%	10.1%



Poor Mental Health

Winnebago County has a crude rate of 13.9% for mental health not good for >=14 days among adults aged >=18 years, which ranks 35th out of 99 Iowa counties (22nd out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 15.1%, which ranks 23rd out of 99 Iowa counties (7th out of 63 similarly-sized counties).

Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	13.9%	14.1%	14.1%
Age-Adjusted	15.1%	15.5%	15.7%



Health Risk Behaviors


Health risk measures are measures of individual behaviors that can lead to poor health outcomes. These include binge drinking, current smoking, physical inactivity, and getting less than seven hours of nightly sleep. Risk behaviors are the most critical intervention points as they can help save lives and drastically improve health outcomes later in life. Each measure is calculated as the rate of respondents participating in a high level of risk behavior. The exact cutoff points for the behavior depend on the health area. The link below includes more information about each variable.

<https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html>

Binge Drinking

Winnebago County has a crude rate of 18.7% for binge drinking among adults aged ≥ 18 years, which ranks 58th out of 99 Iowa counties (45th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 21.7%, which ranks 62nd out of 99 Iowa counties (43rd out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	18.7%	18.5%	18.1%
Age-Adjusted	21.7%	21.3%	21.3%



Current Smoking

Winnebago County has a crude rate of 15.6% for current smoking among adults aged >=18 years, which ranks 21st out of 99 Iowa counties (7th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 17.0%, which ranks 30th out of 99 Iowa counties (12th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	15.6%	16.7%	16.9%
Age-Adjusted	17.0%	17.8%	18.1%



Physical Inactivity

Winnebago County has a crude rate of 25.2% for no leisure-time physical activity among adults aged >=18 years, which ranks 23rd out of 99 Iowa counties (7th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 23.7%, which ranks 24th out of 99 Iowa counties (9th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	25.2%	26.8%	27.3%
Age-Adjusted	23.7%	25.1%	25.4%



Sleep <7 hours

Winnebago County has a crude rate of 30.1% for sleeping less than 7 hours among adults aged ≥ 18 years, which ranks 51st out of 99 Iowa counties (34th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 31.7%, which ranks 57th out of 99 Iowa counties (36th out of 63 similarly-sized counties).

Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	30.1%	30.0%	30.0%
Age-Adjusted	31.7%	31.4%	31.5%



Health Outcomes


This section includes measures about specific health outcomes such as chronic illness, mental health conditions, and risk factors for future disease. Health outcome measures include but are not limited to arthritis, high blood pressure, cancer, depression, and obesity. Each measure is the percentage of respondents reporting receiving the diagnosis by a doctor, nurse, or other health professional. The link below includes more information about each variable.

<https://www.cdc.gov/places/measure-definitions/health-outcomes/index.html>

Arthritis

Winnebago County has a crude rate of 28.2% for arthritis among adults aged ≥ 18 years, which ranks 36th out of 99 Iowa counties (13th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 22.9%, which ranks 40th out of 99 Iowa counties (21st out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	28.2%	28.8%	29.1%
Age-Adjusted	22.9%	23.2%	23.3%



High Blood Pressure

Winnebago County has a crude rate of 32.2% for high blood pressure among adults aged ≥ 18 years, which ranks 26th out of 99 Iowa counties (8th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 26.7%, which ranks 20th out of 99 Iowa counties (9th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	32.2%	33.7%	34.5%
Age-Adjusted	26.7%	27.9%	27.9%



Cancer (except skin)

Winnebago County has a crude rate of 8.4% for cancer (excluding skin cancer) among adults aged ≥ 18 years, which ranks 46th out of 99 Iowa counties (19th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 6.4%, which ranks 26th out of 99 Iowa counties (14th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	8.4%	8.4%	8.7%
Age-Adjusted	6.4%	6.4%	6.4%



Current Asthma

Winnebago County has a crude rate of 9.1% for current asthma among adults aged ≥ 18 years, which ranks 11th out of 99 Iowa counties (4th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 9.3%, which ranks 18th out of 99 Iowa counties (7th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	9.1%	9.3%	9.3%
Age-Adjusted	9.3%	9.5%	9.5%



Coronary Heart Disease

Winnebago County has a crude rate of 6.7% for coronary heart disease among adults aged ≥ 18 years, which ranks 32nd out of 99 Iowa counties (11th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 4.9%, which ranks 18th out of 99 Iowa counties (7th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	6.7%	7.1%	7.4%
Age-Adjusted	4.9%	5.2%	5.2%



COPD

Winnebago County has a crude rate of 7.2% for chronic obstructive pulmonary disease among adults aged ≥ 18 years, which ranks 21st out of 99 Iowa counties (6th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 5.9%, which ranks 22nd out of 99 Iowa counties (8th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	7.2%	7.9%	8.2%
Age-Adjusted	5.9%	6.4%	6.5%



Depression

Winnebago County has a crude rate of 17.1% for depression among adults aged ≥ 18 years, which ranks 17th out of 99 Iowa counties (15th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 18.2%, which ranks 19th out of 99 Iowa counties (12th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	17.1%	17.6%	17.5%
Age-Adjusted	18.2%	18.7%	18.7%



Diabetes

Winnebago County has a crude rate of 10.4% for diagnosed diabetes among adults aged >=18 years, which ranks 27th out of 99 Iowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 8.3%, which ranks 30th out of 99 Iowa counties (16th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	10.4%	11.0%	11.3%
Age-Adjusted	8.3%	8.7%	8.7%



High Cholesterol

Winnebago County has a crude rate of 37.1% for high cholesterol among adults aged >=18 years who have been screened in the past 5 years, which ranks 35th out of 99 Iowa counties (15th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 29.8%, which ranks 47th out of 99 Iowa counties (28th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	37.1%	37.5%	37.8%
Age-Adjusted	29.8%	29.8%	29.8%



Chronic Kidney Disease

Winnebago County has a crude rate of 3.3% for chronic kidney disease among adults aged ≥ 18 years, which ranks 33rd out of 99 Iowa counties (11th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 2.6%, which ranks 17th out of 99 Iowa counties (9th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	3.3%	3.4%	3.5%
Age-Adjusted	2.6%	2.7%	2.7%



Obesity

Winnebago County has a crude rate of 37.3% for obesity among adults aged ≥ 18 years, which ranks 39th out of 99 Iowa counties (21st out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 38.2%, which ranks 52nd out of 99 Iowa counties (30th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	37.3%	37.6%	37.8%
Age-Adjusted	38.2%	37.9%	38.3%



Stroke

Winnebago County has a crude rate of 3.3% for stroke among adults aged ≥ 18 years, which ranks 26th out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 2.6%, which ranks 23rd out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	3.3%	3.5%	3.6%
Age-Adjusted	2.6%	2.7%	2.7%



All Teeth Lost

Winnebago County has a crude rate of 9.4% for all teeth lost among adults aged ≥ 65 years, which ranks 22nd out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 10.3%, which ranks 25th out of 99 Iowa counties (11th out of 63 similarly-sized counties).

Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	9.4%	10.4%	10.5%
Age-Adjusted	10.3%	11.3%	11.5%



Prevention


Preventive measures are another practical intervention point for public health professionals as they allow for the early detection of health conditions and improve overall treatment efficacy. This section includes a review of your county’s prevention measures, including preventive screenings and doctor visits. Besides the measure for lack of health insurance, all measures in this section are positive, where a higher rate is a strength for your county. The link below includes more information about each variable.

<https://www.cdc.gov/places/measure-definitions/prevention/index.html>

Lack of Health Insurance

Winnebago County has a crude rate of 7.4% for current lack of health insurance among adults aged 18–64 years, which ranks 27th out of 99 Iowa counties (13th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 7.9%, which ranks 26th out of 99 Iowa counties (12th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	7.4%	7.8%	8.0%
Age-Adjusted	7.9%	8.3%	8.5%



Taking BP Medication

Winnebago County has a crude rate of 81.3% for taking medicine for high blood pressure control among adults aged ≥ 18 years with high blood pressure, which ranks 36th out of 99 Iowa counties (32nd out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 59.5%, which ranks 41st out of 99 Iowa counties (26th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	81.3%	80.8%	81.3%
Age-Adjusted	59.5%	59.4%	59.5%



Cervical Cancer Screening

Winnebago County has a crude rate of 82.8% for cervical cancer screening among adult women aged 21–65 years, which ranks 31st out of 99 Iowa counties (16th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 83.6%, which ranks 22nd out of 99 Iowa counties (9th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	82.8%	82.3%	82.1%
Age-Adjusted	83.6%	83.0%	82.7%



Annual Checkup

Winnebago County has a crude rate of 75.7% for visits to doctor for routine checkup within the past year among adults aged ≥ 18 years, which ranks 55th out of 99 Iowa counties (40th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 72.5%, which ranks 54th out of 99 Iowa counties (32nd out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	75.7%	75.9%	76.1%
Age-Adjusted	72.5%	72.6%	72.5%



Cholesterol Screening

Winnebago County has a crude rate of 82.7% for cholesterol screening among adults aged ≥ 18 years, which ranks 41st out of 99 Iowa counties (28th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 79.7%, which ranks 21st out of 99 Iowa counties (6th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	82.7%	82.5%	82.7%
Age-Adjusted	79.7%	78.9%	78.7%



Colorectal Cancer Screening

Winnebago County has a crude rate of 73.5% for colorectal cancer screening among adults aged 50–75 years, which ranks 40th out of 99 Iowa counties (23rd out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 70.2%, which ranks 51st out of 99 Iowa counties (28th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	73.5%	73.2%	73.0%
Age-Adjusted	70.2%	70.3%	70.0%



Core preventive services for older men

Winnebago County has a crude rate of 44.9% for older adult men aged ≥ 65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, which ranks 24th out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 45.9%, which ranks 21st out of 99 Iowa counties (7th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	44.9%	42.7%	42.0%
Age-Adjusted	45.9%	43.3%	42.7%



Core preventive services for older women

Winnebago County has a crude rate of 36.3% for older adult women aged ≥ 65 years who are up to date on a core set of clinical preventive services: flu shot past year, ppv shot ever, colorectal cancer screening, and mammogram past 2 years, which ranks 82nd out of 99 Iowa counties (51st out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 37.7%, which ranks 78th out of 99 Iowa counties (47th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	36.3%	38.4%	37.9%
Age-Adjusted	37.7%	39.7%	39.1%



Dental Visit

Winnebago County has a crude rate of 68.8% for visits to dentist or dental clinic among adults aged ≥ 18 years, which ranks 18th out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 67.8%, which ranks 21st out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	68.8%	66.0%	65.6%
Age-Adjusted	67.8%	65.3%	64.6%



Mammography

Winnebago County has a crude rate of 73.9% for mam-
mography use among women aged 50–74 years, which
ranks 49th out of 99 Iowa counties (28th out of 63 similarly-
sized counties). The age-adjusted rate for Winnebago
County is 73.5%, which ranks 55th out of 99 Iowa coun-
ties (32nd out of 63 similarly-sized counties).

Measure Type	Winnebago County	All Counties	Similarly- Sized Counties
Crude	73.9%	73.9%	73.7%
Age-Adjusted	73.5%	73.7%	73.5%



Disability


This section includes measures of physical and cognitive disabilities. Respondents were asked to report on six disabilities: hearing, vision, cognition, mobility, self-care, and independent living. The final measure reports the rate of respondents that answered yes to any of the previous six disabilities. The link below includes more information about each variable.

<https://www.cdc.gov/places/measure-definitions/unhealthy-behaviors/index.html>

Hearing disability

Winnebago County has a crude rate of 7.5% for hearing disability among adults aged ≥ 18 years, which ranks 31st out of 99 Iowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 5.8%, which ranks 16th out of 99 Iowa counties (4th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	7.5%	7.9%	8.2%
Age-Adjusted	5.8%	6.1%	6.2%



Vision disability

Winnebago County has a crude rate of 4.0% for vision disability among adults aged ≥ 18 years, which ranks 24th out of 99 Iowa counties (9th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 3.6%, which ranks 23rd out of 99 Iowa counties (12th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	4.0%	4.4%	4.5%
Age-Adjusted	3.6%	3.9%	4.0%



Cognitive disability

Winnebago County has a crude rate of 10.7% for cognitive disability among adults aged ≥ 18 years, which ranks 21st out of 99 Iowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 11.2%, which ranks 24th out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	10.7%	11.2%	11.3%
Age-Adjusted	11.2%	11.9%	12.1%



Mobility disability

Winnebago County has a crude rate of 11.6% for mobility disability among adults aged ≥ 18 years, which ranks 26th out of 99 Iowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 9.2%, which ranks 22nd out of 99 Iowa counties (9th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	11.6%	12.5%	13.1%
Age-Adjusted	9.2%	9.9%	10.0%



Self-care disability

Winnebago County has a crude rate of 3.3% for self-care disability among adults aged ≥ 18 years, which ranks 22nd out of 99 Iowa counties (8th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 2.9%, which ranks 22nd out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	3.3%	3.6%	3.8%
Age-Adjusted	2.9%	3.1%	3.2%



Independent living disability

Winnebago County has a crude rate of 6.4% for independent living disability among adults aged ≥ 18 years, which ranks 25th out of 99 Iowa counties (10th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 6.0%, which ranks 24th out of 99 Iowa counties (10th out of 63 similarly-sized counties).


Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	6.4%	6.9%	7.1%
Age-Adjusted	6.0%	6.4%	6.5%



Any disability

Winnebago County has a crude rate of 25.2% for any disability among adults aged ≥ 18 years, which ranks 26th out of 99 Iowa counties (11th out of 63 similarly-sized counties). The age-adjusted rate for Winnebago County is 22.5%, which ranks 24th out of 99 Iowa counties (10th out of 63 similarly-sized counties).

Measure Type	Winnebago County	All Counties	Similarly-Sized Counties
Crude	25.2%	26.6%	27.2%
Age-Adjusted	22.5%	23.6%	24.0%



Appendix 1: CDC PLACES Data

This report uses a novel dataset from the Centers for Disease Control and Prevention (CDC) called PLACES: Local Data for Better Health. The PLACES dataset uses small area estimation methods to provide estimates of health measures for counties, places, census tracts, and zip code tabulation areas. The estimates are created with a multilevel statistical modeling framework that utilizes CDC's Behavioral Risk Factor Surveillance System (BRFSS), Census population counts, and American Community Survey demographic and socioeconomic data.

Relevant links for CDC PLACES can be found below:

- [PLACES Homepage](#)
- [Measure Definitions](#)
- [Methodology](#)



Appendix 2: Winnebago County PLACES Data

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Health Status	Physical Health	24	10.4% (8.8% - 12.2%)	25	9.4% (7.9% - 10.9%)
Health Status	General Health	24	13.8% (11.5% - 16.4%)	24	12.4% (10.3% - 14.8%)
Health Status	Mental Health	35	13.9% (11.8% - 16.0%)	23	15.1% (12.9% - 17.5%)
Health Risk Behaviors	Sleep <7 hours	51	30.1% (28.5% - 31.7%)	57	31.7% (30.1% - 33.4%)
Health Risk Behaviors	Current Smoking	21	15.6% (12.1% - 19.2%)	30	17.0% (13.1% - 21.2%)
Health Risk Behaviors	Binge Drinking	58	18.7% (15.4% - 22.3%)	62	21.7% (17.9% - 25.7%)
Health Risk Behaviors	Physical Inactivity	23	25.2% (20.1% - 30.4%)	24	23.7% (18.8% - 28.8%)
Health Outcomes	Arthritis	36	28.2% (24.1% - 32.5%)	40	22.9% (19.2% - 26.8%)
Health Outcomes	Obesity	39	37.3% (29.8% - 45.0%)	52	38.2% (30.7% - 46.0%)
Health Outcomes	COPD	21	7.2% (5.9% - 8.7%)	22	5.9% (4.8% - 7.0%)
Health Outcomes	Chronic Kidney Disease	33	3.3% (2.9% - 3.7%)	17	2.6% (2.3% - 2.9%)
Health Outcomes	Current Asthma	11	9.1% (7.9% - 10.4%)	18	9.3% (8.1% - 10.6%)
Health Outcomes	Diabetes	27	10.4% (8.8% - 12.2%)	30	8.3% (6.9% - 9.7%)
Health Outcomes	High Cholesterol	35	37.1% (32.4% - 41.8%)	47	29.8% (25.4% - 34.4%)
Health Outcomes	Cancer (except skin)	46	8.4% (7.6% - 9.3%)	26	6.4% (5.7% - 7.0%)
Health Outcomes	Stroke	26	3.3% (2.8% - 3.8%)	23	2.6% (2.2% - 2.9%)
Health Outcomes	High Blood Pressure	26	32.2% (28.0% - 36.4%)	20	26.7% (22.9% - 30.7%)
Health Outcomes	All Teeth Lost	22	9.4% (6.1% - 13.8%)	25	10.3% (6.7% - 14.7%)
Health Outcomes	Depression	17	17.1% (13.9% - 20.6%)	19	18.2% (14.7% - 21.9%)
Health Outcomes	Coronary Heart Disease	32	6.7% (5.8% - 7.8%)	18	4.9% (4.3% - 5.7%)
Prevention	Mammography	49	73.9% (69.6% - 78.0%)	55	73.5% (69.2% - 77.9%)
Prevention	Annual Checkup	55	75.7% (70.8% - 80.2%)	54	72.5% (67.1% - 77.4%)
Prevention	Core preventive services for older men	24	44.9% (36.3% - 54.3%)	21	45.9% (37.2% - 55.3%)
Prevention	Core preventive services for older women	82	36.3% (29.3% - 44.0%)	78	37.7% (30.7% - 45.5%)
Prevention	Taking BP Medication	36	81.3% (78.2% - 84.0%)	41	59.5% (54.4% - 64.3%)
Prevention	Dental Visit	18	68.8% (65.3% - 72.1%)	21	67.8% (64.3% - 71.3%)

Category	Health Domain	Crude Rate Rank	Crude Rate (95% CI)	Age-Adj. Rate Rank	Age-Adj. Rate (95% CI)
Prevention	Cervical Cancer Screening	31	82.8% (80.3% - 85.5%)	22	83.6% (81.3% - 86.1%)
Prevention	Cholesterol Screening	41	82.7% (79.6% - 85.5%)	21	79.7% (76.2% - 83.0%)
Prevention	Health Insurance	27	7.4% (5.7% - 9.5%)	26	7.9% (6.0% - 10.1%)
Prevention	Colorectal Cancer Screening	40	73.5% (70.5% - 76.3%)	51	70.2% (66.8% - 73.5%)
Disability	Mobility Disability	26	11.6% (9.6% - 13.8%)	22	9.2% (7.7% - 10.9%)
Disability	Hearing Disability	31	7.5% (6.6% - 8.5%)	16	5.8% (5.1% - 6.6%)
Disability	Vision Disability	24	4.0% (3.4% - 4.7%)	23	3.6% (3.0% - 4.1%)
Disability	Any Disability	26	25.2% (21.2% - 29.2%)	24	22.5% (18.8% - 26.2%)
Disability	Cognitive Disability	21	10.7% (9.0% - 12.6%)	24	11.2% (9.2% - 13.4%)
Disability	Self-care Disability	22	3.3% (2.8% - 3.9%)	22	2.9% (2.5% - 3.3%)
Disability	Independent Living Disability	25	6.4% (5.3% - 7.5%)	24	6.0% (5.0% - 7.0%)


The 95% confidence interval shown in parentheses represents the range of 95% of CDC area estimates under different model assumptions using Monte Carlo simulations.

Appendix 3: Rural Counties

Winnebago County falls into the group of rural counties. In this data, 63 counties fall into this group. The table below lists all counties in the group, sorted by the population estimate in the CDC PLACES dataset.

County	Population	County	Population	County	Population
Sioux County	35,893	Lyon County	12,011	Pocahontas County	7,074
Boone County	26,723	Chickasaw County	11,887	Ida County	6,956
Plymouth County	25,650	Shelby County	11,770	Fremont County	6,567
Buchanan County	20,657	Cherokee County	11,503	Wayne County	6,508
Henry County	20,387	Louisa County	10,749	Osceola County	6,159
Winneshiek County	19,892	Hancock County	10,663	Taylor County	5,868
Jackson County	19,368	Winnebago County	10,656	Audubon County	5,635
Fayette County	19,258	Mitchell County	10,555	Ringgold County	4,639
Poweshiek County	18,586	Montgomery County	10,322	Adams County	3,641
Cedar County	18,410	Franklin County	9,952		
Delaware County	17,510	Calhoun County	9,915		
Clayton County	16,998	Keokuk County	9,914		
Tama County	16,867	Clarke County	9,785		
Hardin County	16,708	Sac County	9,752		
Iowa County	16,568	Humboldt County	9,634		
Crawford County	16,193	Howard County	9,478		
Floyd County	15,413	Emmet County	9,321		
Page County	15,197	Davis County	9,138		
Hamilton County	14,887	Palo Alto County	8,906		
Kossuth County	14,529	Greene County	8,717		
Butler County	14,332	Lucas County	8,710		
O'Brien County	14,015	Monona County	8,574		
Allamakee County	13,926	Decatur County	7,659		
Cass County	13,050	Monroe County	7,610		
Wright County	12,785	Adair County	7,541		
Appanoose County	12,257	Worth County	7,385		
Union County	12,018	Van Buren County	7,243		


Metropolitan and micropolitan areas can be found in the link and the maps below.




Appendix 4: County Maps

Poor General Health

Fair or poor self-rated health status among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Poor Physical Health

Physical health not good for ≥ 14 days among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Poor Mental Health

Mental health not good for ≥ 14 days among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Binge Drinking

Binge drinking among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Current Smoking

Current smoking among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Physical Inactivity

No leisure-time physical activity among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Sleep <7 hours

Sleeping less than 7 hours among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Arthritis

Arthritis among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

High Blood Pressure

High blood pressure among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Cancer (except skin)

Cancer (excluding skin cancer) among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Current Asthma

Current asthma among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Coronary Heart Disease

Coronary heart disease among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

COPD

Chronic obstructive pulmonary disease among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Depression

Depression among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Diabetes

Diagnosed diabetes among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

High Cholesterol

High cholesterol among adults aged ≥ 18 years who have been screened in the past 5 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Chronic Kidney Disease

Chronic kidney disease among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Obesity

Obesity among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Stroke

Stroke among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

All Teeth Lost

All teeth lost among adults aged ≥ 65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Lack of Health Insurance

Current lack of health insurance among adults aged 18–64 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Taking BP Medication

Taking medicine for high blood pressure control among adults aged ≥ 18 years with high blood pressure




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Cervical Cancer Screening

Cervical cancer screening among adult women aged 21–65 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Annual Checkup

Visits to doctor for routine checkup within the past year among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Cholesterol Screening

Cholesterol screening among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Colorectal Cancer Screening

Colorectal cancer screening among adults aged 50–75 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Core preventive services for older men

Older adult men aged ≥ 65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Core preventive services for older women

Older adult women aged ≥ 65 years who are up to date on a core set of clinical preventive services: Flu shot past year, PPV shot ever, Colorectal cancer screening,




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Dental Visit

Visits to dentist or dental clinic among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Mammography

Mammography use among women aged 50–74 years




Data Source: CDC PLACES 2023 Release, BRFSS 2020




Data Source: CDC PLACES 2023 Release, BRFSS 2020

Hearing disability

Hearing disability among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Vision disability

Vision disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Cognitive disability

Cognitive disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Mobility disability

Mobility disability among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Self-care disability

Self-care disability among adults aged >=18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Independent living disability

Independent living disability among adults aged ≥ 18 years




Data Source: CDC PLACES 2023 Release, BRFSS 2021




Data Source: CDC PLACES 2023 Release, BRFSS 2021

Any disability

Any disability among adults aged >=18 years



Data Source: CDC PLACES 2023 Release, BRFSS 2021



Data Source: CDC PLACES 2023 Release, BRFSS 2021